Mayer Fabrics

Healthcare

logiflex

Shown at approximately 75% Scale

UTOPIA
473-016 Fog

473-017
Oats

473-003
Sprout

473-024
Capri



473-026
Smoke

473-037
Fossil



473-013
Spruce

473-004
Twilight

473-046
Cinder

WEBSTER
WC930-007 Cafe

WC930-002
Chardonnay

WC930-003
Fern

WC930-004
Artic Blue



WC930-016
Oxford

MATKA
MT-024 Seafoam

MT-017
Mist



MT-053
Aloe



MT-014
Cerulean

MT-015
Thistle

MT-020
Burnish

MT-063
Alpine

MT-004
Lapis

MT-016
Shadow

CHANNEL
WC977-024 Powder

WC977-027
Stone

WC977-013
Peppermint



WC977-004
Slate



WC977-006
Sterling

WC977-009
Melon

WC977-023
Evergreen



WC977-014
Ink



WC977-016
Smoke

Additional colors are available. Please refer to the Logiflex website.

Shown at approximately 50% Scale

HAVEN
472-034 Denim

472-007
Cocoon



472-006
Shale

472-003
Seafoam



472-014
Iceberg

472-027
Dove

472-026
Iron



472-023
Fern

472-044
Navy



FITZ
WC931-003 Seafoam

WC931-007
Abalone

WC931-004
Atlantis



WC931-000
Cobblestone

WC931-013
Kelp

GALVESTON
GV-017 Desert

GV-026
Stucco

GV-030
Saddle

GV-014
Stream



GV-023
Hunter

GV-016
Winchester

GV-000
Earth



GV-004
Twilight



GV-006
Graphite

Additional colors are available. Please refer to the Mayer Fabrics website.

TECHNICAL INFORMATION

Pattern 54"	Content and Backing	Certifications	Weight/ Linear Yd.	Pattern Repeat	Finish	Abrasion Wyzenbeek	Light-Fastness	Flammability	Cleaning Code
CHANNEL *Directional*	100% Polyester Backing: Crypton®	GREENGUARD Gold	21.21 oz.	Random Match	Crypton® with Antimicrobial Silver Ion Technology	100,000^ Double Rubs	40 hours	Cal. 117-2013 NFPA 260/UFAC Class 1	W, C, BC
FITZ *Directional*	100% Polyester Backing: Crypton®	GREENGUARD Gold	18.8 oz.	9.875" H, 9.75" V	Crypton® with Antimicrobial Silver Ion Technology	60,000 Double Rubs	40 hours	Cal. 117-2013 NFPA 260/UFAC Class 1	W, C, BC
GALVESTON	80% Vinyl - Phthalate Free face, 20% Polyester backing	GREENGUARD	30 oz.	None	Soil & Stain Resistant Top Coat with Ink Resistant Technology	250,000^ Double Rubs	200 hours	Cal. 117-2013 NFPA 260/UFAC Class 1 FMVSS 302	BC, CFC
HAVEN *Directional*	92% Polyester, 6% Polyurethane, 2% Silicone Backing: Fluid Barrier (Supreen) Polyurethane	GREENGUARD Gold	22 oz.	Non-Matching	Supreen (Silicone) PFAS Free	100,000^ Double Rubs	40 hours	Cal. 117-2013 NFPA 260/UFAC Class 1	WS, BC
MATKA *Directional*	80% Vinyl - Phthalate Free face, 20% Polyester backing	GREENGUARD	30 oz.	Non-Matching	Soil & Stain Resistant Top Coat with Ink Resistant Technology	250,000^ Double Rubs	500 hours	Cal. 117-2013 NFPA 260/UFAC Class 1	WS, BC, CFC
UTOPIA *Directional*	88% Polyester, 7% Acrylic, 3%Polyurethane, 2% Silicone Backing: Fluid Barrier (Supreen) Polyurethane	GREENGUARD Gold	24.5 oz.	None	Supreen (Silicone) PFAS Free	100,000^ Double Rubs	40 hours	Cal. 117-2013 NFPA 260/UFAC Class 1	WS, BC
WEBSTER *Directional*	50% Solution-Dyed Olefin, 25% Solution-Dyed Polyester, 25% Polyester Backing: Crypton®	GREENGUARD Gold	24.2 oz.	2.375" H, 2.25" V	Crypton® with Antimicrobial Silver Ion Technology	80,000 Double Rubs	40 hours	Cal. 117-2013 NFPA 260/UFAC Class 1	W, C, BC

REDUCED ENVIRONMENTAL IMPACT

These products are GREENGUARD Certified or GREENGUARD Gold Certified for low chemical and particle emissions to UL standard UL 2818 and may contribute to LEED certification.

No FR Additives — No Antibacterial/Antimicrobial Additives
PFAS Free — Galveston, Haven, Matka, Utopia

CARE AND CLEANING INFORMATION

W: Water-Based Cleaner WS: Water/Solvent Cleaner

C: Crypton Cleaning CFC: Coated Fabrics Cleaning – Refer to Mayer website for complete cleaning info.

BC: Bleach Cleanable – 1 part bleach, 9 parts water = 10% bleach, 90% water solution. Do not clean/disinfect fabric for longer than 10 minutes using the 10% bleach solution. Always rinse promptly with clean water after applying the bleach solution. Failure to do so will void any and all warranties.

DYE TRANSFER DISCLAIMER

Certain clothing and accessory dyes (such as those used on denim jeans) may migrate to lighter colors. This phenomenon is increased by humidity and temperature and is irreversible. Mayer Fabrics will not assume responsibility for dye transfer caused by external contaminants. Please check compatibility when using this product in combination with painted or varnished surfaces.

ADDITIONAL INFORMATION

^Abrasion test results exceeding ACT Performance Guidelines are not an indicator of product lifespan. Multiple factors affect fabric durability and appearance retention.
+A multi-use fabric that can be used for upholstery, panels, wrapped walls, and acoustic.
Warranty: Please refer to the Mayer website for warranty information by pattern.
Custom Colors: All patterns can be custom colored. Minimum yardage applies.
Digital Swatch Card Color Matching: Due to color variations on different monitors and color printers, actual swatch colors may vary slightly. Please request a memo sample from Mayer Fabrics to ensure proper color representation.
Complete and current product information available at mayerfabrics.com.

LGFWELLCD MF1123

These fabrics meet or exceed these ACT performance guidelines.
*Certification Marks owned by ACT®

FITZ



WEBSTER

logiflex

MAYERFABRICS

T 877.864.9323 logiflex.ca

T 800.428.4415 mayerfabrics.com
500 S. Kitley Ave. Indianapolis, IN 46219