# **ENVIRONMENTAL DATA SHEET**

**PRODUCT: VOLT** 



 $\textbf{Typical layout shown:} \ \mathsf{VOZ}\ 3672\mathsf{TPMW}; \ \mathsf{VO}\ 203016\ \mathsf{IIND}; \ \mathsf{VO}\ 2048\ \mathsf{BRB}; \ \mathsf{VO}\ 2078\ \mathsf{SDR};$ 

Does not include chairs and accessories.

Manufacturing Location: Logiflex Inc., 1235 Chemin St-Roch Nord, Sherbrooke, QC, J1N 0H2

**Product description:** Office furniture

Contact for additional information: information@logiflex.ca



# **MANUFACTURING PROCESS**

Refer to the Millenium furniture collection specification sheet available on Logiflex's website.

## **CERTIFICATIONS AND STANDARDS**

The supplier-sourced laminate used in our furniture complies with several standards. See the "Responsible Materials" section of the Logiflex Environmental Initiative.



#### **CLEANING AND MAINTENANCE**

See Logiflex's Maintenance Guide.

## PRODUCT SERVICE LIFE

We encourage office furniture retailers to refer their customers to an office furniture reuse network. Certain components, such as doors, fronts, furniture delivered unassembled and components assembled with cam fittings can be reprocessed, replaced, dismantled or recycled.

#### **OUR COMMITMENT**

Logiflex has a proactive environmental initiative. Accordingly, we are currently setting up mechanisms to help us improve our practices and meet environmental expectations.

Relevant documents are available in the Logiflex Environmental Initiative.

# **ENVIRONMENTAL FOOTPRINT**

This section has not been verified by a third party; all information is self-reported.

Energy used during manufactue (GJ/T) *				
Layout type (3-piece furniture)	0,042			

<sup>\*</sup>For operations conducted directly from Logiflex's facility in 2021. Calculations are based on the total volume of laminate purchased in 2021. This is just an estimate and may not be used as an official declaration.

GHG Emissions (T CO <sub>2</sub> eq/t total material)			
1 unit	0,013		

<sup>\*</sup> Refers to the 2021 GHG inventory. Available upon request.

## WARRANTY

Logiflex guarantees to the original purchaser that Logiflex products are free from defects in design, materials and workmanship for the product's lifetime. Effective as of the date invoiced to the distributor, the warranty is valid only for products bought new from an authorized Logiflex distributor and as long as the original purchaser owns the products.

For more information, refer to the warranty on Logiflex's website.

# RECYCLED AND RECYCLABLE/RECOVERABLE CONTENT

Material	Percentage of Product (Mass)	Recycled Content	Recycled content %	Recycled % of the total mass	Recyclable/recoverable	Recyclability %
Laminate	77,14%	Pre-consumer	84%	64,56%	Energy recoverable	77,14%
		Post-consumer	0%	0%		
PVC	1,78%	Pre-consumer	0%	0%	Yes⁵	1,78% <sup>c</sup>
		Post-consumer	0%	0%		
Hardware	21,08%	Pre-consumer	0%	0%	- No	0,00%
		Post-consumer	0%	0%		
Total	100,00%					78,92%

Refers to typical layout shown.

# RECYCLED AND RECYCLABLE/RECOVERABLE PACKAGING COMPONENTS

Material	Recycled contente	Percentage	Recyclable/recoverable <sup>a</sup>	
Foam	Pre-consumer	N/A	Yes <sup>b</sup>	
rodiii	Post-consumer	Post-consumer N/A		
Plastic film	Pre-consumer	0%	Yes <sup>b</sup>	
Pidstic IIIII	Post-consumer	0%	res-	
Bubble wrap	Undefined 15%		N/A	
Corrugated cardboard and cardboard edge	Pre-consumer	0%	Yes	
protectors	Post-consumer	0% - 100%	res	
Deliverter etropping	Pre-consumer	0%	Yes <sup>b</sup>	
Polyester strapping	Post-consumer	0%		
Expended polypropylone (EDD) corners	Pre-consumer	0%	Yes	
Expanded polypropylene (EPP) corners	Post-consumer	0%		
Cardboard boxes	Pre-consumer	0%	Yes	
Caluboald boxes	Post-consumer	0%		
Wood pallets	Pre-consumer	0%	Yes	
wood panets	Post-consumer	0%	165	
Laminato nallete	Pre-consumer	88%	Energy recoverable	
Laminate pallets	Post-consumer	0%	Energy recoverable	

<sup>&</sup>lt;sup>a</sup> See the "Our material's 4R properties" and "Our packaging's 4R properties" sections of the Logiflex Environmental Initiative for more information about recycling and recovery pathways. <sup>b</sup> Recyclable under certain conditions.

<sup>°+/- 1%</sup> accuracy