

Product Specifications

INFINITI SQUARE BENCH - BC26

CONSTRUCTION

- All pieces are assembled using screws.
- Square frame made of 1 1/16" Chinese plywood.
- Seat with elastic webbing covered with 3" medium density Velva foam and 1/2" polyester.
- 4 metal legs with brushed aluminum finish 4 1/2" h with levelers.

FINISHES

- Customers can choose an upholstery or vinyl from the supplier of their choice.

DIMENSIONS

Overall dimensions: 26 1/2" w x 26 1/2" d x 17 1/2" h

COM YARDAGE REQUIRED

Linear Yardage: 2

OPTIONS

- Double top stitching.
- Flammability technical bulletin CAL133.
- Models presented are suggestions: they can be customized to meet individual needs.

MANUFACTURER'S FEATURES

- The foam used meets or exceeds the California Technical Bulletin 117 requirements.
- Five-year warranty against manufacturing defects and on the wooden frame.
- Products are manufactured in North America.



Product Specifications

INFINITI ARCHED BENCH - BA26

CONSTRUCTION

- All pieces are assembled using screws.
- Arched frame made of 11/16" Chinese plywood and hardwood.
- Seat with elastic webbing covered with 3" medium density Velva foam and 1/2" polyester.
- 5 metal legs with brushed aluminum finish 4 1/2" h with levelers.

FINISHES

- Customers can choose an upholstery or vinyl from the supplier of their choice.

DIMENSIONS

Overall dimensions: 61 1/2" w x 31 1/2" d x 17 1/2" h

COM YARDAGE REQUIRED

Linear Yardage: 4

OPTIONS

- Double top stitching.
- Flammability technical bulletin CAL133.
- Models presented are suggestions: they can be customized to meet individual needs.

MANUFACTURER'S FEATURES

- The foam used meets or exceeds the California Technical Bulletin 117 requirements.
- Five-year warranty against manufacturing defects and on the wooden frame.
- Products are manufactured in North America.



Product Specifications

INFINITI SQUARE BENCH WITH BACK REST - BCD26

CONSTRUCTION

- All pieces are assembled using screws.
- Square frame made of 11/16" Chinese plywood.
- Seat with elastic webbing covered with an overlap of 2 Velva foams of different densities, cut in diagonal:
 - 3" firm density Velva foam in the front
 - 3" medium density Velva foam in the back
 - 3" x 1" firm density Velva foam reinforcement strip in the front
 - ½" polyester
- Backrest made of plywood with size 11 springs and 2 anti-twist rods attached with SE fasteners. Front covered with ½" medium-density Celcor foam and ½" polyester. Back and sides covered with ½" polyester.
- 4 metal legs with brushed aluminum finish 4½"h with levelers.
- Assembled in 2 sections for ease in future reupholstering and part replacement.

FINISHES

- Customers can choose an upholstery or vinyl from the supplier of their choice.

DIMENSIONS

Overall dimensions: 26½"w x 26½"d x 33½"h

Seat dimensions: 26½"w x 17½"d x 17½"h

COM YARDAGE REQUIRED

Linear Yardage: 3½

OPTIONS

- Double top stitching.
- Flammability technical bulletin CAL133.
- Models presented are suggestions: they can be customized to meet individual needs.

MANUFACTURER'S FEATURES

- The foam used meets or exceeds the California Technical Bulletin 117 requirements.
- Five-year warranty against manufacturing defects and on the wooden frame.
- Products are manufactured in North America.



Product Specifications

INFINITI ARCHED BENCH WITH INNER BACK REST - BADI26

CONSTRUCTION

- All pieces are assembled using screws.
- Arched frame made of 11/16" Chinese plywood and hardwood.
- Seat with elastic webbing covered with 3" medium density Velva foam and 1/2" polyester.
- Inner backrest made of plywood with size 11 springs and 2 anti-twist rods attached with SE fasteners. Front covered with 1/2" medium-density Celcor foam and 1/2" polyester. Back and sides covered with 1/2" polyester.
- 5 metal legs with brushed aluminum finish 4 1/2" h with levelers.
- Assembled in 2 sections for ease in future reupholstering and part replacement.

FINISHES

- Customers can choose an upholstery or vinyl from the supplier of their choice.

DIMENSIONS

Overall dimensions: 61 1/2" w x 31 1/2" d x 33 1/2" h

Seat dimensions: 61 1/2" w x 17 1/2" d x 17 1/2" h

COM YARDAGE REQUIRED

Linear Yardage: 5 1/2

OPTIONS

- Double top stitching.
- Flammability technical bulletin CAL133.
- Models presented are suggestions: they can be customized to meet individual needs.

MANUFACTURER'S FEATURES

- The foam used meets or exceeds the California Technical Bulletin 117 requirements.
- Five-year warranty against manufacturing defects and on the wooden frame.
- Products are manufactured in North America.



Product Specifications

INFINITI ARCHED BENCH WITH OUTER BACK REST - BADE26

CONSTRUCTION

- All pieces are assembled using screws.
- Arched frame made of 11/16" Chinese plywood and hardwood.
- Seat with elastic webbing covered with 3" medium density Velva foam and 1/2" polyester.
- Outer backrest made of plywood with size 11 springs and 2 anti-twist rods attached with SE fasteners. Front covered with 1/2" medium-density Celcor foam and 1/2" polyester. Back and sides covered with 1/2" polyester.
- 5 metal legs with brushed aluminum finish 4 1/2" h with levelers.
- Assembled in 2 sections for ease in future reupholstering and part replacement.

FINISHES

- Customers can choose an upholstery or vinyl from the supplier of their choice.

DIMENSIONS

Overall dimensions: 61 1/2" w x 31 1/2" d x 33 1/2" h

Seat dimensions: 61 1/2" w x 17 1/2" d x 17 1/2" h

COM YARDAGE REQUIRED

Linear Yardage: 6 1/2

OPTIONS

- Double top stitching.
- Flammability technical bulletin CAL133.
- Models presented are suggestions: they can be customized to meet individual needs.

MANUFACTURER'S FEATURES

- The foam used meets or exceeds the California Technical Bulletin 117 requirements.
- Five-year warranty against manufacturing defects and on the wooden frame.
- Products are manufactured in North America.



Product Specifications

INFINITI ANGLE BENCH WITH BACK REST - BCCD26

CONSTRUCTION

- All pieces are assembled using screws.
- Square frame made of 11/16" Chinese plywood.
- Seat with elastic webbing covered with an overlap of 2 Velva foams of different densities, cut in diagonal:
 - 3" firm density Velva foam in the front
 - 3" medium density Velva foam in the back
 - 3" x 1" firm density Velva foam reinforcement strip in the front
 - 1/2" polyester
- Backrest made of plywood with size 11 springs and 2 anti-twist rods attached with SE fasteners. Front covered with 1/2" medium-density Celcor foam and 1/2" polyester. Back and sides covered with 1/2" polyester.
- 4 metal legs with brushed aluminum finish 4 1/2" h with levelers.
- Assembled in 2 sections for ease in future reupholstering and part replacement.

FINISHES

- Customers can choose an upholstery or vinyl from the supplier of their choice.

DIMENSIONS

Overall dimensions: 26 1/2" w x 26 1/2" d x 33 1/2" h

Seat dimensions: 26 1/2" w x 17 1/2" d x 17 1/2" h

COM YARDAGE REQUIRED

Linear Yardage: 3 1/2

OPTIONS

- Double top stitching.
- Flammability technical bulletin CAL133.
- Models presented are suggestions: they can be customized to meet individual needs.

MANUFACTURER'S FEATURES

- The foam used meets or exceeds the California Technical Bulletin 117 requirements.
- Five-year warranty against manufacturing defects and on the wooden frame.
- Products are manufactured in North America.



Product Specifications

INFINITI RECTANGULAR BENCH - BC36

CONSTRUCTION

- All pieces are assembled using screws.
- Square frame made of 1 1/16" Chinese plywood.
- Seat with elastic webbing covered with 3" medium density Velva foam and 1/2" polyester.
- 4 metal legs with brushed aluminum finish 4 1/2" h with levelers.

FINISHES

- Customers can choose an upholstery or vinyl from the supplier of their choice.

DIMENSIONS

Overall dimensions: 36 1/2" w x 26 1/2" d x 17 1/2" h

COM YARDAGE REQUIRED

Linear Yardage: 2 1/2

OPTIONS

- Double top stitching.
- Flammability technical bulletin CAL133.
- Models presented are suggestions: they can be customized to meet individual needs.

MANUFACTURER'S FEATURES

- The foam used meets or exceeds the California Technical Bulletin 117 requirements.
- Five-year warranty against manufacturing defects and on the wooden frame.
- Products are manufactured in North America.



Product Specifications

INFINITI RECTANGULAR BENCH WITH BACK REST - BCD36

CONSTRUCTION

- All pieces are assembled using screws.
- Square frame made of 11/16" Chinese plywood.
- Seat with elastic webbing covered with an overlap of 2 Velva foams of different densities, cut in diagonal:
 - 3" firm density Velva foam in the front
 - 3" medium density Velva foam in the back
 - 3" x 1" firm density Velva foam reinforcement strip in the front
 - ½" polyester
- Backrest made of plywood with size 11 springs and 2 anti-twist rods attached with SE fasteners. Front covered with ½" medium-density Celcor foam and ½" polyester. Back and sides covered with ½" polyester.
- 4 metal legs with brushed aluminum finish 4½"h with levelers.
- Assembled in 2 sections for ease in future reupholstering and part replacement.

FINISHES

- Customers can choose an upholstery or vinyl from the supplier of their choice.

DIMENSIONS

Overall dimensions: 36½"w x 26½"d x 33½"h

Seat dimensions: 36½"w x 17½"d x 17½"h

COM YARDAGE REQUIRED

Linear Yardage: 4

OPTIONS

- Double top stitching.
- Flammability technical bulletin CAL133.
- Models presented are suggestions: they can be customized to meet individual needs.

MANUFACTURER'S FEATURES

- The foam used meets or exceeds the California Technical Bulletin 117 requirements.
- Five-year warranty against manufacturing defects and on the wooden frame.
- Products are manufactured in North America.



Product Specifications

INFINITI RECTANGULAR BENCH - BC48

CONSTRUCTION

- All pieces are assembled using screws.
- Square frame made of 11/16" Chinese plywood.
- Seat with elastic webbing covered with 3" medium density Velva foam and 1/2" polyester.
- 4 metal legs with brushed aluminum finish 4 1/2" h with levelers.

FINISHES

- Customers can choose an upholstery or vinyl from the supplier of their choice.

DIMENSIONS

Overall dimensions: 48"w x 26 1/2"d x 17 1/2"h

COM YARDAGE REQUIRED

Linear Yardage: 3

OPTIONS

- Double top stitching.
- Flammability technical bulletin CAL133.
- Models presented are suggestions: they can be customized to meet individual needs.

MANUFACTURER'S FEATURES

- The foam used meets or exceeds the California Technical Bulletin 117 requirements.
- Five-year warranty against manufacturing defects and on the wooden frame.
- Products are manufactured in North America.



Product Specifications

INFINITI RECTANGULAR BENCH WITH BACK REST - BCD48

CONSTRUCTION

- All pieces are assembled using screws.
- Square frame made of 11/16" Chinese plywood.
- Seat with elastic webbing covered with an overlap of 2 Velva foams of different densities, cut in diagonal:
 - 3" firm density Velva foam in the front
 - 3" medium density Velva foam in the back
 - 3" x 1" firm density Velva foam reinforcement strip in the front
 - ½" polyester
- Backrest made of plywood with size 11 springs and 2 anti-twist rods attached with SE fasteners. Front covered with ½" medium-density Celcor foam and ½" polyester. Back and sides covered with ½" polyester.
- 4 metal legs with brushed aluminum finish 4½"h with levelers.
- Assembled in 2 sections for ease in future reupholstering and part replacement.

FINISHES

- Customers can choose an upholstery or vinyl from the supplier of their choice.

DIMENSIONS

Overall dimensions: 48"w x 26½"d x 33½"h

Seat dimensions: 48"w x 17½"d x 17½"h

COM YARDAGE REQUIRED

Linear Yardage: 4½

OPTIONS

- Double top stitching.
- Flammability technical bulletin CAL133.
- Models presented are suggestions: they can be customized to meet individual needs.

MANUFACTURER'S FEATURES

- The foam used meets or exceeds the California Technical Bulletin 117 requirements.
- Five-year warranty against manufacturing defects and on the wooden frame.
- Products are manufactured in North America.



Product Specifications

INFINITI RECTANGULAR BENCH WITH 30" LEFT BACK REST - BCDC48L

CONSTRUCTION

- All pieces are assembled using screws.
- Square frame made of 11/16" Chinese plywood.
- Seat with elastic webbing covered with an overlap of 2 Velva foams of different densities, cut in diagonal:
 - 3" firm density Velva foam in the front
 - 3" medium density Velva foam in the back
 - 3" x 1" firm density Velva foam reinforcement strip in the front
 - ½" polyester
- Backrest made of plywood with size 11 springs and 2 anti-twist rods attached with SE fasteners. Front covered with ½" medium-density Celcor foam and ½" polyester. Back and sides covered with ½" polyester.
- 4 metal legs with brushed aluminum finish 4½"h with levelers.
- Assembled in 2 sections for ease in future reupholstering and part replacement.

FINISHES

- Customers can choose an upholstery or vinyl from the supplier of their choice.

DIMENSIONS

Overall dimensions: 48"w x 26½"d x 33½"h

Seat dimensions: 48"w x 17½"d x 17½"h

COM YARDAGE REQUIRED

Linear Yardage: 4½

OPTIONS

- Double top stitching.
- Flammability technical bulletin CAL133.
- Models presented are suggestions: they can be customized to meet individual needs.

MANUFACTURER'S FEATURES

- The foam used meets or exceeds the California Technical Bulletin 117 requirements.
- Five-year warranty against manufacturing defects and on the wooden frame.
- Products are manufactured in North America.



Product Specifications

INFINITI RECTANGULAR BENCH WITH 30" RIGHT BACK REST - BCDC48L

CONSTRUCTION

- All pieces are assembled using screws.
- Square frame made of 11/16" Chinese plywood.
- Seat with elastic webbing covered with an overlap of 2 Velva foams of different densities, cut in diagonal:
 - 3" firm density Velva foam in the front
 - 3" medium density Velva foam in the back
 - 3" x 1" firm density Velva foam reinforcement strip in the front
 - ½" polyester
- Backrest made of plywood with size 11 springs and 2 anti-twist rods attached with SE fasteners. Front covered with ½" medium-density Celcor foam and ½" polyester. Back and sides covered with ½" polyester.
- 4 metal legs with brushed aluminum finish 4½"h with levelers.
- Assembled in 2 sections for ease in future reupholstering and part replacement.

FINISHES

- Customers can choose an upholstery or vinyl from the supplier of their choice.

DIMENSIONS

Overall dimensions: 48"w x 26½"d x 33½"h

Seat dimensions: 48"w x 17½"d x 17½"h

COM YARDAGE REQUIRED

Linear Yardage: 4½

OPTIONS

- Double top stitching.
- Flammability technical bulletin CAL133.
- Models presented are suggestions: they can be customized to meet individual needs.

MANUFACTURER'S FEATURES

- The foam used meets or exceeds the California Technical Bulletin 117 requirements.
- Five-year warranty against manufacturing defects and on the wooden frame.
- Products are manufactured in North America.

