

LOCKERS

Price List
CANADA 2025



logiflex

Table of Contents

Introduction	3	Lockers	17
Update Summary	4	Platforms	18
Product Map	5	Lockers with door	19
Our social responsibility	6	Open Lockers	23
Conditions of Sale	6	Corner Units	27
Manufacturing Standards	7	Common Surfaces	28
How to Use the Price List	8	Plant Boxes	31
Appendix A: Colors and Finishes	9		
Appendix B : An overview of the lockers	10	Accessories	32
Appendix C : 2 methods of color combinations	14	Miscellaneous Accessories	33
Appendix D : Locks	16		

Update Summary

The price list presents these principal modifications:

DATE	SECTION	MODIFICATIONS
March 3, 2025	All the Price List	<ul style="list-style-type: none">• All prices have been increased by approximately 3%.

Previous updates:

DATE	SECTION	MODIFICATIONS
March 1, 2024	All the Price List	<ul style="list-style-type: none">• All prices have been increased by approximately 5%.
November 22, 2023	Appendix A	<ul style="list-style-type: none">• Removal of high gloss finish.

Product Map

Lockers

Lockers p. 18

Accessories p. 33

Introduction

Our social responsibility

At Logiflex, we have chosen to be a responsible North American manufacturer by implementing initiatives for sustainable development. As much as possible, we source local materials and partner with suppliers who prioritize clean manufacturing processes. We also consolidate goods during transport to reduce our fuel consumption and we continually make changes that help reduce our waste production.

The company is ISO 9001 certified.

You can consult our eco-responsible approach as well as all our certifications in the [Certifications](#) section of our website. Find out how our products can help you obtain LEED credits and the Logiflex products that are Indoor Advantage Gold certified.

Conditions of Sale

Prices

The amounts listed in this document are suggested retail prices and may be changed without notice. Applicable taxes are not included. If you have an open and active account with Logiflex, merchandise will be invoiced at the prices prevailing at the time of shipment. A deposit may be requested if the opening of your account has not been completed or if your account has become inactive.

Terms of Payment

Net 30 days F.O.B. Sherbrooke, Quebec. The invoice will be assigned the shipping date and is payable 30 days from that date. Logiflex remains the owner of the merchandise until the invoice is paid in full.

Customized Products (Special Items)

Price requests for customized products or special items can be submitted via the ["Member Zone"](#) section of our website, at www.logiflex.ca. Our quotations department will study your request and send you a quotation and a technical drawing for approval as soon as possible. Modifications to quotations or technical drawings can be requested the same way. The approved quotation(s) and technical drawing(s) can then be attached to your purchase order.

Orders

An official purchase order must be issued for all purchases. Your purchase order must contain the following information:

- Your company letterhead
- Your reference number
- The delivery address (with contact name, email and phone number)
- The complete product codes
- Furniture colour(s)
- Quantities
- Descriptions
- Retail prices and net prices
- Project registration number (if applicable), and your approved quotation and technical drawing (for special items).

Please note that a quotation cannot serve as a purchase order.

Returns

All returns must first be approved by Logiflex. If the return is accepted, a Logiflex customer service representative will send you an official return authorization form in order to facilitate procedures between you, the carrier, and the Logiflex merchandise reception clerk. Additional costs for shipping or other expenses may be applied following any merchandise returns.

Modifications and/or Cancellations

You have 48 hours from the time we acknowledge receipt of your order to make any requests for corrections or modifications. You may cancel your order during this same 48-hour period. If you would like to modify or cancel your order after this 48-hour verification period, please check with a Logiflex customer service representative. Orders cannot be changed or cancelled if production has already begun or if Logiflex has already received the raw materials.

Liability

Logiflex's liability ends once the carrier has delivered all items in good condition. A delivery receipt signed by the customer acknowledges that the shipment is complete and has been received in good condition.

Claims

Logiflex recommends inspecting the shipment before signing the carrier's delivery receipt. You must notify Logiflex of any incomplete shipments or damaged furniture within 30 days after delivery. Requests to replace damaged products can be made via the ["Member Zone"](#) section of our website, at www.logiflex.ca. Our after-sales service department will examine your request and help you correct the situation.

Changes

Logiflex reserves the right to make changes to the materials, accessories, components, specifications and designs, and to discontinue collections and/or models, at any time and without prior notice.

Storage and/or Shipping Fees

According to the terms Logiflex set forth in the transport policy. The transport policy can be consulted online in the Private Space.

Items Delivered Disassembled

Corner units and plant boxes are delivered disassembled.

Warranty

Logiflex guarantees to the original purchaser that Logiflex products are free from defects in design, materials and workmanship for the product's lifetime, with certain exceptions.

You may consult the full warranty on the website:

[Logiflex Warranty](#)

Introduction

Manufacturing Standards

Product Dimensions

For display purposes, the furniture dimensions represented in the price tables on each product page are rounded to the nearest whole number.

Furniture Construction

All components of the lockers are 5/8" thick laminate.

Doors without handle

The standard locker comes without a handle. There is a push-to-open device to access the inside of the locker.

Locks

CMLK locks are included for all the lockers. It is possible to have an electronic lock instead, with a fee additional. Please refer to the [Appendix D](#) section to find out about the different locks available in this collection.

Fronts

A PVC strip 1.5 mm thick is systematically applied along all front edges.

Wood Grain


The wood grain is always vertical on the furniture fronts and the bases. Logiflex cannot guarantee the layout of the wood grain between different parts of the same surface, the grain varying between the parts.

Finishes

You must specify the desired finish(es) for each item of furniture ordered. Please make your selection(s) from the Logiflex chart. See [Appendix C](#) for an example.

Levelers

All platforms sit on nylon levelers made of 1-7/8" diameter black plastic that allows for adjustment in height up to 3/4". The adjustment is made on site during installation of lockers.



Introduction

How to Use the Price List

Interactive Menu

Product line

Product group

Product name

Product code

Product image

Ordering instructions

Lockers

Single Tier Lockers with Door

1DL 1DR

Platforms
Lockers with Door
Open Lockers

Corner Units
Surfaces
Plant Boxes

Navigation buttons

Previous View

Previous Page

Next Page

Product Map

Table of Contents

Product image

Manufacturing Standards

Single tier locker with door:

- Locker with common surface sold separately. See p. 28;
- 5/8" melamine
- Split back where the shelf is positioned;
- One tier locker with single hook on the back;
- 42" : without fixed shelf;
- 60" and 72" : fixed shelf with 12" space above;
- Door with pressure latch (only for CMLK lock) and an opening of 95";
- One ventilation grid;
- Key lock.

Platform : The lockers must be placed on the platforms. Platform sold separately. See p. 18.

Surface : Lockers must have a common surface. Surface sold separately. See p. 28.

Height : The total height includes the height of the platform and the surface.

Lock : Refer to the appendix for the position of the lock. See p. 16.

Options

Locks

CMLK
\$0 ea.

E1
\$231 ea.

E2
\$0 ea.

Prices

Dimensions	A	B	C	Price
15 14 42				536
15 18 42				536
18 14 42				587
18 18 42				587
15 14 60				663
15 18 60				663
18 14 60				714
18 18 60				714
15 14 72				729
15 18 72				729
18 14 72				780
18 18 72				780

How to Order

Series	Dimensions	Product	Locks
Example	LO 151460	1DL	CMLK

Standard Product Code Options, if desired (\$)

Details as per the price listed Always after the product code

March 3, 2025 | Canada

LOGIFLEX | LOCKERS



8

Introduction



Appendix A: Colors and Finishes

How to specify your laminate colors



Availability Chart

FINI FINISH	CODE	COLOR COULEUR	THICKNESS ÉPAISSEUR			HPL	PANVAL CODE
			5/8"	1"	1-5/8"		
OMNIA	DOO	Dosha	•	•		•	K77
	COO	Cosmos	•	•		•	K78
AURA	GIA	Ginger Root Gingembre	•	•		•	H72
	HAA	Haze Brume	•	•	•	•	H57
	OHA	Ohm	•	•	•	•	K69
	STA	Storm Tempête	•	•	•	•	H58
	TUA	Tundra	•	•		•	H75
LYRA	ASY	Asha	•	•		•	K47
	CIY	Chiffon Mousseline **	•	•	•	•	K60
	KAY	Kali	•	•		•	K46
SUPERMAT	IGS	Ingot grey Gris lingot	•	•			828
	WGS	Willow grey Gris saule	•	•			802
DOLOMITE	AU	Audacity Audace **	•	•	•	•	241
	B	Jet Black Noir intense *	•	•		•	888 S405-CA
	BC	Brown cherry Cerisier brun	•	•	•	•	207
	C	Slate Ardoise *	•	•		•	801
	DR	Driftwood Bois de rive	•	•		•	744
	G	Mink Grey Gris vison	•	•		•	805 OU-927
	NM	Natural Maple Érable naturel	•	•	•	•	206
	PO	Porto	•	•		•	913 OU-648
	SW	Smoked Walnut Noyer fumé	•	•	•	•	G21
	TO	Tobacco	•	•		•	205
	W	Polar White Blanc polaire	•	•	•	•	555 459-CA
	WK	Whisky	•	•	•	•	245

* Non recommended color for work surfaces.

** For conference tables with 2 or more parts, we do not recommend the use of colors with irregular and contrasted woodgrain like Chiffon or Audacity as it results in a pronounced wood grain mismatch.

Colors may vary from 2% to 5% between tfl and hpl laminates due to different technical applications.


See our complete [Colors & Finishes Guide](#)

 New

Introduction

Appendix B : An overview of the lockers

Personal lockers offer a great deal of versatility, catering to a wide range of storage needs and requirements. Whether in schools, gyms, workplaces, or other settings, personal lockers provide individuals with a secure and private space to store their belongings.



Versatility

The versatility of personal lockers comes from their ability to accommodate various types of items. Users can store personal belongings such as bags, jackets, electronics, books, and even valuable items securely within their assigned locker. This flexibility allows individuals to conveniently store and access their possessions while going about their daily activities.

Personal lockers also offer versatility in terms of customization and organization. Users can personalize their lockers by adding hooks, shelves, or dividers to optimize the storage space and create compartments for specific items.

Easy integration

Furthermore, personal lockers can be adapted to different environments and settings. They can be integrated into various spaces, from changing rooms to offices, to accommodate the specific needs of the location. Lockers can be designed with different materials, finishes, and locking mechanisms to match the style and security requirements of the surrounding environment.


Introduction




Appendix B : An overview of the lockers

The locker collection offers several modular products to create layouts that easily adapt to your work or study environment.


Locker Dimensions



	External dimensions	Internal dimensions
Depth	15"	13-7/16"
	18"	16-7/16"
Width	14"	12-5/8"
	18"	16-5/8"
Height	See drawing above	See drawing above



Ventilation Grille (lockers with doors)




There is one ventilation grille per level with the lockers with doors. The back is split where the shelf is positioned and the shelf is visible on the back, but not the sides.

Introduction

Appendix B : An overview of the lockers

The locker collection offers several modular products to create layouts that easily adapt to your work or study environment.


Platforms



The platform is necessary to support the lockers. Its front is removable and an opening provides access to adjust the levelers. The platforms do not require any assembly on delivery other than the levelers.

- Base Height: 5-7/8";
- Maximum width of 72" for the bases;
 - Less than 42": 4 plastic levelers;
 - 42" and over: 6 plastic levelers.

Common Surfaces and Plant Boxes



These surfaces are to be placed on top of the lockers and to cover the top of the corner cabinet to allow better uniformity.

It is recommended for lockers of 60"H and less to have a common surface in order to hide the top which could be visible.


Note that the plant boxes are not waterproof, they must be protected if plants are placed there. In addition, the planter does not require a common surface.

Introduction

Appendix B : An overview of the lockers


The locker collection offers several modular products to create layouts that easily adapt to your work or study environment.

Corner Unit



The corner unit allows a nice finish between the lockers installed at 90°. It is composed of 2 modules, the first of fixed width (7") and the second of adjustable width (up to 6"). The adjustable module is on the right for the LCR item, and on the left for the LCL item. It covers the height of the platform and the lockers. Available only for 72"H lockers.


Accessories



Anti-tilt clip

The metal clip is used to prevent the lockers from tipping over. It can be fixed to the floor or to the wall. It is recommended, but not mandatory.


- Width of 42" and less: 1 tie;
- Width over 42": 2 fasteners.



Boot Trays


The black plastic tray is used to protect the bottom of the racks and keep the laminate in good condition.

- BT1210: 12-1/8" x 10-1/2" x 1"H;
- BT1616: 15-15/16" x 15-15/16" x 1"H.



Additional Hook

All lockers come with a hook on the back. It is possible to buy additional hooks individually. These are installed on site.



Self-adhesive numbers

Stickers to be affixed, once on site, to the locker doors to allow them to be identified. Available in black (BL) or light gray (G) in packs of 50. Height of 1-1/4".

Introduction




Appendix C : 2 methods of color combinations

Logiflex offers two methods of color combinations on fronts. The first way, standard, only involves specifying the color of the surface and the edge. The second way, multiple colors for the doors, allows to have fronts of different colors. Logiflex offers color combinations free of charge.


Method 1: Standard Color Combinations

Here's how to specify your laminate colors on a piece of furniture when you want to combine several colors in a standard way. Unless otherwise specified, the edge will be the same color as the laminate panel.



Example - Standard Color Combination (Lockers):

		Color combination							
		Code		Base	Front				
Surface	LO	1518	LKTOP	W	W				
		Code		Lock		Surface	Base	Front	Shelf
Lockers	LO	151472	4DL	CMLK		W	W	W	W
		Code							
Platform	LO	1556	BASE	W	W				




Introduction

Appendix C : 2 methods of color combinations (continued)

Method 2: Fronts of different colors


Here is how to specify your laminate colors on a piece of furniture when you want to combine several front colors. If more than one color, indicate the laminate colors for each door from top to bottom. Unless otherwise specified, the edge will be the same color as the laminate panel. It is possible to vary the front colors of the same piece of furniture. To properly transmit the information to Logiflex, you must number the doors from top to bottom. It is also recommended to send a diagram or drawing as a reference.



Order for application of colors

To properly transmit the information to Logiflex, you must number the doors from top to bottom. It is also recommended to send a diagram or drawing as a reference.

Example of how to order:



Layout with :

Lockers with door - 1 tier : Polar white (W-);
Lockers with doors - 4 tier : Polar White (W-) & Ohm (OHA);
Common base: Ohm (OHA);
Common Surface: Ohm (OHA).

Surface	Code			Color combination	
	LO	1854	LKTOP	Surface	OHA
Lockers x2	Code			Lock	
	LO	181872	1DL	CMLK	
Door 1 : W-.					
Lockers x1	Code			Lock	
	LO	181872	4DL	CMLK	
Door 1 : W-;					
Door 2 : OHA;					
Door 3 : W-;					
Door 4 : OHA.					
Platform	Code			Color combination	
	LO	1854	BASE	Base	Front
				OHA	OHA




Example of specification for fronts of different colors

Introduction

Appendix D : Locks

E1

[See the E1 lock guide here](#)
[See the instruction videos of the E1 lock](#)



Features:

- Keypad with backlight for easy distinction;
- Wrong code or illegal card alarm;
- Code combination ranging from 1 to 9 digits for multiple possibilities;
- Private and public mode;
- Stainless steel material;
- External power back up.

Lock/Unlock by Master or User Card:

- Scan the master card near the instruction area. The green light comes on with a beep and the lock is unlocked.
- Permanent code mode: scan the card. The red light comes on with 2 beeps and the lock is automatically locked.
- One-time code mode: after unlocking by user card, the lock is in unlocked state.

Power supply	3 x AA alkaline batteries
Card type	EM card (125KHz)
Battery life	12~15 months
Static current	≤20μA
Dynamic current	≤200mA
Working temperature	-15 ℃ ~ +55 ℃
Working humidity	20 ~ 95%RH
Alarm voltage	3.7±0.2V
Door thickness	≥ 1mm

Program/Change Master Card:

- After initialization, scan a card near the instruction area.
- After 3 long beeps, the programmed card becomes master card.
- During the flashing period of the LED, the other 2 cards can be programmed up to 3 times max.
- The other 2 cards are needed in the future if one or 2 cards are lost.
- The programming procedure is: * - master card - # new master card.
- After programming a new master, the lost master card is deleted.


Delete Permanent Code:

- Tap the master card on the inductive areas three times. After 3 short beep sounds the permanent code is deleted.

Lock/Unlock by Permanent Code:

- Digital code (max 9 digit) followed by #
- After being unlocked for five seconds, a red light and two beep will sound while the locking automatically.

E2



[See the E2 lock guide here](#)
[See the instruction videos of the E2 lock](#)

Features:

- Tactile buttons and indicators sound for a premium experience;
- Automatic alarm after 4 attempts;
- 4 digit combination for 10,000 possibilities;
- For shared use (public);
- Low consumption of battery (more than 5,000 uses);
- Easy button cell battery change.

Program your Personal Code:

- Lock: Enter a 4-digit code and turn lock button to lock. Memorize this code. This code will be valid for one use only.
- Unlock: Enter this 4 digit code again and turn lock button to unlock. Do NOT press OK.

Forgotten Code:


- Note the serial number located on the side of the lock.
- Contact Logiflex to obtain the master code for your lock.
- Enter the 8-digit master code and press OK.
- Turn the lock to open.

Master Key Forgotten Code:

- Contact the person in charge of the master key.
- Insert the key and press OK.
- Turn the lock to open.


Master key sold separately, see [Accessories](#).

CMLK



Features:


- Key lock for use in lockers.
- Lock numbers are assigned randomly. Identical keys not available.
- The CMLK lock is different from the standard Logiflex lock. Additional keys and master keys are available on request. Mention that it is the locker lock.
- Finish: Chrome.




Lockers

Platforms

BASE



Color Combinations



Manufacturing Standards

- Platform :
- Base height: 5-7/8";
 - Maximum width of 72" for the bases;
 - Less than 42" : 4 plastic levelers;
 - 42" and over : 6 plastic levelers;
 - Opening for leveler adjustment.

Note : The platform is required to support the lockers.

Prices

BASE - 14" wide lockers

Dimensions		Compatible :
A	B	
15 14	163	1 locker
15 28	81	2 lockers
15 42	41	3 lockers
15 56	20	4 lockers
15 70	11	5 lockers

18 14	163	1 locker
18 28	81	2 lockers
18 42	41	3 lockers
18 56	20	4 lockers
18 70	11	5 lockers

BASE - 18" wide lockers

Dimensions		Compatible :
A	B	
15 18	163	1 locker
15 36	81	2 lockers
15 54	41	3 lockers
15 72	20	4 lockers

18 18	163	1 locker
18 36	81	2 lockers
18 54	41	3 lockers
18 72	20	4 lockers


How to Order

AB		
LO		BASE
Serie	Dimensions	Product
Example LO	1556	BASE




Lockers

Single Tier Lockers with Door

1DL




1DR




Lockers must be placed on the platforms. Platform and surface sold separately. See p. 18.

Color Combinations



Options

Locks



Manufacturing Standards

- Single tier locker with door :
- One tier locker with single hook on the back ;
 - 42" : without fixed shelf;
 - 60" and 72" : fixed shelf with 12" space above;
 - Common surface sold separately. See p. 28;
 - 5/8" laminate
 - Split back where the shelf is positioned;
 - Door with pressure latch (only for CMLK lock) and an opening of 95°;
 - One ventilation grill;
 - Key lock, or optional free of charge, the E2 electronic lock.
- Platform :** *The lockers must be placed on the platforms.*
Platform sold separately. See p. 18.
- Surface :** *Lockers must have a common surface. Surface sold separately. See p. 28.*
- Height :** *The total height includes the height of the platform and the surface.*
- Lock :** *Refer to the Appendix B for the position of the lock.*
See p. 16.
- Note :** *For aesthetic reasons, we do not recommend leaving the back of the lockers exposed. Lockers should be supported against the wall or other furniture.*

Prices

Dimensions		
A	B	C
15	14	42
15	18	42
18	14	42
18	18	42
15	14	60
15	18	60
18	14	60
18	18	60
15	14	72
15	18	72
18	14	72
18	18	72


How to Order

ABC		1DL 1DR	E1 E2 CMLK (std)
LO			
Series	Dimensions	Product	Locks
Example LO	151460	1DL	CMLK




Lockers

Double Tier Lockers with Door

2DL




2DR




Lockers must be placed on the platforms. Platform and surface sold separately. See p. 18.

Color Combinations



Options

Locks



Manufacturing Standards

- Double tier locker with door :
- Two-tier locker with single hook on the back;
 - Common surface sold separately. See p. 28;
 - 5/8" laminate
 - Split back where the shelf is positioned;
 - Door with pressure latch (only for CMLK lock) and an opening of 95°;
 - One ventilation grill per tier;
 - Key lock, or optional free of charge, the E2 electronic lock.
- Platform :** *The lockers must be placed on the platforms.* Platform sold separately. See p. 18.
- Surface :** Lockers must have a common surface. Surface sold separately. See p. 28.
- Random wood grain :** The wood grain of the doors is vertical but does not match from door to door.
- Height :** The total height includes the height of the platform and the surface.
- Lock :** Refer to the [Appendix B](#) for the position of the lock. See p. 16.
- Note:** For aesthetic reasons, we do not recommend leaving the back of the lockers exposed. Lockers should be supported against the wall or other furniture.

Prices

Dimensions		
A	B	C
15	14	42
15	18	42
18	14	42
18	18	42
15	14	60
15	18	60
18	14	60
18	18	60
15	14	72
15	18	72
18	14	72
18	18	72


How to Order

				+
ABC			2DL 2DR	
LO				E1 E2 CMLK (std)
Series	Dimensions	Product	Locks	
Example LO	151460	2DL	CMLK	




Lockers

Triple Tier Lockers with Door

3DL




3DR




Lockers must be placed on the platforms. Platform and surface sold separately. See p. 18.

Color Combinations



Options

Locks



\$0 ea.

\$250 ea.

\$0 ea.

Manufacturing Standards

Triple tier locker with door :

- Triple-tier locker with single hook on the back;
- Common surface sold separately. See p. 28;
- 5/8" laminate
 - Back split in two;
- Door with pressure latch (only for CMLK lock) and an opening of 95°;
- One ventilation grill per tier;
- Key lock, or optional free of charge, the E2 electronic lock.

Platform : *The lockers must be placed on the platforms.*

Platform sold separately. See p. 18.

Surface : *Lockers must have a common surface. Surface sold separately. See p. 28.*

Random wood grain : *The wood grain of the doors is vertical but does not match from door to door.*

Height : *The total height includes the height of the platform and the surface.*

Lock : *Refer to the [Appendix B](#) for the position of the lock.*
See p. 16.

Note: *For aesthetic reasons, we do not recommend leaving the back of the lockers exposed. Lockers should be supported against the wall or other furniture.*

Prices

Dimensions		
A	B	C
15	14	60
15	18	60
18	14	60
18	18	60
15	14	72
15	18	72
18	14	72
18	18	72


How to Order

ABC		3DL 3DR	E1 E2 CMLK (std)
LO			
Serie	Dimensions	Product	Locks
Example LO	151460	3DL	CMLK

Lockers


Four Tier Lockers with Door

4DL





C = 72"H

4DR




C = 72"H




Lockers must be placed on the platforms. Platform and surface sold separately. See p. 18.

Color Combinations



Options

Locks



\$0 ea.

\$250 ea.

\$0 ea.

Manufacturing Standards

- Four tier locker with door :
- Four-tier locker with single hook on the back;
 - Common surface sold separately. See p. 28;
 - 5/8" laminate
 - Back split in two;
 - Door with pressure latch (only for CMLK lock) and an opening of 95°;
 - One ventilation grill per tier;
 - Key lock, or optional free of charge, the E2 electronic lock.
- Platform :** *The lockers must be placed on the platforms.*
Platform sold separately. See p. 18.
- Surface :** *Lockers must have a common surface. Surface sold separately. See p. 28.*
- Random wood grain :** *The wood grain of the doors is vertical but does not match from door to door.*
- Height :** *The total height includes the height of the platform and the surface.*
- Lock :** *Refer to the [Appendix B](#) for the position of the lock.*
See p. 16.
- Note:** *For aesthetic reasons, we do not recommend leaving the back of the lockers exposed. Lockers should be supported against the wall or other furniture.*

Prices

Dimensions		
A	B	C
15	14	72
15	18	72
18	14	72
18	18	72



How to Order

				+
ABC		4DL 4DR	E1 E2 CMLK (std)	
LO				
Serie	Dimensions	Product	Locks	
Exemple LO	151472	4DL	CMLK	

Lockers


One Tier Open Lockers

10



Lockers must be placed on the platforms. Platform and surface sold separately. See p. 18.

Color Combinations



Manufacturing Standards

- One tier open locker:
- Common surface sold separately. See p. 28;
 - 5/8" laminate
 - Split back where the shelf is positioned;
 - One tier open locker with single hook on the back ;
 - 42" : without fixed shelf;
 - 60" and 72" : fixed shelf with 12" space above;

Platform : *The lockers must be placed on the platforms.*

Platform sold separately. See p. 18.

Surface : *Lockers must have a common surface. Surface sold separately. See p. 28.*

Height : *The total height includes the height of the platform and the surface.*

Note: *For aesthetic reasons, we do not recommend leaving the back of the lockers exposed. Lockers should be supported against the wall or other furniture.*

Prices

Dimensions		
A	B	C
15	14	18
15	18	18
18	14	18
18	18	18
15	14	42
15	18	42
18	14	42
18	18	42
15	14	60
15	18	60
18	14	60
18	18	60
15	14	72
15	18	72
18	14	72
18	18	72



How to Order

ABC		
LO		10
Series	Dimensions	Product
Example LO	151460	10

Lockers


Double Tier Open Lockers

20



Lockers must be placed on the platforms. Platform and surface sold separately. See p. 18.

Color Combinations



Manufacturing Standards

- Double tier open locker:
- Common surface sold separately. See p. 28;
 - 5/8" laminate
 - Split back where the shelf is positioned;
 - Double tier open locker with single hook on the back.

Platform : *The lockers must be placed on the platforms.*

Platform sold separately. See p. 18.

Surface : *Lockers must have a common surface. Surface sold separately. See p. 28.*

Height : *The total height includes the height of the platform and the surface.*

Note: *For aesthetic reasons, we do not recommend leaving the back of the lockers exposed. Lockers should be supported against the wall or other furniture.*

Prices

Dimensions			
A	B	C	
15	14	42	394
15	18	42	394
18	14	42	446
18	18	42	446
15	14	60	467
15	18	60	467
18	14	60	517
18	18	60	517
15	14	72	538
15	18	72	538
18	14	72	588
18	18	72	588



How to Order

ABC		
LO		20
Series	Dimensions	Product
Example	LO	151460 20

Lockers


Triple Tier Open Lockers

30



Lockers must be placed on the platforms. Platform and surface sold separately. See p. 18.

Color Combinations



Manufacturing Standards

- Triple tier open locker:
- Common surface sold separately. See p. 28;
 - 5/8" laminate
 - Back split in two;
 - Triple tier open locker with single hook on the back.

Platform : *The lockers must be placed on the platforms.*

Platform sold separately. See p. 18.

Surface : *Lockers must have a common surface. Surface sold separately. See p. 28.*

Height : *The total height includes the height of the platform and the surface.*

Note: *For aesthetic reasons, we do not recommend leaving the back of the lockers exposed. Lockers should be supported against the wall or other furniture.*

Prices

Dimensions			
A	B	C	
15	14	60	490
15	18	60	490
18	14	60	541
18	18	60	541
15	14	72	561
15	18	72	561
18	14	72	612
18	18	72	612




How to Order

ABC			
LO		30	
Series	Dimensions	Product	
Example	LO	151460	30

Lockers


Four Tier Open Lockers

40



Lockers must be placed on the platforms. Platform and surface sold separately. See p. 18.

Color Combinations



Manufacturing Standards

- Four tier open locker:
- Common surface sold separately. See p. 28;
 - 5/8" laminate
 - Back split in two;
 - Four tier open locker with single hook on the back.

Platform : *The lockers must be placed on the platforms.*

Platform sold separately. See p. 18.

Surface : *Lockers must have a common surface. Surface sold separately. See p. 28.*

Height : *The total height includes the height of the platform and the surface.*

Note: *For aesthetic reasons, we do not recommend leaving the back of the lockers exposed. Lockers should be supported against the wall or other furniture.*

Prices

Dimensions			
A	B	C	
15	14	60	514
15	18	60	514
18	14	60	564
18	18	60	564
15	14	72	585
15	18	72	585
18	14	72	636
18	18	72	636


How to Order

ABC			
LO		40	
Series	Dimensions	Product	
Example	LO	151460	40


Lockers

Corner Units

LCL



LCR



Manufacturing Standards

- Corner unit:
- Delivered disassembled;
 - 5/8" laminate;
 - White nylon levelers.


Restriction : Only available for 72"H lockers.

Application : The corner unit covers the height of the platform and the lockers. It allows a nice finish between lockers installed at 90°. It is composed of 2 modules, the first of fixed width (7") and the second of adjustable width (0-6"). The adjustable module is on the right for the LCR item, and on the left for the LCL item. See appendix p. 13.

Prices

Dimensions			
A	B	C	D
12	15	15	72
			1128

Color Combinations





How to Order

LO	ABCD	LCL LCR
	Series	Dimensions
Product		
Example	LO	12151572 LCR

Lockers

Common Surfaces

LKTOP



Lockers must be placed on the platforms. Platform and surface sold separately. See p. 18.

How to Order

AB		
LO		LKTOP
Serie	Dimensions	Product
Example LO	1518	LKTOP

Manufacturing Standards

- Common surface :
- 5/8" laminate;
 - To be placed on top of lockers and fixed by the inside.

Notes : It is recommended for lockers of 60"H and less to have a common surface in order to hide the top which could be visible.

Prices

LKTOP - 14" wide lockers

Dimensions		
A	B	Compatible :
15 14	92	1 locker
15 28	92	2 lockers
15 42	104	3 lockers
15 56	138	4 lockers
15 70	173	5 lockers
18 14	92	1 locker
18 28	92	2 lockers
18 42	126	3 lockers
18 56	167	4 lockers
18 70	209	5 lockers



LKTOP - 18" wide lockers

Dimensions		
A	B	Compatible :
15 18	92	1 locker
15 36	92	2 lockers
15 54	134	3 lockers
15 72	178	4 lockers
18 18	92	1 locker
18 36	107	2 lockers
18 54	161	3 lockers
18 72	214	4 lockers

Lockers

Common surfaces for variable side of corner unit +16"/20"

LKTOP



Lockers must be placed on the platforms. Platform and surface sold separately. See p. 18.

How to Order

AB		
LO		LKTOP
série	Dimensions	Produit
Exemple LO	1534	LKTOP

Manufacturing Standards

Common surface for variable side of corner unit:

- 5/8" laminate;
- To be placed on top of lockers and fixed by the inside.

Dimensions:

LKTOP + 7": covers the lockers on the side of the fixed module of the corner unit.

LKTOP + 16" or 20": covers the lockers on the side of the adjustable module of the corner unit.

Common Surface : Surface with a width of + 16" to 20" to cover the top of the corner cabinet and/or fill an empty space.

The common surface will leave a gap on the variable side of the corner unit as shown in the illustration.

Notes : It is recommended for lockers of 60"H and less to have a common surface in order to hide the top which could be visible.

Prices

LKTOP - 14" wide lockers

16"

Dimensions		
A	B	Compatible :
15 30	92	1 locker
15 44	109	2 lockers
15 58	144	3 lockers
15 72	178	4 lockers
15 86	209	5 lockers
18 30	92	1 locker
18 44	131	2 lockers
18 58	173	3 lockers
18 72	214	4 lockers
18 86	256	5 lockers

LKTOP - 18" wide lockers

Dimensions		
A	B	Compatible :
15 34	92	1 locker
15 52	129	2 lockers
15 70	173	3 lockers
15 88	218	4 lockers
18 34	102	1 locker
18 52	155	2 lockers
18 70	209	3 lockers
18 88	262	4 lockers

LKTOP - 14" wide lockers

20"

Dimensions		
A	B	Compatible :
15 34	92	1 locker
15 48	119	2 lockers
15 62	153	3 lockers
15 76	188	4 lockers
15 90	222	5 lockers
18 34	102	1 locker
18 48	143	2 lockers
18 62	185	3 lockers
18 76	226	4 lockers
18 90	268	5 lockers



LKTOP - 18" wide lockers

Dimensions		
A	B	Compatible :
15 38	94	1 locker
15 56	138	2 lockers
15 74	184	3 lockers
15 92	229	4 lockers
18 38	113	1 locker
18 56	167	2 lockers
18 74	220	3 lockers
18 92	274	4 lockers

Lockers

Common surface for fixed side of corner unit + 7"

LKTOP



Lockers must be placed on the platforms. Platform and surface sold separately. See p. 18.

How to Order

AB		
LO		LKTOP
Serie	Dimensions	Product
Example	LO	1521 LKTOP

Manufacturing Standards

Common surface for fixed side of corner unit:

- 5/8" laminate;
- To be placed on top of lockers and fixed by the inside.

Dimensions:

LKTOP + 7": covers the lockers on the side of the fixed module of the corner unit.

LKTOP + 16" or 20": covers the lockers on the side of the adjustable module of the corner unit.

Common Surface : Surface with a width of + 7" to cover the top of the corner cabinet and/or fill an empty space.

Notes : It is recommended for lockers of 60"H and less to have a common surface in order to hide the top which could be visible.

Prices

LKTOP - 14" wide lockers

Dimensions		
A	B	Compatible :
15 21	92	1 locker
15 35	92	2 lockers
15 49	121	3 lockers
15 63	155	4 lockers
15 77	190	5 lockers
18 21	92	1 locker
18 35	103	2 lockers
18 49	146	3 lockers
18 63	186	4 lockers
18 77	229	5 lockers



LKTOP - 18" wide lockers

Dimensions		
A	B	Compatible :
15 25	92	1 locker
15 43	106	2 lockers
15 61	150	3 lockers
15 79	195	4 lockers
18 25	92	1 locker
18 43	127	2 lockers
18 61	180	3 lockers
18 79	234	4 lockers

Lockers

Plant Boxes

BTOP



Lockers must be placed on the platforms. Platform and surface sold separately. See p. 18.

How to Order

ABC		
LO		BTOP
Serie	Dimensions	Product
Example LO	17146	BTOP

Manufacturing Standards

Plant box:

- Delivered disassembled;
- 5/8" laminate.

Note : This product is not waterproof, it must be protected if plant boxes are placed on it.

Prices

LKTOP - 14" wide lockers

Dimensions		
A	B	C
Compatible :		
14	14	6
157	1 locker	
14	28	6
252	2 lockers	
14	42	6
323	3 lockers	
14	56	6
371	4 lockers	
14	70	6
418	5 lockers	

LKTOP - 18" wide lockers

Dimensions		
A	B	C
Compatible :		
14	18	6
204	1 locker	
14	36	6
300	2 lockers	
14	54	6
371	3 lockers	
14	72	6
418	4 lockers	

17	18	6
210	1 locker	
17	36	6
305	2 lockers	
17	54	6
376	3 lockers	
17	72	6
424	4 lockers	

Accessories

Miscellaneous Accessories

MCMLK

Master key for CMLK lock




- Master key for CMLK lock;
- Can open all CMLK locks.

Code	\$	Description
MCMLK	8	

ME2

Master key for E2 lock



- Master key for E2 lock;
- To unlock and reset the E2 electronic lock.

Code	\$	Description
ME2	242	

UCE1

E1 lock user card




- User card for E1 lock;
- See appendix XY to use the card with E1 lock.

Code	\$	Description
UCE1	11	

CHE1

E1 lock charger



- E1 lock charger;
- Emergency battery charger to unlock E1 lock.

Code	\$	Description
CHE1	122	

ATC 001

Anti-tilt clip




- Metal clip used to prevent tipping, attaches to the floor or wall;
- Sold individually;
- Not mandatory, but recommended:
 - 42" width and less: 1 clip;
 - Width over 42": 2 clips;
- Black finish.

Code	\$	Description
ATC 001	26	

BT

Boot tray




- Dimensions :
 - BT1210 : 12-1/8" x 10-1/2" x 1"H;
 - BT1616 : 15-15/16" x 15-15/16" x 1"H;
- Boot tray protects bottom of lockers;
- Black plastic finish.

Code	\$	Description
BT1210	80	
BT1616	80	

CRLI 013

Hook




- Hook for locker;
- Sold individually.

Code	\$	Description
CRLI 013	16	

LN

Self-adhesive numbers



Self-adhesive numbers to be affixed, on site, to the locker doors to allow identification. 1-1/4"H:

- Numbers to order according to the code:
 - 001-050 : Set of numbers from 1 to 50;
 - 051-100 : Set of numbers from 51 to 100;
 - 101-150 : Set of numbers from 101 to 150;
 - 151-200 : Set of numbers from 151 to 200;
- Finish choices: Black (BL) or light gray (G).

Code	\$	Description
LNBL-001-050	55	
LNBL-051-100	69	
LNBL-101-150	69	
LNBL-151-200	69	

Code	\$	Description
LNG-001-050	55	
LNG-051-100	69	
LNG-101-150	69	
LNG-151-200	69	

As our product line is constantly evolving and expanding, we recommend that you visit logiflex.ca for updates.



1235 St-Roch N., Sherbrooke QC J1N 0H2 Canada
T : 1.877.864.9323 | F : 1.800.474.7830 | logiflex.ca