

MILLENIUM

Price List
USA 2021

GSA PRICE LIST

ADD 2% TO ALL PRICES



logiflex

Table of Contents



Introduction	3	Tables	54	Hutches and Wall Storage	117
Update Summary	4	Arched Tables	55	Cabinet Hutches	118
Product Map	5	D and P Tables	57	Corner Hutches	124
Our social responsibility	9	Extended D and P Tables	66	Adjustable Shelf Hutches	125
Conditions of Sale	9	Hook Tables	70	Wall Hutches	126
Manufacturing Standards	10	Corner Tables	71	Open Hutches	132
How to Use the Price List	11	Extended Corner Tables	72	Wall Shelves	146
Appendix A: Colors and Finishes	12	Lateral Tables	76	Tackboards	147
Appendix B: Surfaces and Molding Edges	13	Factory-Installed Pedestals	78		
Appendix C: Modesty Panels	14			Bookcases and Cabinets	151
Appendix D: Wood Grain	15	Pedestals and Cabinets	83	Corner Bookcases	152
Appendix E: Handle Finishes for Glass Doors	16	Independent Pedestals	84	Bookcases	153
Appendix F: Pedestals and File Drawers	17	Mobile Pedestals	89	Display Cases	157
Appendix G: Pricing for Additional Adjustable Shelves	18	Combination Pedestals	91	Wardrobes	159
Appendix H: Pricing for Tops	19	Lateral Filing Cabinets	92	Wardrobes with Pedestals	166
Appendix I: Calculation and Use of Electrical Components	20			Cabinets	168
				Pigeonhole Units	179
				Multiple Units	181
Desks	23	Credenzas	93	Accessories	195
Shells (Empty Desks)	24	Credenzas with Pedestals	94	Handles	196
Desks with Pedestals	25	Credenzas with Combination Pedestals	99	Legs	197
Desks with Pedestals and Convex Front	30	Credenzas with Lateral Filing Cabinet	103	Keyboard Trays	200
Extended Desks with Straight Cut and Pedestals	33	Credenzas with Cabinets	105	CPU Holders	201
Extended Desks with Rounded Cut and Pedestals	35	Combination Credenzas	107	Computer Monitor Brackets	202
		Server Credenzas	110	Miscellaneous Accessories	204
Returns	37	Server Credenzas with Utility Drawers	111	Electrical Accessories	206
Empty Returns	38	Server Credenzas with Utility Drawers	112		
Reversible Empty Returns	39	Server Credenzas with Utility Drawers	113		
Returns with Pedestals	40	Transaction Tops	114		
Returns with Combination Pedestals	43				
Returns with Lateral File Drawers	47				
Returns with Cabinets	49				
Bridges	51				
Connection Tops	53				

Introduction

The Millenium furniture collection offers contemporary desks for functional and affordable workspaces. Whether for a private or semi-private office or an open space concept, the Millenium collection meets the requirements of any work environment.

Update Summary



The July 1, 2021 revision of the Millenium price list presents these principal modifications:










































DATE	SECTION	MODIFICATIONS
July 1, 2021	All the Price List	All prices have been increased by approximately 6%.

Previous updates:

DATE	SECTION	MODIFICATIONS
January 11, 2021	All the Price List	All products with glass doors have been increased.
October 28, 2020	Multiple Units	- All 42"W multiple units, MU, have been eliminated; - All multiple units, MU, more than 78"H have been eliminated.
	Accessories	Addition of angled rectangular leg RA2SN and RA2BL
September 9, 2020	Appendix	Some laminate color choices are being phased out by September 1st or until supplies last. Please see Appendix A for details.
	Mobile Pedestals	The counterweight CPDS is now 10 lbs, not 45 lbs.
	Accessories	- Addition of swivel drawer (SWV). - Removal of the following legs: CF24NBL, CF24NSN, CF30NBL, CF30NSN, TF30NBL, TF36NBL, TF30NSN, TF36NSN;
February 1, 2020	All the Price List	All prices have been increased by 2%.
	Tackboards	Fabric grade adjustment on tackboards.
	Accessories	MXH44CHR (chrome) legs have been discontinued.

Product Map


Desks

Shells (Empty Desks) p. 24  BV	Desks with Pedestals p. 25         BD BDD BEL/BFL BER/BFR BEF BFE BEE BFF
Desks with Pedestals and Convex Front p. 30       BECX BFCX BEFCX BFECX BEECX BFFCX	Extended Desks with Straight Cut and Pedestals p. 33     BELBL BFLBL BELBR BFLBR
Extended Desks with Curved Cut and Pedestals p. 35     BERBL BFRBL BERBR BFRBR	
Returns	
Empty and Reversible p. 38   RVL REVL	Returns with Pedestals p. 40    RD REL/RFL RER/RFR
	Returns with Combination Pedestals p. 43       REFL RFEL REFR RFER RCBCL RBCCL
Returns with Lateral File Drawers p. 48   RCLL RCLR	Returns with Cabinets p. 49   RARL RARR
	Bridges p. 51   BR BRT
	Connection Tops p. 53  TRTOP

Product Map

Tables

Arched Tables p. 55




AYL

AYR

D, P and Rectangular Tables

p. 57



TD

TDG

TDM

TPG

TPM


REI

REIO

REG

REGO


Extended D and P Tables p. 66



TDAM

TPAM


Hook Tables p. 70



TCGL

TCGR


Corner Tables p. 71



CT

CTC

Extended Corner Tables p. 72




CTLL

CTLR

CTRL


CTRR

Lateral Tables p. 76



TL

Factory Installed Pedestals p. 78



DINS

EINS

FINS

ARRINS

CLINS


BCCLINS

CBCLINS

ARINS

Pedestals and Cabinets

Independent Pedestals p. 84



DIND

EIND

FIND

ARRIND


CLIND

BCCLIND

CBCLIND

ARIND

Mobile Pedestals p. 89




MOBE

MOBF

MOBXE

MOBXF


Combination Pedestals p. 91



PBCL

PCBCL

Lateral Filing Cabinets p. 92



CL2

CL3


CL4

Product Map

Credenzas


Credenzas with Pedestals

p. 94




Credenzas with Combination Pedestals

p. 99




Lateral Filing

p. 103




Cabinets

p. 105




Combination Credenzas

p. 107



Server Credenzas

p. 110



Transaction Tops

Hutches


Transaction Tops

p. 114




Cabinet Hutches

p. 118



Corner Hutches

p. 124




Adjustable Shelves

p. 125




Wall Hutches

p. 126




Wall Hutches with Pigeon Hole Unit

p. 129




Desk Hutches

p. 132




Desk Hutches with Pigeon Hole Unit

p. 139




Wall Shelves

p. 146



Tackboards


p. 147



Product Map


Bookcases and Cabinets

Corner Bookcases p. 152




BBC


Bookcases p. 153



BB30



BBL30



BB36




BBL36

Display Cases p. 157




MD5




MD3AR

Wardrobes p. 159



VR




VRFL




VRPV




V



VFL




VPV




ARV


Wardrobes with Pedestals p. 166




AREV



ARFV




VARE




VARF


Cabinets p. 168




ARR




ARRFL




ARRPV




AR15



AR20




AR24



ARFL20



ARPV20



ARFL24



ARPV24

Form Holders p. 179



F5



F10



F15




F20



F30




F45




F45B


Multiple Units p. 181




BBLE



BBRE



BBLF



BBRF



MU2




MU4



MU5




MU7



MU8




MU10



MU11



MU13



MU15



MU16

Multiple Units - (continued) p. 188



MU18



MU19



MU23



MU24




MU23FL



MU24FL




MU23PV



MU24PV




MU26




MU27



MU32



MU33



MU34

Our social responsibility

At Logiflex, we have chosen to be a responsible North American manufacturer by implementing initiatives for sustainable development. As much as possible, we source local materials and partner with suppliers who prioritize clean manufacturing processes. We also consolidate goods during transport to reduce our fuel consumption and we continually make changes that help reduce our waste production.

The company is ISO 9001 certified.

You can consult our eco-responsible approach as well as all our certifications in the [Certifications](#) section of our website. Find out how our products can help you obtain LEED credits and the Logiflex products that are Indoor Advantage Gold certified.

Conditions of Sale

Prices

The amounts listed in this document are suggested retail prices and may be changed without notice. Applicable taxes are not included. If you have an open and active account with Logiflex, merchandise will be invoiced at the prices prevailing at the time of shipment. A deposit may be requested if the opening of your account has not been completed or if your account has become inactive.

Terms of Payment

Net 30 days F.O.B. Sherbrooke, Quebec. The invoice will be assigned the shipping date and is payable 30 days from that date. Logiflex remains the owner of the merchandise until the invoice is paid in full.

Customized Products (Special Items)

Price requests for customized products or special items can be submitted via the ["Private Space"](#) section of our website, at www.logiflex.ca. Our quotations department will study your request and send you a quotation and a technical drawing for approval as soon as possible. Modifications to quotations or technical drawings can be requested the same way. The approved quotation(s) and technical drawing(s) can then be attached to your purchase order.

Orders

An official purchase order must be issued for all purchases. Your purchase order must contain the following information:

- Your company letterhead
- Your reference number
- The delivery address (with contact name and phone number)
- The complete product codes
- Furniture colour(s)
- Quantities
- Descriptions
- Retail prices and net prices
- Project registration number (if applicable), and your approved quotation and technical drawing (for special items).

Please note that a quotation cannot serve as a purchase order.

Returns

All returns must first be approved by Logiflex. If the return is accepted, a Logiflex customer service representative will send you an official return authorization form in order to facilitate procedures between you, the carrier, and the Logiflex merchandise reception clerk. Additional costs for shipping or other expenses may be applied following any merchandise returns.

Modifications and/or Cancellations

You have 24 hours from the time we acknowledge receipt of your order to make any requests for corrections or modifications. You may cancel your order during this same 24-hour period. If you would like to modify or cancel your order after this 24-hour verification period, please check with a Logiflex customer service representative. Orders cannot be changed or cancelled if production has already begun or if Logiflex has already received the raw materials.

Liability

Logiflex's liability ends once the carrier has delivered all items in good condition. A delivery receipt signed by the customer acknowledges that the shipment is complete and has been received in good condition.

Claims

Logiflex recommends inspecting the shipment before signing the carrier's delivery receipt. You must notify Logiflex of any incomplete shipments or damaged furniture as soon as possible. Requests to replace damaged products can be made via the ["Private Space"](#) section of our website, at www.logiflex.ca. Our after-sales service department will examine your request and help you correct the situation.

Changes

Logiflex reserves the right to make changes to the materials, accessories, components, specifications and designs, and to discontinue collections and/or models, at any time and without prior notice.

Storage and/or Shipping Fees

According to the terms Logiflex set forth in the transport policy. The transport policy can be consulted online in the Private Space.

Items Delivered Disassembled

Some items are delivered disassembled, such as empty desks, empty returns, bridges, arched tables, D, P or Q tables, lateral tables, end tables, hook tables, corner tables and extended-corner tables. To order these items assembled, add a \$100 list price. Contact Customer Service for details.

Warranty

Logiflex guarantees to the original purchaser that Logiflex products are free from defects in design, materials and workmanship for the product's lifetime, with certain exceptions.

You may consult the full warranty on the website:

[Logiflex Warranty](#)

Manufacturing Standards

Product Dimensions

For display purposes, the furniture dimensions represented in the price tables on each product page are rounded to the nearest whole number.

Furniture Construction

- All desktops and legs are 1" thick laminate;
- Fronts, backs and modesties are 5/8" thick laminate.

Handles

Handles are included for the majority of Millenium furniture items with fronts, with the exception of hutches and D, E and F pedestals, for which handles are sold as options. The standard handle style, when included, is HJAB (black). Please refer to the Logiflex handle selection in the [Accessories](#) section at the end of this price list.

Grommets

Grommets are included for some items such as D,P and REG tables, lateral, end, corner, extended-corner and arc tables, and returns. When grommets are included, the standard style is the ELPF grommet.

Locks

LKBL (black) locks are included for some items, such as pedestals, lateral file drawers, cabinets, wardrobes, combination units and credenzas. To specify a different type of lock, please refer to the [Accessories](#) section at the end of this price list to see the different models offered by Logiflex.

Pedestals

All drawers are made of black Medium density fiberboard (MDF) with an average thickness of 7/16". Type D, E and F pedestals include a black polyvinyl chloride (PVC) extrusion for easy finger grip operation (no handle).

Drawer Fronts

A PVC strip 1.5 mm thick is systematically applied along all drawer front edges.

Wood Grain

The wood grain is always vertical on fronts and furniture doors. Surfaces more than 96" are in two parts. Logiflex cannot guarantee that the wood grain will match up on the different parts of a same surface.

Hutches

All hutches have a grommet at the bottom and a round grommet at the back of the unit for light fixture wires.

Finishes

You must specify the desired finish(es) for each item of furniture ordered. Please make your selection(s) from the Logiflex chart.

Fabric

You must specify the fabric when the item so requires. Please make your selection(s) from the Logiflex chart.

Levelers

All furniture items (except bridges) sit on 1" in diameter, white nylon levelers, allowing for up to 1-1/4" height adjustment. The standard finished height for work surfaces is 29".



How to Use the Price List

Interactive Menu

Product line → **Hutches and Wall Storage**

Product group → **Desk Hutches with Doors**

Product name → **HP**

Product code → **HP**

Product image →

Product Information →

Leg Bases

LR	LH	HR	HH
L R	L H	H R	H H
Full Legs	Half Leg on Right	Half Leg on Left	2 Half Legs

Options

Tackboard (LI, TB)

Lock (LKBL, LKSN, \$\$)

Pre-drilled Holes with 3 Dividers (DVD, \$\$)

How to Order

ML	AB	HP	C	TB LI	HH HR LH LR (std)	LKBL LKSN	DVD	handles (p. 215)
Example	ML	1636	HP	43	TB	LR	LKSN	DVD

Manufacturing Standards

- Horizontal wood grain on back panel;
- Task light concealer;
- Flexible grommet on back.

Number of Doors:
30" - 42": 2 doors, 48" - 54": 3 doors, 60" - 72": 4 doors, 84": 5 doors.

Tackboards: A fabric (TB) or cork (LI) tackboard can be added.

Leg Base: If the choice of base is not specified, the standard is 2 full legs (LR). For 1/2 leg on left or right (HR or LH) add \$\$ retail. For two half legs (HH), add \$\$ retail. **Warning:** hutches with half legs (HH) must be secured to the wall or adjacent furniture so that they do not tip forward. Logiflex is not responsible for any accidents caused by incorrectly installed hutches.

Locks: Offered as option. Black (LKBL) or satin nickel (LKSN). Match to handle color.

Dividers: Offered as option. Pre-drilled holes for dividers (DVD), set of 3 wire dividers included.

Handles: To add handles, please choose from the Logiflex list. Add \$\$ retail each.

Prices

Dimensions	A	B	C	ML
163037	***			
163637	***			
164237	***			
164837	***			
165437	***			
166037	***			
166637	***			
167237	***			
168437	***			

Series

Prices

Quickship Program Icon

Dimensions


Blue text hyperlink

Standard Product Code
Details as per the price listed

Options, if desired (\$)
Always after the product code

Appendix A: Colors and Finishes

How to specify your laminate colors



Glass and Acrylic

V4	White Glass
V5	White Satin Glass
KB	Jet Black Glass
KS	Jet Black Satin Glass
KE	Ocean Blue Glass
K0	Overseas Blue Glass
KR	Bright Red Glass
KM	Metallic Gray Glass
KA	Satin Silver Glass
KG	Satin Gold Glass
VS	Frosted Glass
PL	Frosted Acrylic

Availability Chart

FINI FINISH	CODE	COLOR COULEUR	THICKNESS ÉPAISSEUR			PANVAL CODE	HPL STRATIFIÉ
			5/8"	1"	1-5/8"		
AURA	GIA	Ginger Root <i>Gingembre</i>	•	•		H72	•
	HAA	Haze <i>Brume</i>	•	•	•	H57	•
	STA	Storm <i>Tempête</i>	•	•	•	H58	•
	TUA	Tundra	•	•		H75	•
LYRA	ASY	Asha	•	•		K47	
	CIY	Chiffon <i>Mousseline</i> **	•	•		K60	
	KAY	Kali	•	•		K46	
SUPERMAT	IGS	Ingot grey <i>Gris lingot</i>	•	•		828	
	WGS	Willow grey <i>Gris saule</i>	•	•		802	
DOLOMITE	AU	Audacity <i>Audace</i> **	•	•	•	241	•
	B	Jet Black <i>Noir intense</i> *	•	•		888 S405-CA	•
	BC	Brown cherry <i>Cerisier brun</i>	•	•	•	207	•
	C	Slate <i>Ardoise</i> *	•	•		801	•
	CA	Caramel	•	•		G18-GL	•
	CO	Cognac	•	•		260	•
	DL	Legno Dark <i>Legno foncé</i>	•	•		G52	•
	DR	Driftwood <i>Bois de rive</i>	•	•		744	•
	G	Mink Grey <i>Gris vison</i>	•	•		805 OU-927	•
	GG	Grigio	•	•		G17-GL	•
	LM	Light Maple <i>Érable clair</i>	•	•		992	•
	NC	Natural Cherry <i>Cerisier naturel</i>	•	•		239	•
	NM	Natural Maple <i>Érable naturel</i>	•	•	•	206	•
	PC	Coastal Pear <i>Poirier de la côte</i> **	•	•		G23-GL	•
	PO	Porto	•	•	•	913 OU-648	•
	SW	Smoked Walnut <i>Noyer fumé</i>	•	•	•	G21	•
	TO	Tobacco	•	•	•	205	•
	W	Polar White <i>Blanc polaire</i>	•	•	•	555 459-CA	•
	WK	Whisky	•	•	•	245	•
HIGH GLOSS SUPER LUSTRE	GGH	Grigio - fronts <i>façades</i>	•				
	W-H	Polar White - fronts <i>Blanc polaire - façades</i>	•				

* Non recommended color for work surfaces.

** For conference tables with 2 or more parts, we do not recommend the use of colors with irregular and contrasted woodgrain like Chiffon, Audacity or Coastal Pear as it results in a pronounced wood grain mismatch.

Colors may vary from 2% to 5% between tfl and hpl laminates due to different technical applications.

• Color available until October 2021.


See our complete [Colors & Finishes Guide](#)

Appendix B: Surfaces and Molding Edges

SERIES	PREVIEW	COMPONENT	MATERIAL	EDGES / MOLDING
ML		1" surface	Thermofused laminate (TFL) - 1" high-density particle board.	1.5 mm polyvinyl chloride (PVC)
MLL		1-1/16" surface	High pressure laminate (HPL) - 1" high-density particle board, 1/32" HPL sheet on surface, 1/32" balancing sheet under surface (prevents bending) with 2.5 mm PVC edge.	1.5 mm polyvinyl chloride (PVC)
		Front, back and modesty	Thermofused laminate (TFL) - 5/8" high-density particle board.	1.5 mm polyvinyl chloride (PVC) on showing surfaces and 0.5 mm polyvinyl chloride (PVC) on non-showing surfaces.


Appendix C: Modesty Panels

Modesty Height




10" high

PM



18-1/2" high


SM



Full height


FM

Minister Modesty



Minister Front


MID




Curved Minister

MIDC


Recessed Modesty



Flush Modesty




Modesty Recess
4-5/8" for 30" desk




Modesty Recess
6" for 36" desk

Appendix D: Wood Grain

Wood grain runs lengthwise on surfaces and vertically on drawers, doors and legs.
See image below for wood grain direction placements.



Wood grain on returns:




Less than 60"

More than 60"

Appendix E: Handle Finishes for Glass Doors


PV - Glass Doors



Satin Nickel Aluminum Frame

Handles: HJA (Satin Nickel)
*For handles other than the HJA standard,
please choose from the Logiflex list,
no charge (p. 196).*

FL - Glass Doors




Built-in aluminum handles

Aluminum-frame door

Handles: HJA (Satin Nickel)
*For handles other than the HJA standard,
please choose from the Logiflex list,
no charge (p. 196).*


Appendix F: Pedestals and File Drawers

D, E and F Pedestals




Lateral File Drawers

Lateral file drawers can receive either legal or letter formats. Please refer to the illustration below.




Legal and Letter formats

30" and 36" file drawers can accommodate 2 rows of files.
42" file drawers can accommodate 3 rows of files.




Combination Pedestals



File Drawers

File drawers can receive either legal or letter formats. Please refer to the illustration below.



Appendix G: Pricing for Additional Adjustable Shelves

To find out the price for additional adjustable shelves, trace down the vertical column "A" the shelf depth to its intersection with columns "B" the shelf length.

\$		B								
		12"	15"	18"	20"	24"	30"	36"	42"	48"
A	12"	19	23	28	30	36	44	54	62	71
	15"	23	29	34	37	44	56	66	77	90
	16"	24	30	36	39	47	60	71	83	95
	20"	30	37	44	49	60	74	90	104	117
	24"	36	44	54	60	71	90	107	123	142
	30"	44	56	66	74	90	110			

Appendix H: Pricing for Tops


To calculate pricing for desk and table tops, use the following formula:

Depth x Width / 144 x sq. ft. price = Retail Price*

Ex.: 24" x 48" = 1152 / 144 = 8 sq. ft. price x \$39 = \$288

Knife Edge: Depth x Width / 144 x \$25 = Retail Price*

Add together the prices of the surface and the knife edge.



Retail Price per square foot			
ML		MLL	
Rectangular Surfaces	Circular Surfaces	Rectangular Surfaces	Circular Surfaces
\$ 20 Depth 30" and less	\$ 25	\$ 39	\$ 41
\$ 21 Depth greater than 30"			
1" Surface: Thermofused laminate (TFL) - 1" high-density particle board with 1.5 mm polyvinyl chloride edge. Note: 2 week lead time available on the following standard TFL work surface colors: B Jet Black, BC Brown Cherry, C Slate, CO Cognac, LM Light Maple, NC Natural Cherry, PC Coastal Pear, PO Porto, SW Smoked Walnut, TO Tobacco, W Polar White, WK Whisky, Z Zebra		1-1/16" Surface: High pressure laminate (HPL) - 1" high-density particle board, 1/32" HPL sheet on surface, 1/32" balancing sheet under surface (prevents bending) with 1.5 mm PVC edge.	

***Note:** A minimum fee of \$85 is applied to prices of lesser amounts.

Surface Price Calculator

In the fields below, input the desired depth and width as well as the square foot price found in the above price grid.

Dimensions
 in. x in. / 144 x \$
 Depth Width Square foot price

= \$ 0
Total (surface only)

\$ 0
Total (with knife edge)

Reset Form

Grommets: It is possible to add grommets to the rectangular surfaces.

+ Options


Grommet Position

Grommet Style

ELPF
 \$0 ea.

C_PF
 \$23 ea.

Appendix I: Calculation and Use of Electrical Components



An Introduction to Calculation and Use of Electrical Components

Most people are uncomfortable with anything related to electricity. This step-by-step guide is intended for people who are not familiar with electrical installations but who have to specify what system they need when ordering furniture. In this guide, you will learn how to choose and specify the electrical components required for your projects. The list that follows illustrates and identifies each product and describes its applications.

The electrical components are all recognized by the Underwriters Laboratory (UL) as office furniture accessories and are manufactured according to Canadian Standards Association (CSA) and UL electrical standards.

Note: All electrical connections must be performed by a certified electrician.

By following these 3 simple steps, you can easily determine the number of circuits required to ensure safe use of your electrical equipment.

1. Determining the Number of Amperes Required
2. Calculating the Total Amperes Per Electrical Series
3. Determining How Many Circuits You Need

STEP 1: Determining the Number of Amperes Required

What is Amperage

An Ampere (Amp or A) is a unit for measuring the rate at which electric current flows. All electrical equipment has an amperage rate. By following these few simple steps, you can easily determine the number of circuits required to ensure safe use of your electrical equipment.


Determine the Number of Amperes Required

On your computer or other electric devices (ie: monitor, central processing unit, printer) find the plate that provides the technical specifications as follows:

Input: 120V - 1.8A.

If you cannot locate this information on the machine, you will probably find it in the user manual.


Here are a few examples of how many Amps some equipment may consume. Please note that these are examples and the number of amperes may vary from one machine to another.




Power Block and Simplex Capacity

An electrical series corresponds to the total number of amperes that use the same power source. This includes electrical components such as computers, printers, laptops, monitors, server or other devices.


Each power block has a total capacity of 8 Simplex units (plugs). A Simplex can handle up to 20 amps by itself, however as the number of Simplex are added to each circuit, the amount of amps is divided between them.



A single Simplex has a maximum capacity of 20A




Each power block can hold 8 Simplex




A single power block has a maximum capacity of 80A

$$20A + 20A + 20A + 20A = 80A$$



A power block with the same circuit Simplex on both sides also has a maximum capacity of 20A

$$10A + 10A = 20A$$



The capacity of each Simplex on the same circuit is divided as additional Simplex's are added on. For example, 5 Simplex on the same circuit still holds the same 20A capacity.

Appendix I: Calculation and Use of Electrical Components

STEP 2:

Calculating the Total Amperes Per Electrical Series

Add the Amperes


Add the number of amps for each machine in the series. In our example, there are 4 CPUs at 2.5A per computer, 4 monitors at 0.5A and one printer at 9A.



$$2.5A + .5A + 2.5A + .5A + 2.5A + .5A + 2.5A + .5A + 9A = 21A$$

The total number of amperes used in this example equals to 21A.

Divide by 16




Most machines and computers used in offices or schools are used continuously for many hours at a time. In this type of situation, national electrical codes usually limit circuits to 16 amperes of continuous use. You must therefore divide the total number of amperes calculated by 16.


STEP 3:

Determining How Many Circuits You Need

In most cases, this number will contain decimals. Round up to the next whole number, and this will be the number of circuits required for your equipment to run safely. If the number obtained is higher than 4 (the maximum number of circuits for a system), you must reduce the amount of current used by the system or create another system supplied by a separate power source. Continuing with our example, the 1.3A is rounded up to 2A.




Here is one possible configuration. Using 5 power blocks joined together with junction cables, only 2 circuits are being used. The 4 monitors and the printer are on Circuit #1 and the 4 CPUs are on Circuit #3 (which is the grounded circuit).



Appendix I: Calculation and Use of Electrical Components


8 Wire, 4 Circuit (3+1) Power Block

- Simplexes are interchangeable permitting any required circuit combination;
- All Simplexes located together for greater access to all power receptacles;
- Double sided blocks for single or double sided applications;
- Complies with National Electric Code;
- UL Listed/Recognized.




Blue								3 H
Green/Yellow								3 G
Green								1-2-4 G
Gray								3 N
White								1-2-4 N
Black								1 H
Red								2 H
Pink								4 H

Starter Cable with Hardwire




- 4 circuit starter cable with hardwire at one end;
- All circuits rated for 20 AMP;
- Available in lengths from 12" to 180";
- Whip end to be connected to building power by an electrician.

Starter Cable with Plug



- 1 circuit starter cable with electric plug at one end;
- Circuit rated for 20 AMP;
- Available in lengths from 12" to 180".

Junction Cable



- 4 circuit cord;
- All circuits rated for 20 AMP;
- Available in lengths from 12" to 180".

Desks

Desks


Shells
Pedestals
Pedestals - Convex Front

Extended - Straight Cut - Pedestals
Extended - Curved Cut - Pedestals



Shells (Empty Desks)

BV



Manufacturing Standards

- Delivered disassembled;
- Modesty;
- Height: 29".


Recessed Modesty:

4-5/8" modesty recess for 30" desks
6" modesty recess for 36" desks


If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.

Options

Modesty



Grommet Position



Grommet Style



Prices

Dimensions			
A	B	ML	MLL
3048		620	812
3060		672	889
3066		711	964
3072		747	1012
3660		763	985
3666		779	1050
3672		805	1115

How to Order

ML MLL		AB	PM SM FM (std)	GRL GRR GLR GRC	CAPF CBPF CCPF ELPF (std)
series	dimensions	modesty	grommet position		grommet style
Example ML	3060	FM	GRC		ELPF

Desks

Shells

Pedestals

Pedestals - Convex Front


Extended - Straight Cut - Pedestals

Extended - Curved Cut - Pedestals




Desks with D Pedestal

BDL



BDR



Manufacturing Standards

- One utility drawer and one file drawer on left or right;
- Lock;
- PVC extrusion for lateral opening of drawers;
- Modesty;
- Height: 29".

Recessed Modesty:

4-5/8" modesty recess for 30" desks


6" modesty recess for 36" desks

If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.

Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.


Options

Modesty




10" high

PM
\$0



18-1/2" high


SM
\$0



Full height

FM
\$0

Grommet Position



Grommet Style



ELPF
\$0



C_PF
\$23 ea.

How to Order

ML MLL	D	AB	D	PM SM FM (std)	GRL GRR GLR GRC	CAPF CBPF CCPF ELPF (std)	
series	if pedestal on left	dimensions	if pedestal on right	modesty	grommet position	grommet style	handles (p. 196)
Example ML	D	3060		FM	GRC	ELPF	

Prices


Dimensions		
A	B	MLL
3048	949	1275
3060	1015	1380
3066	1059	1446
3072	1132	1494
3648	1041	1336
3660	1106	1466
3666	1167	1534
3672	1233	1603

High Gloss Front: Please request a quotation to obtain a price.



Desks with D Pedestal on Left and Right

BDD



Manufacturing Standards

- One utility drawer and one file drawer on left and right;
- Locks;
- Modesty;
- PVC extrusion for lateral opening of drawers;
- Height: 29".

Recessed Modesty:

4-5/8" modesty recess for 30" desks


6" modesty recess for 36" desks

If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.


Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Options

Modesty



Grommet Position



Grommet Style



How to Order

ML MLL		AB		PM SM FM (std)	GRL GRR GLR GRC	CAPF CBPF CCPF ELPF (std)	
series	D left pedestal	dimensions	D right pedestal	modesty	grommet position	grommet style	
Example ML	D	3060	D	FM	GRC	ELPF	handles (p. 196)

Prices

Dimensions		
A	B	
3060	1167	1622
3066	1207	1700
3072	1294	1767
3660	1260	1670
3666	1273	1756
3672	1383	1841

High Gloss Front: Please request a quotation to obtain a price.

Desks

Shells

Pedestals

Pedestals - Convex Front


Extended - Straight Cut - Pedestals

Extended - Curved Cut - Pedestals




Desks with E or F Pedestal on Left

BEL



BFL



Manufacturing Standards

- E = 2 utility drawers and 1 file drawer;
- F = 2 file drawers;
- PVC extrusion for lateral opening of draw;
- Lock;
- Modesty;
- Height: 29".

Recessed Modesty:

4-5/8" modesty recess for 30" desks


6" modesty recess for 36" desks

If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.


Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Options


Modesty Styles



Grommet Position



Grommet Style



How to Order

ML MLL	E F	AB	MIDC MID PM SM FM (std)	GRL GRR GLR GRC	CAPF CBPF CCPF ELPF (std)	
series	pedestal	dimensions	modesty	grommet position	grommet style	handles (p. 196)
Example ML	E	3060	FM	GRC	ELPF	

Prices

Dimensions		
A	B	ML
3060	1180	1541
3066	1228	1607
3072	1299	1656
3084	1592	1731
3660	1273	1627
3666	1333	1692
3672	1401	1760
3684	1617	1888

High Gloss Front: Please request a quotation to obtain a price.

Desks

Shells

Pedestals

Pedestals - Convex Front


Extended - Straight Cut - Pedestals

Extended - Curved Cut - Pedestals




Desks with E or F Pedestal on Right

BER



BFR



Manufacturing Standards

- E = 2 utility drawers and 1 file drawer;
- F = 2 file drawers;
- PVC extrusion for lateral opening of drawers;
- Lock;
- Modesty;
- Height: 29".

Recessed Modesty:

4-5/8" modesty recess for 30" desks


6" modesty recess for 36" desks

If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.


Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Options


Modesty Styles



Grommet Position



Grommet Style



How to Order

ML MLL	AB	E F	MIDC MID PM SM FM (std)	GRL GRR GLR GRC	CAPF CBPF CCPF ELPF (std)	
series	dimensions	pedestal	modesty	grommet position	grommet style	handles (p. 196)
Example ML	3060	E	FM	GRC	ELPF	

Prices

Dimensions		
A	B	ML
3060	1180	1541
3066	1228	1607
3072	1299	1656
3084	1592	1731
3660	1273	1627
3666	1333	1692
3672	1401	1760
3684	1617	1888

High Gloss Front: Please request a quotation to obtain a price.

Desks

Shells

Pedestals

Pedestals - Convex Front


Extended - Straight Cut - Pedestals

Extended - Curved Cut - Pedestals




Desks with E or F Pedestal on Left and Right


BEF




BFE



BEE



BFF



Manufacturing Standards

- E = 2 utility drawers and 1 file drawer;
- F = 2 file drawers;
- PVC extrusion for lateral opening of drawers;
- Locks;
- Modesty;
- Height: 29".

Recessed Modesty:

4-5/8" modesty recess for 30" desks


6" modesty recess for 36" desks

If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.


Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Options

Modesty Styles



Grommet Position



Grommet Style



How to Order

ML MLL	E F	AB	E F	MIDC MID PM SM FM (std)	GRL GRR GLR GRC	CAPF CBPF CCPF ELPF (std)	
series	left pedestal	dimensions	right pedestal	modesty	grommet position	grommet style	handles (p. 196)
Example ML	E	3060	E	FM	GRC	ELPF	

Prices

Dimensions			
A	B	ML	MLL
3060		1499	2182
3066		1543	2251
3072		1557	2294
3084		1727	2373
3660		1567	2267
3666		1610	2335
3672		1717	2401
3684		1885	2532

High Gloss Front: Please request a quotation to obtain a price.

Desks


Shells
Pedestals
Pedestals - Convex Front

Extended - Straight Cut - Pedestals
Extended - Curved Cut - Pedestals




Desks with Convex Front and E or F Pedestal on Left

BECXL



BFCXL



Manufacturing Standards

- E = 2 utility drawers and 1 file drawer;
- F = 2 file drawers;
- PVC extrusion for lateral opening of drawers;
- Lock;
- Modesty;
- Height: 29".

Recessed Modesty:


Flush modesty for 24" desks
4-5/8" modesty recess for 30" desks
6" modesty recess for 36" desks

If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.


Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Options


Modesty Styles



Grommet Position



Grommet Style



How to Order

ML MLL	E F	ABC		MIDC MID PM SM FM (std)	GRL GRR GLR GRC	CAPF CBPF CCPF ELPF (std)	
			CX				
series	pedestal	dimensions	code	modesty	grommet position	grommet style	handles (p. 196)
Example ML	E	243060	CX	FM	GRC	ELPF	

Prices

Dimensions			ML	MLL
A	B	C		
243060	1255	1637		
243066	1286	1676		
243072	1366	1723		
303660	1347	1723		
303666	1392	1790		
303672	1464	1839		
303684	1757	1915		
364260	1440	1811		
364266	1498	1934		
364272	1566	1944		
364284	1782	2078		

High Gloss Front: Please request a quotation to obtain a price.

Desks


Shells
Pedestals
Pedestals - Convex Front

Extended - Straight Cut - Pedestals
Extended - Curved Cut - Pedestals




Desks with Convex Front and E or F Pedestal on Right

BECXR



BFCXR



Manufacturing Standards

- E = 2 utility drawers and 1 file drawer;
- F = 2 file drawers;
- PVC extrusion for lateral opening of drawers;
- Serrure;
- Modesty;
- Height: 29".

Recessed Modesty:


Flush modesty for 24" desks
4-5/8" modesty recess for 30" desks
6" modesty recess for 36" desks

If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.


Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Options

Modesty Styles



Grommet Position



Grommet Style



How to Order

ML MLL	ABC	E F	CX	MIDC MID PM SM FM (std)	GRL GRR GLR GRC	CAPF CBPF CCPF ELPF (std)	handles (p. 196)
series	dimensions	pedestal	code	modesty	grommet position	grommet style	
Example ML	243060	F	CX	FM	GRC	ELPF	

Prices

Dimensions			ML	MLL
A	B	C		
243060	1255	1637		
243066	1286	1676		
243072	1366	1723		
303660	1347	1723		
303666	1392	1790		
303672	1464	1839		
303684	1757	1915		
364260	1440	1811		
364266	1498	1934		
364272	1566	1944		
364284	1782	2078		

High Gloss Front: Please request a quotation to obtain a price.

Desks


Shells
Pedestals
Pedestals - Convex Front

Extended - Straight Cut - Pedestals
Extended - Curved Cut - Pedestals




Desks with Convex Front and E or F Pedestals


BEFCX




BFECX



BEECX



BFFCX



Manufacturing Standards

- E = 2 utility drawers and 1 file drawer;
- F = 2 file drawers;
- PVC extrusion for lateral opening of drawers;
- Locks;
- Modesty;
- Height: 29".

Recessed Modesty:


Flush modesty for 24" desks
4-5/8" modesty recess for 30" desks
6" modesty recess for 36" desks

If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.


Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Options

Modesty Styles



Grommet Position



Grommet Style



How to Order

ML MLL	E F	ABC	E F	CX	MIDC MID PM SM FM (std)	GRL GRR GLR GRC	CAPF CBPF CCPF ELPF (std)	handles (p. 196)
series	left pedestal	dimensions	right pedestal	code	modesty	grommet position	grommet style	
Example ML	E	243060	E	CX	FM	GRC	ELPF	

Prices

Dimensions			ML	MLL
A	B	C		
243060	1599	2277		
243066	1640	2319		
243072	1711	2366		
303660	1664	2366		
303666	1709	2432		
303672	1725	2566		
303684	1893	2795		
364260	1732	2451		
364266	1776	2521		
364272	1883	2586		
364284	2052	2716		

High Gloss Front: Please request a quotation to obtain a price.

Desks


Shells
Pedestals
Pedestals - Convex Front

Extended - Straight Cut - Pedestals
Extended - Curved Cut - Pedestals




Extended Desks with Straight Cut and E or F Pedestal on Left

BELBL



BFLBL



Manufacturing Standards

- E = 2 utility drawers and 1 file drawer;
- F = 2 file drawers;
- PVC extrusion for lateral opening of drawers;
- Lock;
- Modesty;
- Height: 29".

Recessed Modesty:


4-5/8" modesty recess for 30" desks
6" modesty recess for 36" desks

If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.


Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Options

Modesty Styles



Grommet Position



Grommet Style



How to Order

ML MLL	E F	ABCD	LB	MIDC MID PM SM FM (std)	GRL GRR GLR GRC	CAPF CBPF CCPF ELPF (std)	handles (p. 196)
series	pedestal	dimensions	code	modesty	grommet position	grommet style	
Example ML	E	30664820	LB	FM	GRR	ELPF	

Prices

Dimensions			ML	MLL
A	B	C	D	
30664820	2009	2698		
30724820	2075	2802		
30784820	2143	2905		
30844820	2207	3039		
30664824	2009	2698		
30724824	2075	2802		
30784824	2143	2905		
30844824	2207	3039		
36665420	2049	2750		
36725420	2116	2852		
36785420	2183	2956		
36845420	2250	3092		
36665424	2049	2750		
36725424	2116	2852		
36785424	2183	2956		
36845424	2250	3092		

High Gloss Front: Please request a quotation to obtain a price.

Desks


Shells
Pedestals
Pedestals - Convex Front

Extended - Straight Cut - Pedestals
Extended - Curved Cut - Pedestals




Extended Desks with Straight Cut and E or F Pedestal on Right

BELBR



BFLBR



Manufacturing Standards

- E = 2 utility drawers and 1 file drawer;
- F = 2 file drawers;
- PVC extrusion for lateral opening of drawers;
- Lock;
- Modesty;
- Height: 29".

Recessed Modesty:


4-5/8" modesty recess for 30" desks
6" modesty recess for 36" desks

If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.


Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Options


Modesty Styles




10" high
PM
\$0




18-1/2" high
SM
\$0



Full height
FM
\$0




Minister Front
MID
\$81



Curved Minister
MIDC
\$162

Grommet Position



Grommet Style



ELPF
\$0



C_PF
\$23 ea.

How to Order

ML MLL	ABCD	E F	LB	MIDC MID PM SM FM (std)	GRL GRR GLR GRC	CAPF CBPF CCPF ELPF (std)	handles (p. 196)
series	dimensions	pedestal	code	modesty	grommet position	grommet style	
Example ML	20486630	E	LB	FM	GRL	ELPF	

Prices

Dimensions			ML	MLL
A	B	C	D	
20486630	2009	2698		
20487230	2075	2802		
20487830	2143	2905		
20488430	2207	3039		
24486630	2009	2698		
24487230	2075	2802		
24487830	2143	2905		
24488430	2207	3039		
20546636	2049	2750		
20547236	2116	2852		
20547836	2183	2956		
20548436	2250	3092		
24546636	2049	2750		
24547236	2116	2852		
24547836	2183	2956		
24548436	2250	3092		

High Gloss Front: Please request a quotation to obtain a price.

Desks


Shells
Pedestals
Pedestals - Convex Front

Extended - Straight Cut - Pedestals
Extended - Curved Cut - Pedestals




Extended Desks with Rounded Cut and E or F Pedestal on Left

BERBL



BFRBL



Manufacturing Standards

- E = 2 utility drawers and 1 file drawer;
- F = 2 file drawers;
- PVC extrusion for lateral opening of drawers;
- Lock;
- Modesty;
- Height: 29".

Recessed Modesty:

4-5/8" modesty recess for 30" desks


6" modesty recess for 36" desks

If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.


Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Options


Modesty Styles




10" high
PM
\$0




18-1/2" high
SM
\$0



Full height
FM
\$0




Minister Front
MID
\$81



Curved Minister
MIDC
\$162


Grommet Position



Grommet Style



ELPF
\$0



C_PF
\$23 ea.

How to Order

ML MLL	E F	ABCD	RB	MIDC MID PM SM FM (std)	GRL GRR GLR GRC	CAPF CBPF CCPF ELPF (std)	handles (p. 196)
series	pedestal	dimensions	code	modesty	grommet position	grommet style	
Example ML	E	30664820	RB	FM	GRR	ELPF	

Prices

Dimensions			ML	MLL
A	B	C	D	
30664820	2009	2698		
30724820	2075	2802		
30784820	2143	2905		
30844820	2207	3039		
30664824	2009	2698		
30724824	2075	2802		
30784824	2143	2905		
30844824	2207	3039		
36665420	2049	2750		
36725420	2116	2852		
36785420	2183	2956		
36845420	2250	3092		
36665424	2049	2750		
36725424	2116	2852		
36785424	2183	2956		
36845424	2250	3092		

High Gloss Front: Please request a quotation to obtain a price.

Desks


Shells
Pedestals
Pedestals - Convex Front

Extended - Straight Cut - Pedestals
Extended - Curved Cut - Pedestals




Extended Desks with Rounded Cut and E or F Pedestal on Right

BERBR



BFRBR



Manufacturing Standards

- E = 2 utility drawers and 1 file drawer;
- F = 2 file drawers;
- PVC extrusion for lateral opening of drawers;
- Lock;
- Modesty;
- Height: 29".

Recessed Modesty:

4-5/8" modesty recess for 30" desks


6" modesty recess for 36" desks

If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.


Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Options


Modesty Styles




10" high
PM
\$0




18-1/2" high
SM
\$0



Full height
FM
\$0




Minister Front
MID
\$81



Curved Minister
MIDC
\$162

Grommet Position



Grommet Style



ELPF
\$0



C_PF
\$23 ea.

How to Order

ML MLL	ABCD	E F	RB	MIDC MID PM SM FM (std)	GRL GRR GLR GRC	CAPF CBPF CCPF ELPF (std)	handles (p. 196)
series	dimensions	pedestal	code	modesty	grommet position	grommet style	
Example ML	20486630	E	RB	FM	GRL	ELPF	

Prices

Dimensions			ML	MLL
A	B	C	D	
20486630	2009	2698		
20487230	2075	2802		
20487830	2143	2905		
20488430	2207	3039		
24486630	2009	2698		
24487230	2075	2802		
24487830	2143	2905		
24488430	2207	3039		
20546636	2049	2750		
20547236	2116	2852		
20547836	2183	2956		
20548436	2250	3092		
24546636	2049	2750		
24547236	2116	2852		
24547836	2183	2956		
24548436	2250	3092		


High Gloss Front: Please request a quotation to obtain a price.

Returns




Empty Returns

RVL



RVR




Manufacturing Standards

- Delivered disassembled;
- Centered ELPF grommet;
- Flush plates;
- Flush modesty;
- Height: 29".

Not compatible with lateral tables due to differences in the direction of the wood grain as well as the thickness of the modesty panel.

Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.


Grommet: If the grommet position is not specified, the standard is centered (GRC).




Modesty edge is not visible on the side of the return

Options


Modesty



10" high
PM
\$0




18-1/2" high
SM
\$0



Full height
FM
\$0

Grommet Position



Grommet Style



ELPF
\$0



C_PPF
\$23 ea.

How to Order

ML MLL	AB	L R	PM SM FM (std)	NGR GRL GRR GLR GRC (std)	CAPF CBPF CCPF ELPF (std)
			29		
series	dimensions	code	height	modesty	grommet position grommet style
Example ML	2060	L	29	FM	GRC


Prices

Dimensions		
A	B	ML
2030	424	504
2036	444	530
2042	462	571
2048	487	603
2054	523	647
2060	554	699
2430	456	547
2436	478	581
2442	495	613
2448	523	655
2454	554	700
2460	588	754





Reversible Empty Returns

REVL



REVR



Modesty edge is visible on the side of the return

Manufacturing Standards

- Delivered disassembled;
- Centered ELPF grommet;
- Flush plates;
- Flush modesty;
- Height: 29".




Not compatible with lateral tables due to differences in the direction of the wood grain as well as the thickness of the modesty panel.

Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.


Grommet: If the grommet position is not specified, the standard is centered (GRC).

Options

Modesty

10" high
PM
\$018-1/2" high
SM
\$0Full height
FM
\$0

Grommet Position



Grommet Style


ELPF
\$0C_PF
\$23 ea.

How to Order


ML MLL	AB	L R	29	REV	PM SM FM (std)	NGR GRL GRR GLR GRC (std)	CAPF CBPF CCPF ELPF (std)
series	dimensions	code	height	code	modesty	grommet position	grommet style
Example ML	2060	L	29	REV	FM	GRC	ELPF

Returns with D Pedestal

RDL



RDR



Manufacturing Standards

- One utility drawer and one file drawer;
- Centered ELPF grommet;
- Flush plates;
- PVC extrusion for lateral opening of drawers;
- Lock;
- Flush modesty;
- Height: 29".

Not compatible with lateral tables due to differences in the direction of the wood grain as well as the thickness of the modesty panel.


Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.

Grommet: If the grommet position is not specified, the standard is centered (GRC).


Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Options


Modesty



10" high
PM
\$0




18-1/2" high
SM
\$0



Full height
FM
\$0

Grommet Position



Grommet Style



ELPF
\$0



C_PF
\$23 ea.

How to Order

ML MLL	D	AB	L R	D	PM SM FM (std)	NGR GRL GRR GLR GRC (std)	CAPF CBPF CCPF ELPF (std)	
				29				
series	if pedestal on left	dimensions	code	height	if pedestal on right	modesty	grommet position	grommet style
Example ML	D	2060	L	29		FM	GRC	ELPF



handles
(p. 196)


Prices

Dimensions		
A	B	ML
2030		740
2036		755
2042		770
2048		813
2054		847
2060		880
		MLL
2430		780
2436		798
2442		813
2448		847
2454		880
2460		912


High Gloss Front: Please request a quotation to obtain a price.

Returns with E or F Pedestal on Left

REL



RFL



Manufacturing Standards

- E = 2 utility drawers and 1 file drawer;
- F = 2 file drawers;
- Centered ELPF grogmet;
- Flush plates;
- PVC extrusion for lateral opening of drawers;
- Lock;
- Flush modesty;
- Height: 29".

Not compatible with lateral tables due to differences in the direction of the wood grain as well as the thickness of the modesty panel.


Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.

Grogmet: If the grogmet position is not specified, the standard is centered (GRC).


Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Options


Modesty



10" high
PM
\$0




18-1/2" high
SM
\$0



Full height
FM
\$0

Grogmet Position



LR

Grogmet Style



ELPF
\$0



C-PF
\$23 ea.

How to Order

ML MLL	E F	AB			PM SM FM (std)	NGR GRL GRR GLR GRC (std)	CAPF CBPF CCPF ELPF (std)	
			L	29				
series	pedestal	dimensions	code	height	modesty	grogmet position	grogmet style	handles (p. 196)
Example ML	E	2060	L	29	FM	GRC	ELPF	

Prices


Dimensions		
A B	ML	MLL
2030	906	1072
2036	923	1109
2042	938	1141
2048	980	1182
2054	1015	1217
2060	1048	1247
2430	949	1125
2436	964	1158
2442	980	1191
2448	1015	1228
2454	1048	1268
2460	1082	1301

High Gloss Front: Please request a quotation to obtain a price.




Returns with E or F Pedestal on Right

RER



RFR



Manufacturing Standards

- E = 2 utility drawers and 1 file drawer;
- F = 2 file drawers;
- Centered ELPF grogmet;
- Flush plates;
- PVC extrusion for lateral opening of drawers;
- Lock;
- Flush modesty;
- Height: 29".

Not compatible with lateral tables due to differences in the direction of the wood grain as well as the thickness of the modesty panel.




Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.

Grogmet: If the grogmet position is not specified, the standard is centered (GRC).


Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Options

Modesty


 10" high
 PM
 \$0

 18-1/2" high
 SM
 \$0

 Full height
 FM
 \$0

Grogmet Position



Grogmet Style


 ELPF
 \$0

 C_PPF
 \$23 ea.

How to Order

ML MLL	AB			E F	PM SM FM (std)	NGR GRL GRR GLR GRC (std)	CAPF CBPF CCPF ELPF (std)	
		R	29					
series	dimensions	code	height	pedestal	modesty	grogmet position	grogmet style	handles (p. 196)
Example ML	2060	R	29		FM	GRC	ELPF	

Prices


Dimensions		
A	B	ML MLL
2030		906 1072
2036		923 1109
2042		938 1141
2048		980 1182
2054		1015 1217
2060		1048 1247
2430		949 1125
2436		964 1158
2442		980 1191
2448		1015 1228
2454		1048 1268
2460		1082 1301

High Gloss Front: Please request a quotation to obtain a price.




Returns with Combination Pedestal on Left


REFL




RFEL



REEL



RFFL



Manufacturing Standards

- E = 2 utility drawers and 1 file drawer;
- F = 2 file drawers;
- ELPF grommet;
- Flush plates;
- HJAB handles;
- Locks;
- Flush modesty;
- Height: 29".

Not compatible with lateral tables due to differences in the direction of the wood grain as well as the thickness of the modesty panel.


Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.

Grommet: If the grommet position is not specified, the standard is centered on the remaining space (GRC).


Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Options


Modesty



10" high
PM
\$0




18-1/2" high
SM
\$0



Full height
FM
\$0

Grommet Position



Grommet Style



ELPF
\$0



C-PF
\$23 ea.

How to Order

ML MLL		EF FE EE FF	AB		PM SM FM (std)	NGR GRL GRR GLR GRC (std)	CAPF CBPF CCPF ELPF (std)	HJAB (std)
				L	29			
series	pedestal	dimensions	code	height	modesty	grommet position	grommet style	handles (p. 196)
Example ML	FE	2060	L	29	FM	GRC	ELPF	HJAB

Prices


Dimensions		
A	B	ML MLL
2042	1634	1839
2048	1661	1885
2054	1676	1918
2060	1694	1954
2442	1661	1891
2448	1675	1929
2454	1697	1970
2460	1711	2007

High Gloss Front: Please request a quotation to obtain a price.




Returns with Combination Pedestal on Right


REFR




RFER



REER



RFFR



Manufacturing Standards

- E = 2 utility drawers and 1 file drawer;
- F = 2 file drawers;
- ELPF grommet;
- Flush plates;
- HJAB handles;
- Locks;
- Flush modesty;
- Height: 29".

Not compatible with lateral tables due to differences in the direction of the wood grain as well as the thickness of the modesty panel.


Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.

Grommet: If the grommet position is not specified, the standard is centered on the remaining space (GRC).


Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Options


Modesty



10" high

PM
\$0


18-1/2" high

SM
\$0

Full height

FM
\$0

Grommet Position



Grommet Style

ELPF
\$0C-PF
\$23 ea.

How to Order

ML MLL		AB		EF FE EE FF		PM SM FM (std)	NGR GRL GRR GLR GRC (std)	CAPF CBPF CCPF ELPF (std)	HJAB (std)
		R	29						
series	dimensions	code	height	pedestal	modesty		grommet position	grommet style	handles (p. 196)
Example ML	2060	R	29	EF	FM		GRC	ELPF	HJAB

Prices


Dimensions		
A	B	ML MLL
2042	1634	1839
2048	1661	1885
2054	1676	1918
2060	1694	1954
2442	1661	1891
2448	1675	1929
2454	1697	1970
2460	1711	2007

High Gloss Front: Please request a quotation to obtain a price.



Returns with Combination Pedestal on Left

RCBCL



Manufacturing Standards

- 2 utility drawers, one file drawer and one lateral file drawer;
- ELPF grommet;
- Flush plates;
- 2 crossbars;
- HJAB handles;
- Locks;
- Flush modesty;
- Height: 29".

Not compatible with lateral tables due to differences in the direction of the wood grain as well as the thickness of the modesty panel.


Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.

Grommet: If the grommet position is not specified, the standard is centered on the remaining space (GRC).


Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Options


Modesty



10" high

PM
\$0


18-1/2" high

SM
\$0

Full height

FM
\$0

Grommet Position



Grommet Style

ELPF
\$0C_PPF
\$23 ea.

How to Order

ML MLL		C	AB	L	29	PM SM FM (std)	NGR GRL GRR GLR GRC (std)	CAPF CBPF CCPF ELPF (std)	HJAB (std)	
series	pedestal	pedestal width	dimensions	code	height	modesty	grommet position	grommet style	handles (p. 196)	
Example ML	CBCL	30	2060	L	29	FM	GRC	ELPF	HJAB	

Prices


Dimensions A B C			ML	MLL
204230			1583	1760
204830			1617	1806
205430			1652	1851
206030			1694	1901
244230			1617	1808
244830			1652	1853
245430			1694	1911
246030			1727	1966
204836			1710	1903
205436			1743	1950
206036			1784	1995
244836			1743	1951
245436			1793	2005
246036			1842	2060

High Gloss Front: Please request a quotation to obtain a price.



Returns with Combination Pedestal on Right

RBCCL



Manufacturing Standards

- 2 utility drawers, one file drawer and one lateral file drawer;
- ELPF grommet;
- Flush plates;
- 2 crossbars;
- HJAB handles;
- Locks;
- Flush modesty;
- Height: 29".

Not compatible with lateral tables due to differences in the direction of the wood grain as well as the thickness of the modesty panel.


Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.

Grommet: If the grommet position is not specified, the standard is centered on the remaining space (GRC).


Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Options


Modesty



10" high
PM
\$0




18-1/2" high
SM
\$0



Full height
FM
\$0

Grommet Position



Grommet Style



ELPF
\$0



C_PF
\$23 ea.

How to Order

ML MLL		AB		C		PM SM FM (std)	NGR GRL GRR GLR GRC (std)	CAPF CBPF CCPF ELPF (std)	HJAB (std)
		R	29	BCCL					
series	dimensions	code	height	right pedestal	pedestal width	modesty	grommet position	grommet style	handles (p. 196)

Example ML 2060 R 29 BCCL 30 FM GRC ELPF HJAB

Prices


Dimensions A B C			ML	MLL
204230			1583	1760
204830			1617	1806
205430			1652	1851
206030			1694	1901
244230			1617	1808
244830			1652	1853
245430			1694	1911
246030			1727	1966
204836			1710	1903
205436			1743	1950
206036			1784	1995
244836			1743	1951
245436			1793	2005
246036			1842	2060

High Gloss Front: Please request a quotation to obtain a price.



Returns with Lateral File Drawers on Left

RCLL



Manufacturing Standards

- 2 lateral file drawers;
- ELPF grommet;
- Flush plates;
- 2 crossbars per file drawer;
- HJAB handles;
- Lock;
- Flush modesty;
- Height: 29".

Not compatible with lateral tables due to differences in the direction of the wood grain as well as the thickness of the modesty panel.


Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.

Grommet: If the grommet position is not specified, the standard is centered on the remaining space (GRC).


Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Options


Modesty



10" high
PM
\$0




18-1/2" high
SM
\$0



Full height
FM
\$0

Grommet Position



Grommet Style



ELPF
\$0



C_PF
\$23 ea.

How to Order

ML MLL		C		AB		PM SM FM (std)	NGR GRL GRR GLR GRC (std)	CAPF CBPF CCPF ELPF (std)	HJAB (std)
	CL				L	29			
series	pedestal	pedestal width	dimensions	code	height	modesty	grommet position	grommet style	handles (p. 196)
Example ML	CL	30	2060	L	29	FM	GRC	ELPF	HJAB

Prices


Dimensions			ML	MLL
A	B	C		
204230	1181	1331		
204830	1204	1359		
205430	1221	1395		
206030	1235	1442		
244230	1257	1344		
244830	1273	1396		
245430	1292	1452		
246030	1307	1497		
204836	1221	1423		
205436	1235	1484		
206036	1257	1530		
244836	1294	1485		
245436	1307	1540		
246036	1328	1585		
205442	1257	1587		
206042	1273	1635		
245442	1328	1645		
246042	1346	1691		

High Gloss Front: Please request a quotation to obtain a price.



Returns with Lateral File Drawers on Right

RCLR



Manufacturing Standards

- 2 lateral file drawers;
- ELPF grommet;
- Flush plates;
- 2 crossbars per file drawer;
- HJAB handles;
- Lock;
- Flush modesty;
- Height: 29".

Not compatible with lateral tables due to differences in the direction of the wood grain as well as the thickness of the modesty panel.


Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.

Grommet: If the grommet position is not specified, the standard is centered on the remaining space (GRC).


Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Options


Modesty



10" high

PM
\$0


18-1/2" high

SM
\$0

Full height

FM
\$0

Grommet Position



Grommet Style

ELPF
\$0C_PF
\$23 ea.

How to Order

ML MLL	AB				C	PM SM FM (std)	NGR GRL GRR GLR GRC (std)	CAPF CBPF CCPF ELPF (std)	HJAB (std)
		R	29	CL					
series	dimensions	code	height	pedestal	pedestal width	modesty	grommet position	grommet style	handles (p. 196)
Example ML	2060	R	29	CL	30	FM	GRC	ELPF	HJAB

Prices


Dimensions			ML	MLL
A	B	C		
204230	1181	1331		
204830	1204	1359		
205430	1221	1395		
206030	1235	1442		
244230	1257	1344		
244830	1273	1396		
245430	1292	1452		
246030	1307	1497		
204836	1221	1423		
205436	1235	1484		
206036	1257	1530		
244836	1294	1485		
245436	1307	1540		
246036	1328	1585		
205442	1257	1587		
206042	1273	1635		
245442	1328	1645		
246042	1346	1691		

High Gloss Front: Please request a quotation to obtain a price.



Returns with Cabinet on Left

RARL



Manufacturing Standards

- 2 door cabinet;
- One adjustable shelf;
- ELPF grommet;
- Flush plates;
- HJAB handles;
- Lock;
- Flush modesty;
- Height: 29".

Not compatible with lateral tables due to differences in the direction of the wood grain as well as the thickness of the modesty panel.

Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.


Grommet: If the grommet position is not specified, the standard is centered on the remaining space (GRC).

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.


Additional shelves (SH): see Appendix G for prices, [p. 17](#)

Options


Modesty



10" high

PM
\$0


18-1/2" high

SM
\$0

Full height

FM
\$0


Grommet Position



Grommet Style

ELPF
\$0C_PF
\$23 ea.

Additional Shelves



SH

How to Order

ML MLL		C		AB		PM SM FM (std)		NGR GRL GRR GLR GRC (std)	CAPF CBPF CCPF ELPF (std)	HJAB (std)	SH
series	cabinet	cabinet width	dimensions	code	height	modesty	grommet position	grommet style	handles (p. 196)	shelves	
Example	ML	AR	30	2060	L	29	FM	GRC	ELPF	HJAB	SH

Prices

Dimensions A B C			ML	MLL
204230	1009	1146		
204830	1024	1176		
205430	1042	1204		
206030	1060	1244		
244230	1042	1202		
244830	1060	1234		
245430	1073	1263		
246030	1094	1303		
204836	1060	1210		
205436	1073	1241		
206036	1094	1281		
244836	1094	1234		
245436	1112	1263		
246036	1127	1303		

High Gloss Front: Please request a quotation to obtain a price.

Returns

Empty
Reversible Empty
Pedestals


Combination Pedestals
Lateral Filing Cabinets
Cabinets

Bridges
Connection Tops



Returns with Cabinet on Right

RARR



Manufacturing Standards

- 2 door cabinet;
- One adjustable shelf;
- ELPF grommet;
- Flush plates;
- HJAB handles;
- Lock;
- Flush modesty;
- Height: 29".

Not compatible with lateral tables due to differences in the direction of the wood grain as well as the thickness of the modesty panel.

Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.


Grommet: If the grommet position is not specified, the standard is centered on the remaining space (GRC).

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.


Additional shelves (SH): see Appendix G for prices, [p. 17](#)

Options


Modesty



10" high

PM
\$0


18-1/2" high

SM
\$0

Full height

FM
\$0


Grommet Position



Grommet Style

**ELPF**
\$0**C_PF**
\$23 ea.

Additional Shelves

**SH**

How to Order

ML MLL		AB		C		PM SM FM (std)	NGR GRL GRR GLR GRC (std)	CAPF CBPF CCPF ELPF (std)	HJAB (std)	SH
			R	29	AR					
series	dimensions	code	height	cabinet	cabinet width	modesty	grommet position	grommet style	handles (p. 196)	shelves

Example ML 2060 R 29 AR 30 FM GRC ELPF HJAB SH

Prices


Dimensions			ML	MLL
A	B	C		
204230	1009	1146		
204830	1024	1176		
205430	1042	1204		
206030	1060	1244		
244230	1042	1202		
244830	1060	1234		
245430	1073	1263		
246030	1094	1303		
204836	1060	1210		
205436	1073	1241		
206036	1094	1281		
244836	1094	1234		
245436	1112	1263		
246036	1127	1303		

High Gloss Front: Please request a quotation to obtain a price.



Bridges with Modesty

BR



Manufacturing Standards

- Delivered disassembled;
- ELPF grommet;
- Flush plates;
- Flush modesty.


Not compatible with lateral tables due to differences in the direction of the wood grain as well as the thickness of the modesty panel.

Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.


Grommet: If the grommet position is not specified, the standard is centered (GRC).

Options


Modesty



10" high

PM
\$0


18-1/2" high

SM
\$0

Full height

FM
\$0

Grommet Position



Grommet Style



ELPF

\$0



C_PF

\$23 ea.


How to Order

ML MLL		AB	PM SM FM (std)	NGR GRL GRR GLR GRC (std)	CAPF CBPF CCPF ELPF (std)
		BR			
series	dimensions	code	modesty	grommet position	grommet style
Example ML	2036	BR	FM	GRC	ELPF



Bridge Top

BRT




Manufacturing Standards

- ELPF grommet;
- Flush plates.

Grommet: If the grommet position is not specified, the standard is centered (GRC).

Options

Grommet Position



Grommet Style



ELPF

\$0

C_PF

\$23 ea.


How to Order

			NGR GRL GRR GLR GRC (std)	 CAPF CBPF CCPF ELPF (std)
ML MLL	AB			
		BRT		
series	dimensions	code	grommet position	grommet style
Example ML	2036	BRT	GRC	ELPF



Connection Tops

TRTOP



Manufacturing Standards

- Flush plates.

Prices

Dimensions			
A	B	ML	MLL
1313		28	49
1818		52	93
1820		52	93
1824		58	98
1830		88	144
1836		94	153
2020		58	98
2024		67	117
2030		94	153
2036		103	171
2424		88	144
2430		103	171
2436		128	199
3030		138	225
3036		151	253
3636		190	314

How to Order

ML MLL	AB	
		TRTOP
series	dimensions	code

Example ML 2020 TRTOP

Tables

Tables

Arched

D, P, R and Q
Extended D and P

Hook

Corner
Extended Corner


Lateral

Factory Installed Pedestals



Left Arched Tables with End Gable

AYL



Manufacturing Standards

- Delivered disassembled;
- 2 Hatley legs: chrome tapered legs with wood insert;
- End gable;
- ELPF grommet;
- Height: 29".

Not compatible with lateral tables, due to difference in the direction of wood grain and the thickness of the end gable.

Wood finishes: Available colors: White Wash **WW**, Golden Wheat **GW**, Sand **SD**, Apricot **AT**, Pecan **PN**, Brandy **BR**, Chestnut **CT**, Coffee **CF**, Espresso **ES**, Bordeaux **BO**, Black Wash **BW** and Bark **BK**.

Legs: If choice of the leg is not specified, the standard is two chrome Hatley legs (HATCHR).

HATSN / BL, no charge;
4.5BL / SN, subtract \$ 149 retail from table price;
IFNBL / SN, subtract \$ 23 retail from table price.

Options

Grommet Style



ELPF

\$0

C_PF

\$23 ea.

How to Order

ML MLL		ABC	AYL	IFNBL / SN 4.5BL / SN HATSN / HATBL HATCHR (std)	NGR GRC (std)	CAPF CBPF CCPF ELPF (std)
series	dimensions	code		legs (p. 197)	grommet position	grommet style
Example ML	306042	AYL	HATCHR	GRC	ELPF	

Prices

Dimensions			ML	MLL
A	B	C		
306042	1041	1327		
306642	1072	1391		
307242	1106	1450		
308442	1173	1575		
366048	1292	1484		
366648	1187	1546		
367248	1213	1608		
368448	1273	1733		

Tables

Arched

D, P, R and Q
Extended D and P

Hook

Corner
Extended Corner


Lateral

Factory Installed Pedestals



Right Arched Tables with End Gable

AYR



Manufacturing Standards

- Delivered disassembled;
- 2 Hatley legs: chrome tapered legs with wood insert;
- End gable;
- ELPF grommet;
- Height: 29".

Not compatible with lateral tables, due to difference in the direction of wood grain and the thickness of the end gable.

Wood finishes: Available colors: White Wash **WW**, Golden Wheat **GW**, Sand **SD**, Apricot **AT**, Pecan **PN**, Brandy **BR**, Chestnut **CT**, Coffee **CF**, Espresso **ES**, Bordeaux **BO**, Black Wash **BW** and Bark **BK**.

Legs: If choice of the leg is not specified, the standard is two chrome Hatley legs (HATCHR).

HATSN / BL, no charge;
4.5BL / SN, subtract \$ 149 retail from table price;
IFNBL / SN, subtract \$ 23 retail from table price.

Options

Grommet Style



ELPF

\$0



C_PF

\$23 ea.

How to Order

ML MLL		ABC		IFNBL / SN 4.5BL / SN HATSN / HATBL HATCHR (std)	NGR GRC (std)	CAPF CBPF CCPF ELPF (std)
			AYR			
series	dimensions	code		legs (p. 197)	grommet position	grommet style

Example

ML	426030	AYR	HATCHR	GRC	ELPF
----	--------	-----	--------	-----	------


Prices

Dimensions			ML	MLL
A	B	C		
426030			1041	1327
426630			1072	1391
427230			1106	1450
428430			1173	1575
486036			1292	1484
486636			1187	1546
487236			1213	1608
488436			1273	1733



D Tables without End Gable

TD



Manufacturing Standards

- Delivered disassembled;
- One 4.5" round black metal leg;
- Flush plates;
- Height: 29".

Table to be attached to the top of another freestanding item of equal or greater deepness. If not at least of equal deepness, a second leg is required for stability purposes.

Legs: If choice of the leg is not specified, the standard is 4.5" round black metal legs (4.5BL).

4.5SN, no charge;
IFNBL / SN, subtract \$64 retail from table price;
MAGSN, add \$250 retail to table price;
MAGCHR, add \$632 retail to table price.

Prices

Dimensions			
A	B	ML	MLL
*3054		615	679
*3060		640	803
*3066		660	857
*3072		680	896
3660		645	896
3666		686	945
3672		732	1010
3684		813	1194

*For stability purposes, IFN leg is only available on 30"D desks.

How to Order

ML MLL	AB	IFNBL / SN MAGSN / CHR 4.5BL (std) / SN	
		TD	
series	dimensions	code	legs (p. 197)
Example ML	3060	TD	4.5BL

Tables

Arched
D, P, R and Q
Extended D and P


Hook
Corner
Extended Corner

Lateral
Factory Installed Pedestals



D Tables with End Gable

TDG



Manufacturing Standards

- Delivered disassembled;
- One 4.5" round black metal leg;
- End gable;
- ELPF grommet;
- Height: 29".

Not compatible with lateral tables, due to difference in the direction of wood grain and the thickness of the end gable.


Legs: If choice of the leg is not specified, the standard is 4.5" round black metal legs (4.5BL).

4.5SN, no charge;
IFNBL / SN, subtract \$64 retail from table price;
MAGSN, add \$250 retail to table price;
MAGCHR, add \$632 retail to table price.

Important: For stability purposes, a second leg is required if this table is used as a stand alone unit.

Options

Grommet Style



ELPF
\$0

C_PF
\$23 ea.

How to Order

ML MLL	AB	TDG	IFNBL / SN MAGSN / CHR 4.5BL (std) / SN	NGR GRC (std)	CAPF CBPF CCPF ELPF (std)
series	dimensions	code	legs (p. 197)	grommet position	grommet style
Example ML	3060	TDG	4.5BL	GRC	ELPF

Prices

Dimensions		
A	B	ML
*3060	770	924
*3066	798	983
*3072	813	1020
*3084	905	1115
3660	788	1037
3666	830	1088
3672	871	1152
3684	1006	1334

*For stability purposes, IFN leg is only available on 30"D desks.

Tables

Arched
D, P, R and Q
Extended D and P


Hook
Corner
Extended Corner

Lateral
Factory Installed Pedestals




D Tables with Modesty

TDML



TDMR



Manufacturing Standards

- Delivered disassembled;
- One 4.5" round black metal leg;
- ELPF grommet;
- Modesty;
- Height: 29".

Not compatible with lateral tables, due to difference in the direction of wood grain and the thickness of the end gable.


Modesty: If choice of modesty is not specified, the standard (SM) will be used, PM and FM modesties are available at no extra charge.

Legs: If choice of the leg is not specified, the standard is 4.5" round black metal legs (4.5BL).


4.5SN, no charge;
IFNBL / SN, subtract \$64 retail from table price;
MAGSN, add \$250 retail to table price;
MAGCHR, add \$632 retail to table price.

Options

Modesty



Grommet Style



Prices

Dimensions			
A	B	ML	MLL
*3054		825	1037
*3060		855	1071
*3066		880	1121
*3072		897	1162
3660		871	1158
3666		912	1217
3672		956	1282
3684		1089	1445

*For stability purposes, IFN leg is only available on 30"D desks.

How to Order

ML MLL	AB	TDML TDMR	PM FM SM (std)	IFNBL / SN MAGSN / CHR 4.5BL (std) / SN	NGR GRC (std)	CAPF CBPF CCPF ELPF (std)
series	dimensions	code	modesty	legs (p. 197)	grommet position	grommet style
Example ML	3060	TDML	SM	4.5BL	GRC	ELPF

Tables

Arched
D, P, R and Q
Extended D and P

Hook
Corner
Extended Corner


Lateral
Factory Installed Pedestals



P Tables with End Gable


TPGL

Left P-shaped table



TPGR

Right P-shaped table



Manufacturing Standards

- Delivered disassembled;
- One 4.5" round black metal leg;
- End gable;
- ELPF grommet;
- Height: 29".

Not compatible with lateral tables, due to difference in the direction of wood grain and the thickness of the end gable.


Legs: If choice of the leg is not specified, the standard is 4.5" round black metal legs (4.5BL).

4.5SN, no charge;
IFNBL / SN, subtract \$64 retail from table price.

Important: For stability purposes, a second leg is required if this table is used as a stand alone unit.

Options

Grommet Style



Prices

Dimensions			ML	MLL
A	B	C		
*303660			855	1092
*303666			880	1138
*303672			905	1177
*303684			999	1381
364260			949	1176
364266			964	1227
364272			980	1298
364284			1089	1537

*For stability purposes, IFN leg is only available on 30"D desks.

How to Order

				+		
ML MLL	ABC	TPGL TPGR	IFNBL / SN 4.5BL (std) / SN	NGR GRC (std)	CAPF CBPF CCPF ELPF (std)	
series	dimensions	code	legs (p. 197)	grommet position	grommet style	
Example ML	303660	TPGL	4.5BL	GRC	ELPF	

Tables

Arched
D, P, R and Q
Extended D and P

Hook
Corner
Extended Corner


Lateral
Factory Installed Pedestals



P Tables with Modesty


TPML

Left P-shaped table



TPMR

Right P-shaped table



Manufacturing Standards

- Delivered disassembled;
- One 4.5" round black metal leg;
- ELPF grommet;
- Modesty;
- Height: 29".

Not compatible with lateral tables, due to difference in the direction of wood grain and the thickness of the end gable.


Modesty: If choice of modesty is not specified, the standard (SM) will be used, PM and FM modesties are available at no extra charge.

Legs: If choice of the leg is not specified, the standard is 4.5" round black metal legs (4.5BL).


4.5SN, no charge;
IFNBL / SN, subtract \$64 retail from table price.

Options

Modesty



Grommet Style



Prices

Dimensions			ML	MLL
A	B	C		
*303660	938	1239		
*303666	964	1289		
*303672	990	1332		
*303684	1128	1510		
364260	1017	1317		
364266	1065	1374		
364272	1093	1452		
364284	1244	1621		

*For stability purposes, IFN leg is only available on 30"D desks.

How to Order

ML MLL	ABC	TPML TPMR	PM FM SM (std)	IFNBL / SN 4.5BL (std) / SN	NGR GRC (std)	CAPF CBPF CCPF ELPF (std)
series	dimensions	code	modesty	legs (p. 197)	grommet position	grommet style
Example ML	303660	TPML	SM	4.5BL	GRC	ELPF

Tables

Arched
D, P, R and Q
Extended D and P


Hook
Corner
Extended Corner

Lateral
Factory Installed Pedestals



Rectangular Tables without End Gable

REI



Manufacturing Standards

- Delivered disassembled;
- 2 Hatley legs: chrome tapered legs with wood insert;
- Flush plates;
- Height: 29".

Table to be attached to the top of another freestanding item.

Wood finishes: Available colors: White Wash **WW**, Golden Wheat **GW**, Sand **SD**, Apricot **AT**, Pecan **PN**, Brandy **BR**, Chestnut **CT**, Coffee **CF**, Espresso **ES**, Bordeaux **BO**, Black Wash **BW** and Bark **BK**.

Legs: If choice of the leg is not specified, the standard is 2 Hatley legs.

4.5BL / SN, no charge;
IFNBL / SN, subtract \$149 retail to table price;
MAGSN, add \$250 retail to table price;
MAGCHR, add \$632 retail to table price.

Prices

Dimensions			
A	B	ML	MLL
3054		683	747
3060		707	870
3066		728	925
3072		748	963
3660		712	963
3666		754	1012
3672		799	1076
3684		880	1261

How to Order

ML MLL	AB	REI	4.5BL / 4.5SN IFNBL / SN MAGSN / CHR HATSN / HATBL HATCHR (std)
series	dimensions	code	legs (p. 197)

Example ML 3060 REI HATCHR

Tables

Arched
D, P, R and Q
Extended D and P


Hook
Corner
Extended Corner

Lateral
Factory Installed Pedestals



Rectangular Tables without End Gable

REIO



Manufacturing Standards

- Delivered disassembled;
- Square leg in Satin Nickel;
- Support bar;
- Flush plates;
- Height: 29".

Table to be attached to the top of another freestanding item.

Prices

Dimensions			
A	B	ML	MLL
3054		683	747
3060		707	870
3066		728	925
3072		748	963
3660		712	963
3666		754	1012
3672		799	1076
3684		880	1261

How to Order

ML MLL	AB	REIO	BL SN (std)
series	dimensions	code	finish

Example ML 3060 REIO SN

Tables

Arched
D, P, R and Q
Extended D and P


Hook
Corner
Extended Corner

Lateral
Factory Installed Pedestals



Rectangular Tables with End Gable

REG



Manufacturing Standards

- Delivered disassembled;
- 2 Hatley legs: chrome tapered legs with wood insert;
- End gable;
- ELPF grommet;
- Flush plates;
- Height: 29".

Freestanding tables.

Not compatible with lateral tables, due to difference in the direction of wood grain and the thickness of the end gable.


Wood finishes: Available colors: White Wash **WW**, Golden Wheat **GW**, Sand **SD**, Apricot **AT**, Pecan **PN**, Brandy **BR**, Chestnut **CT**, Coffee **CF**, Espresso **ES**, Bordeaux **BO**, Black Wash **BW** and Bark **BK**.

Legs: If choice of the leg is not specified, the standard is 2 Hatley legs.

4.5BL / SN, no charge;
IFNBL / SN, subtract \$149 retail to table price;
MAGSN, add \$250 retail to table price;
MAGCHR, add \$632 retail to table price.

Options

Grommet Style



How to Order

ML MLL		AB		4.5BL / 4.5SN IFNBL / SN MAGSN / CHR HATSN / HATBL HATCHR (std)	NGR GRC (std)	CAPF CBPF CCPF ELPF (std)
			REG			
series	dimensions	code		legs (p. 197)	grommet position	grommet style
Example ML	3060	REG	HATCHR	GRC	ELPF	

Prices

Dimensions		
A	B	ML
3060	837	991
3066	865	1049
3072	880	1088
3084	973	1181
3660	855	1104
3666	898	1155
3672	938	1218
3684	1072	1402

Tables

Arched
D, P, R and Q
Extended D and P


Hook
Corner
Extended Corner

Lateral
Factory Installed Pedestals



Rectangular Tables with End Gable

REGO



Manufacturing Standards

- Delivered disassembled;
- Square leg in Satin Nickel;
- End gable;
- Support bar;
- ELPF grommet;
- Flush plates;
- Height: 29".

Not compatible with lateral tables, due to difference in the direction of wood grain and the thickness of the end gable.

Options

Grommet Style



ELPF

\$0



C_PF

\$23 ea.

Prices

Dimensions		
A	B	ML
3060	837	991
3066	865	1049
3072	880	1088
3084	973	1181
3660	855	1104
3666	898	1155
3672	938	1218
3684	1072	1402

How to Order

ML MLL	AB	BL SN (std)	NGR GRC (std)	CAPF CBPF CCPF ELPF (std)
		REGO		
series	dimensions	code	finish	grommet position
Example ML	3060	REGO	SN	GRC

Tables

Arched
D, P, R and Q
Extended D and P


Hook
Corner
Extended Corner

Lateral
Factory Installed Pedestals



Extended D Tables with Modesty

TDAML



Manufacturing Standards

- Delivered disassembled;
- One 4.5" round black metal leg;
- ELPF grommet;
- Delivered disassembled;
- Modesty;
- Height: 29".

Not compatible with lateral tables, due to difference in the direction of wood grain and the thickness of the end gable.


Modesty: If choice of modesty is not specified, the standard (SM) will be used, PM and FM modesties are available at no extra charge.

Legs: If choice of the leg is not specified, the standard is 4.5" round black metal legs (4.5BL).


4.5SN, no charge;
IFNBL / SN, subtract \$64 retail from table price;
MAGSN, add \$250 retail to table price;
MAGCHR, add \$632 retail to table price.

Options

Modesty



Grommet Style



Prices

Dimensions				ML	MLL
A	B	C	D		
*30604820	1494	1714			
*30664820	1525	1794			
*30724820	1550	1893			
*30844820	1608	2011			
*30604824	1494	1714			
*30664824	1525	1794			
*30724824	1550	1893			
*30844824	1608	2011			
36665420	1616	1953			
36725420	1639	2027			
36845420	1700	2175			
36665424	1616	1953			
36725424	1639	2027			
36845424	1700	2175			

*For stability purposes, IFN leg is only available on 30"D desks.

How to Order

ML MLL	ABCD	PM FM SM (std)	IFNBL / SN MAGSN / CHR 4.5BL (std) / SN	NGR GRC (std)	CAPF CBPF CCPF ELPF (std)
		TDAML			
series	dimensions	code	modesty	legs (p. 197)	grommet position
Example ML	30604820	TDAML	SM	4.5BL	GRC

Tables

Arched
D, P, R and Q
Extended D and P


Hook
Corner
Extended Corner

Lateral
Factory Installed Pedestals



Extended D Tables with Modesty

TDAMR



Manufacturing Standards

- Delivered disassembled;
- One 4.5" round black metal leg;
- ELPF grommet;
- Delivered disassembled;
- Modesty;
- Height: 29".

Not compatible with lateral tables, due to difference in the direction of wood grain and the thickness of the end gable.


Modesty: If choice of modesty is not specified, the standard (SM) will be used, PM and FM modesties are available at no extra charge.

Legs: If choice of the leg is not specified, the standard is 4.5" round black metal legs (4.5BL).


4.5SN, no charge;
IFNBL / SN, subtract \$64 retail from table price;
MAGSN, add \$250 retail to table price;
MAGCHR, add \$632 retail to table price.

Options

Modesty



Grommet Style



Prices

Dimensions			
A	B	C	D
ML	MLL		
*20486030	1494	1714	
*20486630	1525	1794	
*20487230	1550	1893	
*20488430	1608	2011	
*24486030	1494	1714	
*24486630	1525	1794	
*24487230	1550	1893	
*24488430	1608	2011	
20546636	1616	1953	
20547236	1639	2027	
20548436	1700	2175	
24546636	1616	1953	
24547236	1639	2027	
24548436	1700	2175	

*For stability purposes, IFN leg is only available on 30"D desks.

How to Order

				+		
ML MLL	ABCD		PM FM SM (std)	IFNBL / SN MAGSN / CHR 4.5BL (std) / SN	NGR GRC (std)	CAPF CBPF CCPF ELPF (std)
		TDAMR				
series	dimensions	code	modesty	legs (p. 197)	grommet position	grommet style
Example ML	20486030	TDAMR	SM	4.5BL	GRC	ELPF

Tables

Arched
D, P, R and Q
Extended D and P


Hook
Corner
Extended Corner

Lateral
Factory Installed Pedestals



Extended P Tables with Modesty

TPAML



Manufacturing Standards

- Delivered disassembled;
- One 4.5" round black metal leg;
- ELPF grommet;
- Modesty;
- Height: 29".

Not compatible with lateral tables, due to difference in the direction of wood grain and the thickness of the end gable.


Modesty: If choice of modesty is not specified, the standard (SM) will be used, PM and FM modesties are available at no extra charge.

Legs: If choice of the leg is not specified, the standard is 4.5" round black metal legs (4.5BL).


4.5SN, no charge;
IFNBL / SN, subtract \$64 retail from table price.

Options

Modesty



Grommet Style



How to Order

ML MLL	ABCD	TPAML	PM FM SM (std)	IFNBL / SN 4.5BL (std) / SN	NGR GRC (std)	CAPF CBPF CCPF ELPF (std)
series	dimensions	code	modesty	legs (p. 197)	grommet position	grommet style
Example ML	30604820	TPAML	SM	4.5BL	GRC	ELPF

Prices

Dimensions A B C D	ML	MLL
*30604820	1607	1903
*30664820	1628	1977
*30724820	1651	2051
*30844820	1683	2204
*30604824	1607	1903
*30664824	1628	1977
*30724824	1651	2051
*30844824	1683	2204
36665420	1696	2133
36725420	1717	2211
36845420	1776	2363
36665424	1696	2133
36725424	1717	2211
36845424	1776	2363

*For stability purposes, IFN leg is only available on 30"D desks.

Tables

Arched
D, P, R and Q
Extended D and P


Hook
Corner
Extended Corner

Lateral
Factory Installed Pedestals



Extended P Tables with Modesty

TPAMR



Manufacturing Standards

- Delivered disassembled;
- One 4.5" round black metal leg;
- ELPF grommet;
- Modesty;
- Height: 29".

Not compatible with lateral tables, due to difference in the direction of wood grain and the thickness of the end gable.


Modesty: If choice of modesty is not specified, the standard (SM) will be used, PM and FM modesties are available at no extra charge.

Legs: If choice of the leg is not specified, the standard is 4.5" round black metal legs (4.5BL).


4.5SN, no charge;
IFNBL / SN, subtract \$64 retail from table price.

Options

Modesty



Grommet Style



How to Order

ML MLL	ABCD	TPAMR	PM FM SM (std)	IFNBL / SN 4.5BL (std) / SN	NGR GRC (std)	CAPF CBPF CCPF ELPF (std)
series	dimensions	code	modesty	legs (p. 197)	grommet position	grommet style
Example ML	30604820	TPAMR	SM	4.5BL	GRC	ELPF

Prices

Dimensions A B C D	ML	MLL
*20486030	1607	1903
*20486630	1628	1977
*20487230	1651	2051
*20488430	1683	2204
*24486030	1607	1903
*24486630	1628	1977
*24487230	1651	2051
*24488430	1683	2204
20546636	1696	2133
20547236	1717	2211
20548436	1776	2363
24546636	1696	2133
24547236	1717	2211
24548436	1776	2363

*For stability purposes, IFN leg is only available on 30"D desks.

Tables

Arched
D, P, R and Q
Extended D and P


Hook
Corner
Extended Corner

Lateral
Factory Installed Pedestals




Hook Tables with End Gable

TCGL



TCGR



Manufacturing Standards

- Delivered disassembled;
- End gable;
- ELPF grommet;
- Height: 29".

Not compatible with lateral tables, due to difference in the direction of wood grain and the thickness of the end gable.

Options

Grommet Style



ELPF

\$0

C_PF

\$23 ea.

Prices

Dimensions			
A	B	ML	MLL
3072		1239	1554
3078		1272	1611
3084		1305	1667

How to Order

ML MLL		AB		L R		ARW3BL ARW3SN (std)	NGR GRC (std)	CAPF CBPF CCPF ELPF (std)
			TCG					
series	dimensions	code		side		leg	grommet position	grommet style
Example ML	3072	TCG		L		ARW3SN	GRC	ELPF

Tables

Arched
D, P, R and Q
Extended D and P


Hook
Corner
Extended Corner

Lateral
Factory Installed Pedestals




Corner Tables


CT




CTC



Modesties



Leg Bases



Manufacturing Standards


- Delivered disassembled;
- Corner ELPF grommet;
- Flush modesties;
- Height: 29".

Grommet Position: Additional ELPF grommets at no extra charge.


Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.

Options

Modesty Styles



Grommet Position



Grommet Style



Prices

CT - Corner Table Straight Cut

Dimensions			ML	MLL
A	B	C		
203620	758	958		
204220	857	1099		
204820	951	1340		
244224	857	1099		
244824	951	1340		
304230	857	1099		
304830	951	1340		

CTC - Corner Table Curved Cut

Dimensions			ML	MLL
A	B	C		
203620	758	958		
204220	857	1099		
204820	951	1340		
244224	857	1099		
244824	951	1340		
304230	857	1099		
304830	951	1340		

How to Order

ML MLL	ABC	CT CTC	LR LH HR HH	PM SM FM (std)	PM SM FM (std)	NGR GRL GRR GLR GRC (std)	CAPF CBPF CCPF ELPF (std)
series	dimensions	code	leg base	modesty 1	modesty 2	grommet position	grommet style
Example ML	203620	CT	LR	FM	FM	GRC	ELPF

Tables

Arched
D, P, R and Q
Extended D and P


Hook
Corner
Extended Corner

Lateral
Factory Installed Pedestals




Left Extended Corner Tables with Straight Cut


CTLL



Modesties




Leg Bases




Options

Modesty Styles




Grommet Position



Grommet Style



Installed Pedestals



How to Order

ML MLL	option (\$)	ABCD		LR LH HR HH	PM SM FM (std)	PM SM FM (std)	NGR GRL GRR GLR GRC (std)	CAPF CBPF CCPF ELPF (std)
			L					
series	pedestal	dimensions	code	leg base	modesty 1	modesty 2	grommet position	grommet style
Example ML		20603620	L	LR	FM	FM	GRC	ELPF

Manufacturing Standards

- Delivered disassembled;
- Corner ELPF grommet;
- Flush modesties;
- Height: 29".

Compatible only with other lateral tables or extended corner tables because of the direction of the wood grain as well as the thickness of the leg base.

Grommet Position: Additional ELPF grommets at no extra charge.

Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.

Prices

Dimensions A B C D	ML	MLL
20603620	980	1282
20663620	1022	1352
20723620	1089	1446
20604220	1157	1510
20664220	1202	1585
20724220	1267	1685
20604820	1333	1738
20664820	1375	1816
20724820	1443	1918
24603624	980	1282
24663624	1022	1352
24723624	1089	1446
24604224	1157	1510
24664224	1202	1585
24724224	1267	1685
24604824	1333	1738
24664824	1375	1816
24724824	1443	1918
30604230	1157	1510
30664230	1202	1585
30724230	1267	1685
30604830	1333	1738
30664830	1375	1816
30724830	1443	1918

Tables

Arched
D, P, R and Q
Extended D and P


Hook
Corner
Extended Corner

Lateral
Factory Installed Pedestals




Right Extended Corner Tables with Straight Cut


CTLR



Modesties




Leg Bases




Options

Modesty Styles




Grommet Position



Grommet Style



Installed Pedestals



How to Order

ML MLL	ABCD	option (\$)		LR LH HR HH	PM SM FM (std)	PM SM FM (std)	NGR GRL GRR GLR GRC (std)	CAPF CBPF CCPF ELPF (std)
			L					
series	dimensions	pedestal	code	leg base	modesty 1	modesty 2	grommet position	grommet style
Example ML	20366020		L	LR	FM	FM	GRC	ELPF

Manufacturing Standards

- Delivered disassembled;
- Corner ELPF grommet;
- Flush modesties;
- Height: 29".

Compatible only with other lateral tables or extended corner tables because of the direction of the wood grain as well as the thickness of the leg base.

Grommet Position: Additional ELPF grommets at no extra charge.

Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.

Prices

Dimensions		
A	B	C
20366020	980	1282
20366620	1022	1352
20367220	1089	1446
20426020	1157	1510
20426620	1202	1585
20427220	1267	1685
20486020	1333	1738
20486620	1375	1816
20487220	1443	1918
24366024	980	1282
24366624	1022	1352
24367224	1089	1446
24426024	1157	1510
24426624	1202	1585
24427224	1267	1685
24486024	1333	1738
24486624	1375	1816
24487224	1443	1918
30426030	1157	1510
30426630	1202	1585
30427230	1267	1685
30486030	1333	1738
30486630	1375	1816
30487230	1443	1918

Tables

Arched
D, P, R and Q
Extended D and P


Hook
Corner
Extended Corner

Lateral
Factory Installed Pedestals




Left Extended Corner Tables with Curved Cut


CTRL



Modesties




Leg Bases




Options

Modesty Styles




Grommet Position



Grommet Style



Installed Pedestals



How to Order

ML MLL	option (\$)	ABCD		LR LH HR HH	PM SM FM (std)	PM SM FM (std)	NGR GRL GRR GLR GRC (std)	CAPF CBPF CCPF ELPF (std)
			R					
series	pedestal	dimensions	code	leg base	modesty 1	modesty 2	grommet position	grommet style
Example ML		20603620	R	LR	FM	FM	GRC	ELPF

Manufacturing Standards

- Delivered disassembled;
- Corner ELPF grommet;
- Flush modesties;
- Height: 29".

Compatible only with other lateral tables or extended corner tables because of the direction of the wood grain as well as the thickness of the leg base.

Grommet Position: Additional ELPF grommets at no extra charge.

Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.

Prices

Dimensions			
A	B	C	D
20603620	980	1282	
20663620	1022	1352	
20723620	1089	1446	
20604220	1157	1510	
20664220	1202	1585	
20724220	1267	1685	
20604820	1333	1738	
20664820	1375	1816	
20724820	1443	1918	
24603624	980	1282	
24663624	1022	1352	
24723624	1089	1446	
24604224	1157	1510	
24664224	1202	1585	
24724224	1267	1685	
24604824	1333	1738	
24664824	1375	1816	
24724824	1443	1918	
30604230	1157	1510	
30664230	1202	1585	
30724230	1267	1685	
30604830	1333	1738	
30664830	1375	1816	
30724830	1443	1918	

Tables

Arched
D, P, R and Q
Extended D and P


Hook
Corner
Extended Corner

Lateral
Factory Installed Pedestals




Right Extended Corner Tables with Curved Cut


CTRR



Modesties



Leg Bases



Manufacturing Standards

- Delivered disassembled;
- Corner ELPF grommet;
- Flush modesties;
- Height: 29".

Compatible only with other lateral tables or extended corner tables because of the direction of the wood grain as well as the thickness of the leg base.

Grommet Position: Additional ELPF grommets at no extra charge.


Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.

Prices


Dimensions				
A	B	C	D	ML
20366020	980	1282		
20366620	1022	1352		
20367220	1089	1446		
20426020	1157	1510		
20426620	1202	1585		
20427220	1267	1685		
20486020	1333	1738		
20486620	1375	1816		
20487220	1443	1918		
24366024	980	1282		
24366624	1022	1352		
24367224	1089	1446		
24426024	1157	1510		
24426624	1202	1585		
24427224	1267	1685		
24486024	1333	1738		
24486624	1375	1816		
24487224	1443	1918		
30426030	1157	1510		
30426630	1202	1585		
30427230	1267	1685		
30486030	1333	1738		
30486630	1375	1816		
30487230	1443	1918		

Options

Modesty Styles




Grommet Position



Grommet Style



Installed Pedestals



How to Order

ML	MLL	ABCD	option (\$)	R	LR	LH	HR	HH	PM	SM	FM (std)	PM	SM	FM (std)	NGR	GRL	GRR	GLR	GRG (std)	CAPF	CBPF	CCPF	ELPF (std)
series	dimensions	pedestal	code	leg base	modesty 1	modesty 2	grommet position	grommet style															

Example

ML	20366020		R	LR	FM	FM	GRC	ELPF
----	----------	--	---	----	----	----	-----	------

Tables

Arched
D, P, R and Q
Extended D and P


Hook
Corner
Extended Corner

Lateral
Factory Installed Pedestals




Lateral Tables, 20" and 24"

TL



Leg Bases



Manufacturing Standards

- Delivered disassembled;
- Centered grommet for table widths less than 48";
- Left and right grommets for table widths 48" or more;
- Flush modesty;
- Height: 29".

Compatible only with other lateral tables or extended corner tables because of the direction of the wood grain as well as the thickness of the leg base.

Leg Base: For support purposes, 84" tables include an additional half leg in the centre.


Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.

Fixed Shelves: a 12" deep shelf can be added 16" below the work surface:


- SH1:** For lateral tables 36" wide or less, add \$66 retail;
- SH2:** For lateral tables 42" wide or more, add \$91 retail.

Options

Modesty Styles




Grommet Position



Grommet Style



Installed Pedestals



Specify installed pedestals, starting on p. 78

How to Order

ML MLL	option (\$)	AB	option (\$)	TL	LR LH HR HH	PM SM FM (std)	NGR GRL GRR GLR GRC	CAPF CBPF CCPF ELPF (std)	SH1 SH2
series	pedestal on left	dimensions	pedestal on right	code	leg base	modesty	grommet position	grommet style	shelves
Example ML		2072		TL	LR	FM	GRC	ELPF	SH2

Tables

Arched
D, P, R and Q
Extended D and P


Hook
Corner
Extended Corner

Lateral
Factory Installed Pedestals




Lateral Tables, 30" and 36"

TL



Leg Bases



Manufacturing Standards

- Delivered disassembled;
- Flush modesty;
- Centered grommet for table widths less than 48";
- Height: 29".
- Left and right grommets for table widths 48" or more;

Compatible only with other lateral tables or extended corner tables because of the direction of the wood grain as well as the thickness of the leg base.

Leg Base: For support purposes, 84" tables include an additional half leg in the centre.


Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.

Fixed Shelves: a 12" deep shelf can be added 16" below the work surface:


- SH1:** For lateral tables 36" wide or less, add \$66 retail;
- SH2:** For lateral tables 42" wide or more, add \$91 retail.

Options

Modesty Styles




Grommet Position



Grommet Style



Installed Pedestals






Specify installed pedestals, starting on p. 78

How to Order

ML MLL	option (\$)	AB	option (\$)	TL	LR LH HR HH	PM SM FM (std)	NGR GRL GRR GLR GRC	CAPF CBPF CCPF ELPF (std)	SH1 SH2
series	pedestal on left	dimensions	pedestal on right	code	leg base	modesty	grommet position	grommet style	shelves
Example ML		3072		TL	LR	FM	GRC	ELPF	SH2

Factory-Installed D, E and F Pedestals

- DINS
- EINS
- FINS



Manufacturing Standards

- Pedestals without tops;
- Depth is adjusted to match furniture ordered;
- D = 1 utility drawer and 1 file drawer;
- E = 2 utility drawers and 1 file drawer;
- F = 2 file drawers;
- PVC extrusion for lateral opening of drawers;
- Lock.

For factory installation on freestanding furniture.

Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Prices

Code	
	ML
DINS	519
DINSX	616
EINS	703
EINSX	801
FINS	703
FINSX	801

Options

Legal Size


X

High Gloss Front: Please request a quotation to obtain a price.

Factory-Installed Cabinet with One Door


ARLINS

Door opening to the left



ARRINS

Door opening to the right



Manufacturing Standards

- Pedestals without tops;
- Depth is adjusted to match furniture ordered;
- 1 adjustable shelf;
- HJAB handle;
- Lock.

For factory installation on freestanding furniture.

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.


Prices

Width	
A	ML
15	453
18	479

High Gloss Front: Please request a quotation to obtain a price.

Factory-Installed Two Drawer Lateral Filing Cabinet

CLINS

 Manufacturing Standards

- Pedestals without tops;
- Depth is adjusted to match furniture ordered;
- 2 lateral filing drawers;
- HJAB handles;
- 2 crossbars per file drawer;
- Lock.

For factory installation on freestanding furniture.

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.


 Prices

Width	
A	ML
30	806
36	879
42	959


High Gloss Front: Please request a quotation to obtain a price.

Factory-Installed Combination Pedestals

BCCLINS



CBCLINS



Manufacturing Standards

- Pedestals without tops;
- Depth is adjusted to match furniture ordered;
- 2 utility drawers, 1 filing drawer and 1 lateral filing drawer;
- HJAB handles;
- 2 crossbars;
- Locks.

For factory installation on freestanding furniture.

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.


Prices

Width	
A	ML
30	1151
36	1231

High Gloss Front: Please request a quotation to obtain a price.

Factory-Installed Two Door Cabinet

ARINS



Manufacturing Standards

- Pedestals without tops;
- Depth is adjusted to match furniture ordered;
- 2 door cabinet;
- 1 adjustable shelf;
- HJAB handles;
- Lock.

For factory installation on freestanding furniture.

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Prices

Width	
A	ML
24	623
30	655
36	686
42	734

High Gloss Front: Please request a quotation to obtain a price.

Pedestals and Cabinets

Pedestals and Cabinets

Independent

Mobile Pedestals


Combination Pedestals

Lateral Filing Cabinets




Independent D, E and F Pedestals


DIND



EIND



FIND



Manufacturing Standards


- Pedestals without tops;
- Depth of 17-3/4";
- D = 1 utility drawer and 1 file drawer;
- E = 2 utility drawers and 1 file drawer;
- F = 2 file drawers;
- PVC extrusion for lateral opening of drawers;
- Lock.

For installation by client on existing furniture.

Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Options

Legal Size



X

How to Order

				+
		DIND EIND FIND	X	
ML				
series	code	legal size	handles (p. 196)	
Example ML	DIND	X		

Prices


Code		ML
DIND		592
DINDX		663
EIND		741
EINDX		806
FIND		741
FINDX		806

High Gloss Front: Please request a quotation to obtain a price.

Independent Cabinet with One Door


ARLIND

Door opening to the left



ARRIND

Door opening to the right



Manufacturing Standards

- Pedestals without tops;
- Depth of 17-3/4";
- 1 adjustable shelf;
- HJAB handle;
- Lock.

For installation by client on existing furniture.

Handle: For a handle other than HJAB standard, please choose from the Logiflex list at no extra charge.

Prices

Width	
A	ML
15	504
18	527


How to Order

				+
ML	ARL ARR	A	IND	HJAB (std)
series	code	width	code	handles (p. 196)
Example ML	ARL	15	IND	HJAB

High Gloss Front: Please request a quotation to obtain a price.

Independent Two Drawer Lateral Filing Cabinet

CLIND



Manufacturing Standards

- Pedestals without tops;
- Depth of 17-3/4";
- 2 lateral filing drawers;

- HJAB handles;
- 2 crossbars per file drawer;
- Lock.

For installation by client on existing furniture.

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Prices

Width	
A	ML
30	847
36	921
42	992


High Gloss Front: Please request a quotation to obtain a price.

How to Order


		A		HJAB (std)	
ML	CL		IND		
series	code	width	code	handles (p. 196)	
Example ML	CL	36	IND	HJAB	

Independent Combination Pedestals

BCCLIND



CBCLIND



 Manufacturing Standards

- Pedestals without tops;
- Depth of 17-3/4";
- 2 utility drawers, 1 filing drawer and 1 lateral filing drawer;
- HJAB handles;
- 2 crossbars;
- Locks.

For installation by client on existing furniture.

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Prices

Width	
A	ML
30	1201
36	1275


 [How to Order](#)

				
BCCL CBCL A				
ML			IND	HJAB (std)
series	code	width	code	handles (p. 196)
ML	BCCL	36	IND	HJAB

High Gloss Front: Please request a quotation to obtain a price.

Independent Two Door Cabinet

ARIND



👍 Manufacturing Standards

- Pedestals without tops;
- Depth of 17-3/4";
- 2 door cabinet;
- 1 adjustable shelf;
- HJAB handles;
- Lock.

For installation by client on existing furniture.

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

💰 Prices

Width	
A	ML
24	671
30	719
36	752
42	783

High Gloss Front: Please request a quotation to obtain a price.

🛒 How to Order



				+
		A	HJAB (std)	
ML	AR		IND	
series	code	width	code	handles (p. 196)
Example ML	AR	36	IND	HJAB



Mobile E and F Pedestals - Letter Size

MOBE

MOBF



Manufacturing Standards

- Delivered with the casters disassembled;
- PVC extrusion for lateral opening of drawers;
- E = 2 utility drawers and 1 letter size file drawer;

- F = 2 letter size file drawers;
- Lock;
- 5 casters;
- Height: 27-3/8".

Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Counterweight: A counterweight is included for pedestals that are 18" deep. If you would like to add a counterweight to a pedestal with a different depth, please indicate option (CPDS). Add \$161.

Prices

Depth	ML
A	
18	783
23	783
29	840

High Gloss Front: Please request a quotation to obtain a price.

How to Order

E
F

A

CPDS

ML

MOB

series

code

pedestal

depth

counter weight

handles
(p. 196)

Example



ML	MOB	E	23	CPDS	
----	-----	---	----	------	--



Mobile E and F Pedestals - Legal Size

MOBXE

MOBXF



Manufacturing Standards

- Delivered with the casters disassembled;
- PVC extrusion for lateral opening of drawers;
- E = 2 utility drawers and 1 legal size file drawer;

- F = 2 legal size file drawers;
- Lock;
- 5 casters;
- Height: 27-3/8".

Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Counterweight: A counterweight is included for pedestals that are 18" deep. If you would like to add a counterweight to a pedestal with a different depth, please indicate option (CPDS). Add \$161.

Prices

Depth	ML
A	
18	882
23	882
29	936

High Gloss Front: Please request a quotation to obtain a price.

How to Order

E
F


A

CPDS


ML	MOBX				
series	code	pedestal	depth	counter weight	handles (p. 196)
Example ML	MOBX	E	23	CPDS	

Combination Pedestals

PBCCL



PCBCL



Manufacturing Standards

- BCCL/CBCL: 2 utility drawers, 1 filing drawer and 1 lateral filing drawer;
- HJAB handles;
- Black locks;
- 2 crossbars;
- Counterweight;
- Height: 29".

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Legs: To add metal legs under the cabinets. Add \$56 retail each. Logiflex will adjust the unit to the desired height.

- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).

Prices

Dimensions		
A B	ML	MLL
2030	1361	1446
2036	1400	1541
2430	1385	1516
2436	1472	1611


How to Order

				HJAB (std)	
ML MLL		BCCL CBCL		PSQ OVAMBL OVAMSN	
	A		B		
series	depth	pedestal	width	handles (p. 196)	legs
Example	ML	20	BCCL	36	HJAB PSQ


High Gloss Front: Please request a quotation to obtain a price.

Lateral Filing Cabinets


CL2



CL3



CL4



Manufacturing Standards

- 2, 3 or 4 lateral filing drawers;
- HJAB handles;
- Black interlock locks;
- 2 crossbars per file drawer;
- Counterweight (CL2 only).

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Legs: To add metal legs under the cabinets. Add \$56 retail each. Logiflex will adjust the unit to the desired height.

- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).

Prices

CL2 - 2 lateral filing drawers

Dimensions			
A	B	ML	MLL
2030		946	1060
2036		1024	1157
2042		1115	1266

2430	1010	1141
2436	1089	1242
2442	1178	1350

CL3 - 3 lateral filing drawers

Dimensions		
A	B	ML
2030		1437
2036		1510
2042		1628

2430	1501
2436	1572
2442	1691

CL4 - 4 lateral filing drawers

Dimensions		
A	B	ML
2030		1844
2036		1933
2042		2021

2430	1956
2436	2044
2442	2164

High Gloss Front: Please request a quotation to obtain a price.

How to Order


ML MLL	AB		2 3 4	HJAB (std)	PSQ OVAMBL OVAMSN
series	code	dimensions	drawers	handles (p. 196)	legs
Example ML	CL	2036	3	HJAB	PSQ

Credenzas




Credenzas with D Pedestals

CDL



CDR



Manufacturing Standards

- One utility drawer and one file drawer on left or right;
- Lock;
- PVC extrusion for lateral opening of drawers;
- Flush modesty;
- Height: 29".


Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.

Grommets: Add ELPF grommets at no charge.


Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Options

Modesty



Grommet Position



Grommet Style



Prices

Dimensions		
A	B	ML MLL
2054	889	1069
2060	930	1125
2066	973	1169
2072	1006	1227
2454	938	1142
2460	973	1181
2466	1006	1237
2472	1040	1295


How to Order

ML MLL	D	AB	D	PM SM FM (std)	GRL GRR GLR GRC	CAPF CBPF CCPF ELPF (std)	
series	if pedestal on left	dimensions	if pedestal on right	modesty	grommet position	grommet style	handles (p. 196)
Example ML	D	2060		FM	GRC	ELPF	



Credenzas with D Pedestals

CDD



Manufacturing Standards

- One utility drawer and one file drawer on left and right;
- Locks;
- Flush modesty;
- PVC extrusion for lateral opening of drawers;
- Height: 29".


Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.

Grommets: Add ELPF grommets at no charge.


Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Options

Modesty



Grommet Position



Grommet Style



Prices

Dimensions		
A	B	ML MLL
2060	1089	1531
2066	1125	1578
2072	1167	1630
2460	1132	1587
2466	1167	1645
2472	1202	1700

How to Order


								+
ML MLL	AB			PM SM FM (std)	GRL GRR GLR GRC	CAPF CBPF CCPF ELPF (std)		
	D		D					
series	left pedestal	dimensions	right pedestal	modesty	grommet position	grommet style	handles (p. 196)	
Example	ML	D	2060	D	FM	GRC	ELPF	

High Gloss Front: Please request a quotation to obtain a price.




Credenzas with E or F Pedestal on Left

CEL



CFL



Manufacturing Standards

- E = 2 utility drawers and 1 file drawer;
- F = 2 file drawers;
- PVC extrusion for lateral opening of drawers;
- Lock;
- Flush modesty;
- Height: 29".


Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.

Grommets: Add ELPF grommets at no charge.


Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Options

Modesty



Grommet Position



Grommet Style



How to Order

ML MLL	E F	AB	PM SM FM (std)	GRL GRR GLR GRC	CAPF CBPF CCPF ELPF (std)	
series	pedestal	dimensions	modesty	grommet position	grommet style	handles (p. 196)
Example ML	E	2060	FM	GRC	ELPF	

Prices


Dimensions		
A B	ML	MLL
2054	1057	1236
2060	1097	1293
2066	1140	1334
2072	1175	1392
2084	1307	1494
2454	1106	1313
2460	1140	1350
2466	1175	1405
2472	1207	1461
2484	1341	1563

High Gloss Front: Please request a quotation to obtain a price.




Credenzas with E or F Pedestal on Right

CER



CFR



Manufacturing Standards

- E = 2 utility drawers and 1 file drawer;
- F = 2 file drawers;
- PVC extrusion for lateral opening of drawers;
- Lock;
- Flush modesty;
- Height: 29".


Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.

Grommets: Add ELPF grommets at no charge.


Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Options

Modesty



Grommet Position



Grommet Style



How to Order

ML MLL	AB	E F	PM SM FM (std)	GRL GRR GLR GRC	CAPF CBPF CCPF ELPF (std)	
series	dimensions	pedestal	modesty	grommet position	grommet style	handles (p. 196)
Example ML	2060	E	FM	GRC	ELPF	

Prices

Dimensions		
A B	ML	MLL
2054	1057	1236
2060	1097	1293
2066	1140	1334
2072	1175	1392
2084	1307	1494
2454	1106	1313
2460	1140	1350
2466	1175	1405
2472	1207	1461
2484	1341	1563

High Gloss Front: Please request a quotation to obtain a price.

Credenzas

Pedestals

Combination Pedestals

Lateral Filing Cabinets

Cabinets

Combination Credenzas


Servers

Transaction Tops




Credenzas with E or F Pedestal on Left and Right


CEF




CFE



CEE



CFF



Manufacturing Standards

- E = 2 utility drawers and 1 file drawer;
- F = 2 file drawers;
- PVC extrusion for lateral opening of drawers;
- Locks;
- Flush modesty;
- Height: 29".


Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.

Grommets: Add ELPF grommets at no charge.


Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Options


Modesty



10" high
PM
\$0




18-1/2" high
SM
\$0



Full height
FM
\$0

Grommet Position



Grommet Style



ELPF
\$0



C_PF
\$23 ea.

How to Order

ML MLL	E F	AB	E F	PM SM FM (std)	GRL GRR GLR GRC	CAPF CBPF CCPF ELPF (std)	
series	left pedestal	dimensions	right pedestal	modesty	grommet position	grommet style	handles (p. 196)
Example ML	E	2060	E	FM	GRC	ELPF	

Prices

Dimensions		
A	B	ML MLL
2060	1426	1643
2066	1458	1688
2072	1499	1744
2084	1643	1845
2460	1435	1654
2466	1467	1706
2472	1510	1762
2484	1652	1860

High Gloss Front: Please request a quotation to obtain a price.

Credenzas

Pedestals

Combination Pedestals

Lateral Filing Cabinets

Cabinets

Combination Credenzas


Servers

Transaction Tops




Credenzas with Combination Pedestal on Left


CEFL




CFEL



CEEL



CFFL



Manufacturing Standards

- E = 2 utility drawers and 1 legal size file drawer;
- F = 2 legal size file drawers;
- HJAB handles;
- Locks;
- Flush modesty;
- Height: 29".


Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.

Grommets: Add ELPF grommets at no charge.


Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Options


Modesty



10" high
PM
\$0




18-1/2" high
SM
\$0



Full height
FM
\$0

Grommet Position



Grommet Style



ELPF
\$0



C_PF
\$23 ea.

How to Order

ML MLL		EF FE EE FF	AB	PM SM FM (std)	GRL GRR GLR GRC	CAPF CBPF CCPF ELPF (std)	HJAB (std)
series	pedestal	dimensions	modesty				handles (p. 196)
Example ML	EF	2060	FM	GRC	ELPF	HJAB	

Prices

Dimensions		
A	B	ML MLL
2060	1431	1643
2066	1461	1688
2072	1501	1744
2084	1570	1845
2460	1460	1701
2466	1496	1755
2472	1566	1813
2484	1601	1915

High Gloss Front: Please request a quotation to obtain a price.

Credenzas

Pedestals

Combination Pedestals

Lateral Filing Cabinets

Cabinets

Combination Credenzas


Servers

Transaction Tops




Credenzas with Combination Pedestal on Right


CEFR




CFER



CEER



CFFR



Manufacturing Standards

- E = 2 utility drawers and 1 legal size file drawer;
- F = 2 legal size file drawers;
- HJAB handles;
- Locks;
- Flush modesty;
- Height: 29".


Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.

Grommets: Add ELPF grommets at no charge.

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.


Options

Modesty




10" high

PM
\$0



18-1/2" high


SM
\$0



Full height

FM
\$0

Grommet Position



Grommet Style



ELPF
\$0



C_PF
\$23 ea.

How to Order

ML MLL	AB	EF FE EE FF	PM SM FM (std)	GRL GRR GLR GRC	CAPF CBPF CCPF ELPF (std)	HJAB (std)
series	dimensions	pedestal	modesty	grommet position	grommet style	handles (p. 196)
Example ML	2060	EF	FM	GRC	ELPF	HJAB

Prices


Dimensions		
A	B	ML MLL
2060	1431	1643
2066	1461	1688
2072	1501	1744
2084	1570	1845
2460	1460	1701
2466	1496	1755
2472	1566	1813
2484	1601	1915

High Gloss Front: Please request a quotation to obtain a price.



Credenzas with Combination Pedestal on Left

CCBCL



Manufacturing Standards

- 2 utility drawers, one file drawer and one lateral file drawer;
- HJAB handles;
- Locks;
- Flush modesty;
- Height: 29".


Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.

Grommets: Add ELPF grommets at no charge.


Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Options

Modesty



Grommet Position



Grommet Style



How to Order

ML MLL	C	AB	PM SM FM (std)	GRL GRR GLR GRC	CAPF CBPF CCPF ELPF (std)	HJAB (std)
	CBCL					
series	pedestal	pedestal width	dimensions	modesty	grommet position	grommet style
Example ML	CBCL	30	2060	FM	GRC	ELPF

Prices


Dimensions			ML	MLL
A	B	C		
206030	1583	1863		
206630	1628	1911		
207230	1677	1966		
208430	1770	2063		
246030	1652	1939		
246630	1694	1986		
247230	1743	2041		
248430	1847	2154		
206036	1677	1963		
206636	1717	1987		
207236	1763	2060		
208436	1861	2163		
246036	1743	2036		
246636	1789	2081		
247236	1835	2137		
248436	1937	2251		

High Gloss Front: Please request a quotation to obtain a price.



Credenzas with Combination Pedestal on Right

CBCCL



Manufacturing Standards

- 2 utility drawers, one file drawer and one lateral file drawer;
- HJAB handles;
- Locks;
- Flush modesty;
- Height: 29".


Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.

Grommets: Add ELPF grommets at no charge.


Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Options

Modesty



Grommet Position



Grommet Style



How to Order

ML MLL	AB	C	PM SM FM (std)	GRL GRR GLR GRC	CAPF CBPF CCPF ELPF (std)	HJAB (std)
		BCCL				
series	dimensions	pedestal	pedestal width	modesty	grommet position	grommet style
Example ML	2060	BCCL	30	FM	GRC	ELPF

Prices


Dimensions			ML	MLL
A	B	C		
206030	1583	1863		
206630	1628	1911		
207230	1677	1966		
208430	1770	2063		
246030	1652	1939		
246630	1694	1986		
247230	1743	2041		
248430	1847	2154		
206036	1677	1963		
206636	1717	1987		
207236	1763	2060		
208436	1861	2163		
246036	1743	2036		
246636	1789	2081		
247236	1835	2137		
248436	1937	2251		

High Gloss Front: Please request a quotation to obtain a price.



Credenzas with Lateral Filing Cabinet on Left

CCLL



Manufacturing Standards

- 2 lateral file drawers;
- HJAB handles;
- Lock;
- 2 crossbars per file drawer;
- Flush modesty;
- Height: 29".

Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.

Grommets: Add ELPF grommets at no charge.

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.


Prices

Dimensions			ML	MLL
A	B	C		
206030	1260	1488		
206630	1294	1543		
207230	1327	1582		
208430	1392	1645		
246030	1327	1569		
246630	1360	1615		
247230	1392	1670		
248430	1458	1773		
206036	1273	1537		
206636	1307	1583		
207236	1341	1640		
208436	1408	1742		
246036	1341	1663		
246636	1375	1712		
247236	1408	1767		
248436	1475	1869		
206042	1423	1635		
206642	1454	1681		
207242	1495	1739		
208442	1559	1835		
246042	1516	1762		
246642	1547	1809		
247242	1582	1864		
248442	1649	1966		


High Gloss Front: Please request a quotation to obtain a price.

Options


Modesty



Grommet Position



Grommet Style




How to Order

ML MLL		C	AB	PM SM FM (std)	GRL GRR GLR GRC	CAPF CBPF CCPF ELPF (std)	HJAB (std)
	CL						
series	left pedestal	pedestal width	dimensions	modesty	grommet position	grommet style	handles (p. 196)
Example	ML	CL	30	2060	FM	GRC	ELPF



Credenzas with Lateral Filing Cabinet on Right

CCLR



Manufacturing Standards

- 2 lateral file drawers;
- HJAB handles;
- Lock;
- 2 crossbars per file drawer;
- Flush modesty;
- Height: 29".

Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.

Grommets: Add ELPF grommets at no charge.

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.


Prices

Dimensions			ML	MLL
A	B	C		
206030	1260	1488		
206630	1294	1543		
207230	1327	1582		
208430	1392	1645		
246030	1327	1569		
246630	1360	1615		
247230	1392	1670		
248430	1458	1773		
206036	1273	1537		
206636	1307	1583		
207236	1341	1640		
208436	1408	1742		
246036	1341	1663		
246636	1375	1712		
247236	1408	1767		
248436	1475	1869		
206042	1423	1635		
206642	1454	1681		
207242	1495	1739		
208442	1559	1835		
246042	1516	1762		
246642	1547	1809		
247242	1582	1864		
248442	1649	1966		


High Gloss Front: Please request a quotation to obtain a price.

Options


Modesty



Grommet Position



Grommet Style




How to Order

					+		
ML MLL	AB		C	PM SM FM (std)	GRL GRR GLR GRC	CAPF CBPF CCPF ELPF (std)	HJAB (std)
		CL					
series	dimensions	right pedestal	pedestal width	modesty	grommet position	grommet style	handles (p. 196)
ML	2060	CL	30	FM	GRC	ELPF	HJAB



Credenzas with Cabinet on Left

CARL



Manufacturing Standards

- 2 door cabinet;
- HJAB handles;
- Lock;
- 1 adjustable shelf;
- Flush modesty;
- Height: 29".


Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.

Grommets: Add ELPF grommets at no charge.


Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Options

Modesty



Grommet Position



Grommet Style



How to Order

					+		
ML MLL		C	AB	PM SM FM (std)	GRL GRR GLR GRC	CAPF CBPF CCPF ELPF (std)	HJAB (std)
	AR						
series	cabinet	cabinet width	dimensions	modesty	grommet position	grommet style	handles (p. 196)
ML	AR	30	2060	FM	GRC	ELPF	HJAB

Prices

Dimensions			ML	MLL
A	B	C		
206030	1132	1305		
206630	1167	1354		
207230	1202	1403		
208430	1260	1494		
246030	1148	1349		
246630	1202	1415		
247230	1246	1479		
248430	1341	1605		
206036	1167	1344		
206636	1202	1391		
207236	1241	1443		
208436	1307	1537		
246036	1202	1403		
246636	1233	1448		
247236	1273	1507		
248436	1367	1607		
206042	1230	1398		
206642	1259	1443		
207242	1299	1497		
208442	1368	1602		
246042	1261	1456		
246642	1266	1482		
247242	1333	1565		
248442	1392	1668		

High Gloss Front: Please request a quotation to obtain a price.

Credenzas

Pedestals
Combination Pedestals
Lateral Filing Cabinets


Cabinets
Combination Credenzas
Servers

Transaction Tops



Credenzas with Cabinet on Right

CARR



Manufacturing Standards

- 2 door cabinet;
- HJAB handles;
- Lock;
- 1 adjustable shelf;
- Flush modesty;
- Height: 29".


Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.

Grommets: Add ELPF grommets at no charge.


Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Options

Modesty



Grommet Position



Grommet Style



How to Order

ML MLL	AB	C	PM SM FM (std)	GRL GRR GLR GRC	CAPF CBPF CCPF ELPF (std)	HJAB (std)
		AR				
series	dimensions	cabinet	cabinet width	modesty	grommet position	grommet style
Example ML	2060	AR	30	FM	GRC	ELPF

Prices


Dimensions			ML	MLL
A	B	C		
206030	1132	1305		
206630	1167	1354		
207230	1202	1403		
208430	1260	1494		
246030	1148	1349		
246630	1202	1415		
247230	1246	1479		
248430	1341	1605		
206036	1167	1344		
206636	1202	1391		
207236	1241	1443		
208436	1307	1537		
246036	1202	1403		
246636	1233	1448		
247236	1273	1507		
248436	1367	1607		
206042	1230	1398		
206642	1259	1443		
207242	1299	1497		
208442	1368	1602		
246042	1261	1456		
246642	1266	1482		
247242	1333	1565		
248442	1392	1668		

High Gloss Front: Please request a quotation to obtain a price.



Combination Credenzas with Cabinets

ARAR



Manufacturing Standards

- 2 cabinet sections;
- HJAB handles;
- Locks;
- 2 adjustable shelves;
- Height: 29".

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Prices

Dimensions		
A	B	ML MLL
2060	1368	1546
2066	1408	1617
2072	1450	1673
2084	1652	1800
2460	1408	1630
2466	1450	1694
2472	1499	1757
2484	1703	1880

High Gloss Front: Please request a quotation to obtain a price.

How to Order

ML MLL		AB	HJAB (std)
		ARAR	
series	dimensions	code	handles (p. 196)


Example

ML 2060 ARAR HJAB




Combination Credenzas with Lateral File Drawers and Cabinet

ARCL



CLAR



Manufacturing Standards

- 1 lateral file drawer and 1 cabinet on left or right;
- HJAB handles;
- Locks;
- Adjustable shelf;
- 2 crossbars per file drawer;
- Height: 29".

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Prices

Dimensions		
A	B	ML MLL
2060	1602	1882
2066	1635	1936
2072	1677	2001
2084	1763	2128
2460	1718	2042
2466	1755	2107
2472	1795	2172
2484	1930	2291

High Gloss Front: Please request a quotation to obtain a price.

How to Order

ML MLL	AB	ARCL CLAR	HJAB (std)
series	dimensions	code	handles (p. 196)


Example

ML	2060	ARCL	HJAB
----	------	------	------



Combination Credenzas with Lateral File Drawers

CLCL



Manufacturing Standards

- 2 sets of lateral file drawers;
- HJAB handles;
- Locks;
- 2 crossbars per file drawer;
- Counterweight;
- Height: 29".

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Prices

Dimensions		
A	B	ML MLL
2060	1822	2027
2066	1912	2134
2072	1995	2242
2084	2239	2457
2460	1995	2242
2466	2088	2349
2472	2171	2459
2484	2408	2674

High Gloss Front: Please request a quotation to obtain a price.

How to Order


ML MLL		AB	HJAB (std)
		CLCL	
series	dimensions	code	handles (p. 196)

Example ML 2060 CLCL HJAB



Server Credenzas

SCARAR



Manufacturing Standards

- 2 cabinet sections;
- HJAB handles;
- Locks;
- 2 adjustable shelves per cabinet;
- Height: 36".

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Prices

Dimensions			ML	MLL
A	B	C		
206036	1763	1968		
206636	1852	2076		
207236	1937	2184		
208436	2179	2399		
246036	1937	2184		
246636	2029	2291		
247236	2113	2400		
248436	2346	2615		

High Gloss Front: Please request a quotation to obtain a price.


How to Order

ML MLL	AB		C	
		SCARAR	36	HJAB (std)
series	dimensions	code	height	handles (p. 196)
Example ML	2060	SCARAR	36	HJAB




Server Credenzas with Utility Drawers

SCU02



SCU04



Manufacturing Standards

- 2 cabinet sections with locks;
- 1 adjustable shelf per cabinet;
- 2 or 4 drawers;
- HJAB handles;
- Height: 36".

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Prices

SCU02 - 2 drawers

Dimensions

A	B	C	ML	MLL
206036	2125	2376		
206636	2178	2431		
207236	2232	2484		
208436	2340	2619		
246036	2165	2416		
246636	2220	2471		
247236	2272	2525		
248436	2414	2708		

SCU04 - 4 drawers

Dimensions

A	B	C	ML	MLL
206036	2230	2481		
206636	2285	2536		
207236	2337	2589		
208436	2445	2727		
246036	2270	2522		
246636	2325	2576		
247236	2378	2630		
248436	2485	2799		

High Gloss Front: Please request a quotation to obtain a price.

How to Order

ML MLL	AB	SCU02 SCU04	C	HJAB (std)	LKSN LKBL (std)
			36		
series	dimensions	code	height	handles (p. 196)	lock (p. 205)


Example

ML	2060	SCU02	36	HJAB	LKBL
----	------	-------	----	------	------




Server Credenzas with Utility Drawers

SCU02FL



SCU04FL



Manufacturing Standards

- 2 cabinets with white glass (V4) and built-in aluminum handles;
- 2 or 4 drawers with HJA handles;
- Soft-close doors;
- Height: 36".
- 1 adjustable shelf per cabinet;

Glass: If the choice of glass is not specified, the standard is white glass (V4). For other choices of glass, consult the Logiflex color chart.

Drawer Handles: For handles other than HJA standard, please choose from the Logiflex list at no extra charge.

Prices

SCU02FL - 2 drawers

Dimensions				
A	B	C	ML	MLL
206036	4734	5024		
206636	4920	5210		
207236	5106	5395		
208436	5477	5767		
246036	4781	5069		
246636	4967	5255		
247236	5152	5441		
248436	5523	5812		

SCU04FL - 4 drawers

Dimensions				
A	B	C	ML	MLL
206036	4855	5146		
206636	5042	5330		
207236	5227	5517		
208436	5597	5889		
246036	4903	5191		
246636	5088	5377		
247236	5274	5562		
248436	5645	5933		

High Gloss Front: Please request a quotation to obtain a price.

How to Order


ML MLL	AB	SCU02FL SCU04FL	C	KB PL V4 (std)	HJA (std)
			36		
series	dimensions	code	height	glass	handles (p. 196)

Example ML 2060 SCU02FL 36 V4 HJA




Server Credenzas with Utility Drawers

SCU02PV



SCU04PV



Manufacturing Standards

- 2 cabinet sections with satin nickel aluminum frame doors with locks;
- 1 adjustable shelf per cabinet;
- 2 or 4 drawers;
- HJA handles;
- Height: 36".

Glass: If the choice of glass is not specified, the standard is frosted glass (VS). For other choices of glass, consult the Logiflex color chart.

Drawer Handles: For handles other than HJA standard, please choose from the Logiflex list at no extra charge.

Prices

SCU02PV - 2 drawers

Dimensions				
A	B	C	ML	MLL
206036	4734	5024		
206636	4920	5210		
207236	5106	5395		
208436	5477	5767		
246036	4781	5069		
246636	4967	5255		
247236	5152	5441		
248436	5523	5812		

SCU04PV - 4 drawers

Dimensions				
A	B	C	ML	MLL
206036	4855	5146		
206636	5042	5330		
207236	5227	5517		
208436	5597	5889		
246036	4903	5191		
246636	5088	5377		
247236	5274	5562		
248436	5645	5933		

High Gloss Front: Please request a quotation to obtain a price.

How to Order


ML MLL	AB	SCU02PV SCU04PV	C	V4 KB PL VS (std)	HJA (std)
			36		
series	dimensions	code	height	glass	handles (p. 196)

Example ML 2060 SCU02PV 36 VS HJA



Transaction Tops

RS



Manufacturing Standards

- Shelf to put on top of work surfaces;
- Height: 13".

Prices

Dimensions

A	B	C	ML	MLL
126	013		334	456
126	613		354	488
127	213		370	516
128	413		402	571

How to Order


ML MLL	AB	RS	C
		RS	13
series	dimensions	code	height

Example ML 1260 RS 13



Convex Transaction Tops

RSCX



Manufacturing Standards

- Shelf to put on top of work surfaces;
- Height: 13".

Prices

Dimensions				ML	MLL
A	B	C	D		
121560	13			502	659
121566	13			523	693
121572	13			536	721
121584	13			570	782

How to Order


ML MLL	ABC	D	
		RS	13
series	dimensions	code	height

Example ML 121560 RS 13




Transaction-top Extensions

RSL



RSR



Manufacturing Standards

- Shelf to put on top of work surfaces;
- Height: 13".

Prices

Dimensions

A	B	C	ML	MLL
124	213		270	356
124	813		284	383
125	413		304	415
126	013		319	440

How to Order

ML MLL	AB		C	L R
		RS	13	
series	dimensions	code	height	return location

Example ML 1242 RS 13 L

Hutches and Wall Storage

Hutches and Wall Storage

Cabinet Hutches
Corner Hutches
Adjustable Shelf Hutches

Wall Hutches
Wall Hutches / Pigeon Hole Unit
Desk Hutches


Desk Hutches / Pigeon Hole Unit
Wall Shelves
Tackboards



Cabinet Hutches with One Door


HARL

Door opening to the left



HARR

Door opening to the right



Manufacturing Standards

- HJAB handle;
- Adjustable shelves.

Number of adjustable shelves included:

37" - 43"H: 2 shelves, 55"H: 3 shelves.

Handle: For a handle other than HJAB standard, please choose from the Logiflex list at no extra charge.

Lock: Offered as option. Black (LKBL) or satin nickel (LKSN). Match to handle color.

Options

Lock



LK
\$38 ea.

How to Order

				HJAB (std)		LKBL LKSN	
ML	AB	HARL HARR	C				
series	dimensions	code	height	handles (p. 196)		lock (p. 205)	
Example ML	1620	HARL	43	HJAB		LKBL	

Prices

Dimensions		
A	B	C
ML		
161837		496
162037		534
162437		567
161843		545
162043		584
162443		616
161855		596
162055		632
162455		666

High Gloss Front: Please request a quotation to obtain a price.

Hutches and Wall Storage

Cabinet Hutches
Corner Hutches
Adjustable Shelf Hutches

Wall Hutches
Wall Hutches / Pigeon Hole Unit
Desk Hutches


Desk Hutches / Pigeon Hole Unit
Wall Shelves
Tackboards



Cabinet Hutches with One Glass Door


HARLFL

Door opening to the left



HARRFL

Door opening to the right



Manufacturing Standards

- White glass (V4) doors with aluminum-frame and built-in handle;
- Soft-close door;
- Adjustable shelves.

Number of adjustable shelves included:
37" - 43"H: 2 shelves, 55"H: 3 shelves.

Glass: If the choice of glass is not specified, the standard is white glass (V4). For other choices of glass, consult the Logiflex color chart. Prices available upon quotation request.

Prices

Dimensions			ML
A	B	C	
161837			985
162037			1073
162437			1204
161843			1111
162043			1203
162443			1354
161855			1303
162055			1413
162455			1588

High Gloss Front: Please request a quotation to obtain a price.

How to Order

ML	AB	HARLFL HARRFL	C	KB PL V4 (std)
series	dimensions	code	height	glass

Example ML 1620 HARLFL 43 V4

Hutches and Wall Storage

Cabinet Hutches

Corner Hutches

Adjustable Shelf Hutches

Wall Hutches

Wall Hutches / Pigeon Hole Unit

Desk Hutches

Desk Hutches / Pigeon Hole Unit

Wall Shelves



Tackboards



Cabinet Hutches with One Glass Door

HARLPV

HARRPV



Manufacturing Standards

- Satin nickel aluminum frame;
- Adjustable shelves.
- HJA handle;

Number of adjustable shelves included:
37" - 43"H: 2 shelves, 55"H: 3 shelves.

Glass: If the choice of glass is not specified, the standard is frosted glass (VS). For other choices of glass, consult the Logiflex color chart. Prices available upon quotation request.

Handle: For a handle other than HJA standard, please choose from the Logiflex list at no extra charge.

Lock: Offered as option. Satin nickel (LKSN). Match to handle color. Only available for 37" and 43" units.

Options

Lock



LK
\$38 ea.

How to Order

ML	AB	HARLPV HARRPV	C	V4 KB PL VS (std)	HJA (std)	LKBL LKSN
series	dimensions	code	height	glass	handles (p. 196)	lock (p. 205)
Example ML	1620	HARLPV	43	VS	HJA	LKSN

Prices

Dimensions			ML
A	B	C	
161837			985
162037			1073
162437			1204
161843			1111
162043			1203
162443			1354
161855			1303
162055			1413
162455			1588

Hutches and Wall Storage

Cabinet Hutches

Corner Hutches

Adjustable Shelf Hutches

Wall Hutches

Wall Hutches / Pigeon Hole Unit

Desk Hutches

Desk Hutches / Pigeon Hole Unit


Wall Shelves

Tackboards



Cabinet Hutches with Two Doors

HAR



Manufacturing Standards

- HJAB handles;
- Adjustable shelves.

Number of adjustable shelves included:

37" - 43"H: 2 shelves, 55"H: 3 shelves.

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Lock: Offered as option. Black (LKBL) or satin nickel (LKSN). Match to handle color.

Options

Lock



LK
\$38 ea.

How to Order

AB		C		HJAB (std)	LKBL LKSN
ML		HAR			
series	dimensions	code	height	handles (p. 196)	lock (p. 205)
Example ML	1636	HAR	43	HJAB	LKSN

Prices

Dimensions	
A B C	ML
163037	869
163637	905
164237	961
163043	967
163643	1005
164243	1060
163055	1067
163655	1104
164255	1159

High Gloss Front: Please request a quotation to obtain a price.

Hutches and Wall Storage

Cabinet Hutches

Corner Hutches

Adjustable Shelf Hutches

Wall Hutches

Wall Hutches / Pigeon Hole Unit

Desk Hutches

Desk Hutches / Pigeon Hole Unit


Wall Shelves

Tackboards



Cabinet Hutches with Two Glass Doors

HARFL



Manufacturing Standards

- White glass (V4) doors with aluminum-frame and built-in handle;
- Soft-close doors;
- Adjustable shelves.

Number of adjustable shelves included:

37" - 43"H: 2 shelves, 55"H: 3 shelves.

Glass: If the choice of glass is not specified, the standard is white glass (V4). For other choices of glass, consult the Logiflex color chart. Prices available upon quotation request.



Prices

Dimensions			
A	B	C	ML
163037			1799
163637			1838
164237			2002
163043			1851
163643			2082
164243			2261
163055			2274
163655			2543
164255			2770



How to Order

ML	AB	HARFL	C	KB PL V4 (std)
series	dimensions	code	height	glass

Example ML 1636 HARFL 43 V4

Hutches and Wall Storage

Cabinet Hutches

Corner Hutches

Adjustable Shelf Hutches

Wall Hutches

Wall Hutches / Pigeon Hole Unit

Desk Hutches

Desk Hutches / Pigeon Hole Unit


Wall Shelves

Tackboards



Cabinet Hutches with Two Glass Doors

HARPV



Manufacturing Standards

- Satin nickel aluminum frame;
- Adjustable shelves.
- HJA handles;

Number of adjustable shelves included:
37" - 43"H: 2 shelves, 55"H: 3 shelves.

Glass: If the choice of glass is not specified, the standard is frosted glass (VS). For other choices of glass, consult the Logiflex color chart. Prices available upon quotation request.

Handles: For handles other than HJA standard, please choose from the Logiflex list at no extra charge.

Lock: Offered as option. Satin nickel (LKSN). Match to handle color. Only available for 37" and 43" units.

Options

Lock



LK
\$38 ea.

How to Order

AB		C		V4 KB PL VS (std)	HJA (std)	LKBL LKSN
ML		HARPV				
series	dimensions	code	height	glass	handles (p. 196)	lock (p. 205)
Example ML	1636	HARPV	43	VS	HJA	LKSN

Prices

Dimensions			ML
A	B	C	
163037			1799
163637			1838
164237			2002
163043			1851
163643			2082
164243			2261
163055			2274
163655			2543
164255			2770

Hutches and Wall Storage

Cabinet Hutches
Corner Hutches
 Adjustable Shelf Hutches

Wall Hutches
 Wall Hutches / Pigeon Hole Unit
 Desk Hutches


Desk Hutches / Pigeon Hole Unit
 Wall Shelves
 Tackboards




Corner Hutches

HOBL

HOBR



Wood Grain Direction



Manufacturing Standards


- Adjustable shelves.

Number of adjustable shelves included:
 37" - 43"H: 2 shelves, 55"H: 3 shelves.

Additional shelves (SH): see Appendix G for prices, [p. 17](#)

Options

Additional Shelves



SH

Prices

Dimensions			
A	B	C	ML
161837			543
161843			588
161855			628

How to Order

		AB	HOBL HOBR	C		
ML						
series	dimensions	code	height	shelves		
Example	ML	1618	HOBL	43		

Hutches and Wall Storage

Cabinet Hutches
Corner Hutches
Adjustable Shelf Hutches


Wall Hutches
Wall Hutches / Pigeon Hole Unit
Desk Hutches

Desk Hutches / Pigeon Hole Unit
Wall Shelves
Tackboards





Adjustable Shelf Hutches

HAS



Leg Bases



Manufacturing Standards


- Horizontal wood grain on back panel;
- Vertical middle panel on hutches 54" wide or more;
- Flexible grommet on back.

Tackboards: A fabric (TB) or cork (LI) tackboard can be added.

Leg Base: If the choice of base is not specified, the standard is 2 full legs (LR). For 1/2 leg on left or right (HR or LH) add \$37 retail. For two half legs (HH), add \$74 retail. **Warning:** hutches with half legs (HH) must be secured to the wall or adjacent furniture so that they do not tip forward. Logiflex is not responsible for any accidents caused by incorrectly installed hutches.

Options

Tackboard



LI

TB

How to Order

ML	AB	HAS	C	TB LI	HH HR LH LR (std)
series	dimensions	code	height	tackboard (p. 147)	leg base
Example ML	1636	HAS	43	TB	LR

Prices

Dimensions			ML
A	B	C	
163037			686
163637			711
164237			798
164837			840
165437			897
166037			930
166637			990
167237			1106
168437			1315
163043			732
163643			755
164243			880
164843			923
165443			980
166043			1006
166643			1071
167243			1189
168443			1416

Hutches and Wall Storage

Cabinet Hutches
Corner Hutches
Adjustable Shelf Hutches



Wall Hutches
Wall Hutches / Pigeon Hole Unit
Desk Hutches

Desk Hutches / Pigeon Hole Unit
Wall Shelves
Tackboards



Wall Hutches with Doors

HPW



Manufacturing Standards

- Task light concealer;
- Z-bar wall mount.

Number of Doors:

30" - 42": 2 doors, 48" - 54": 3 doors, 60" - 72": 4 doors, 84": 5 doors.

Locks: Offered as option. Black (LKBL) or satin nickel (LKSN). Match to handle color.

Dividers: Offered as option. Pre-drilled holes for dividers (DVD), set of 3 wire dividers included.

Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Attention: Logiflex is not responsible for the installation of wall hutches. This responsibility belongs entirely to the distributor or the client.

Options


Lock



LK

\$38 ea.


Pre-drilled Holes with 3 Dividers



DVD

\$25

Task Light



T5

DEL20

\$\$

How to Order

				+			
AB				LKBL LKSN	DVD	T524 T536 T548 DEL20	
ML		HPW					
series	dimensions	code		lock (p. 205)	dividers (p. 204)	handles (p. 196)	task light (p. 211)
Example ML	1636	HPW		LKSN	DVD		

Prices

Dimensions

A	B	ML
1630		478
1636		543
1642		612
1648		680
1654		770
1660		840
1666		912
1672		949
1684		1035

High Gloss Front: Please request a quotation to obtain a price.

Hutches and Wall Storage

Cabinet Hutches
Corner Hutches
Adjustable Shelf Hutches



Wall Hutches
Wall Hutches / Pigeon Hole Unit
Desk Hutches

Desk Hutches / Pigeon Hole Unit
Wall Shelves
Tackboards



Wall Hutches with Glass Doors

HPFLW



Manufacturing Standards

- White glass (V4) doors with aluminum-frame;
- Soft-close doors;
- Task light concealer;
- Z-bar wall mount.

Number of Doors:

30" - 42": 2 doors, 48" - 54": 3 doors, 60" - 72": 4 doors, 84": 5 doors.

Glass: If the choice of glass is not specified, the standard is white glass (V4). For other choices of glass, consult the Logiflex color chart. Prices available upon quotation request.


Dividers: Offered as option. Pre-drilled holes for dividers (DVD), set of 3 wire dividers included.

Handles: Optional built-in aluminum handles are available. Add \$11 retail each.

Attention: Logiflex is not responsible for the installation of wall hutches. This responsibility belongs entirely to the distributor or the client.


Options

Pre-drilled Holes with 3 Dividers




DVD
\$25

Handles



H001
\$11 ea.

Task Light



T5
DEL20
\$\$

Prices

Dimensions

A	B	ML
1630		846
1636		959
1642		1104
1648		1284
1654		1467
1660		1621
1666		1770
1672		1878
1684		2136

How to Order

AB		KB PL V4 (std)		DVD		H001	T524 T536 T548 DEL20 task light (p. 211)
ML		HPFLW					
series	dimensions	code	glass	dividers	handles		
Example ML	1636	HPFLW	V4	DVD	H001		

Hutches and Wall Storage

Cabinet Hutches
Corner Hutches
Adjustable Shelf Hutches



Wall Hutches
Wall Hutches / Pigeon Hole Unit
Desk Hutches

Desk Hutches / Pigeon Hole Unit
Wall Shelves
Tackboards



Wall Hutches with Glass Doors

HPVW



Manufacturing Standards

- Satin nickel aluminum frames;
- Task light concealer;
- Z-bar wall mount.

Number of Doors:

30" - 42": 2 doors, 48" - 54": 3 doors, 60" - 72": 4 doors, 84": 5 doors.

Glass: If the choice of glass is not specified, the standard is frosted glass (VS). For other choices of glass, consult the Logiflex color chart. Prices available upon quotation request.

Locks: Offered as option. Black (LKBL) or satin nickel (LKSN). Match to handle color.

Dividers: Offered as option. Pre-drilled holes for dividers (DVD), set of 3 wire dividers included.

Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Attention: Logiflex is not responsible for the installation of wall hutches. This responsibility belongs entirely to the distributor or the client.


Options

Lock




LK
\$38 ea.

Pre-drilled Holes with 3 Dividers



DVD
\$25

Task Light



T5
DEL20
\$\$

Prices

Dimensions

A	B	ML
1630		846
1636		959
1642		1104
1648		1284
1654		1467
1660		1621
1666		1770
1672		1878
1684		2136

How to Order

								+
AB		VS (std)		V4 KB PL LKBL LKSN	DVD		T524 T536 T548 DEL20	
ML		HPVW						
series	dimensions	code	glass	lock (p. 205)	dividers	handles (p. 196)	task light (p. 211)	
Example ML	1636	HPVW	VS	LKSN	DVD			

Hutches and Wall Storage

Cabinet Hutches
Corner Hutches
Adjustable Shelf Hutchches



Wall Hutches
Wall Hutches / Pigeon Hole Unit
Desk Hutches

Desk Hutches / Pigeon Hole Unit
Wall Shelves
Tackboards



Wall Hutches with Doors and Pigeon Hole Unit

HPPGW



Manufacturing Standards

- Pigeon hole compartment interiors are 2-3/8";
- Task light concealer; Z-bar wall mount.

Number of Doors:

30" - 42": 2 doors, 48" - 54": 3 doors, 60" - 72": 4 doors, 84": 5 doors.

Locks: Offered as option. Black (LKBL) or satin nickel (LKSN). Match to handle color.

Dividers: Offered as option. Pre-drilled holes for dividers (DVD), set of 3 wire dividers included.

Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Attention: Logiflex is not responsible for the installation of wall hutches. This responsibility belongs entirely to the distributor or the client.

Options


Lock



LK

\$38 ea.


Pre-drilled Holes with 3 Dividers



DVD

\$25

Task Light



T5

DEL20

\$\$

How to Order

AB			LKBL LKSN	DVD	T524 T536 T548 DEL20	
ML		HPPGW				
series	dimensions	code	lock (p. 205)	dividers	handles (p. 196)	task light (p. 211)
Example ML	1636	HPPGW	LKSN	DVD		

Prices

Dimensions	
A B	ML
1630	798
1636	864
1642	964
1648	1032
1654	1175
1660	1242
1666	1354
1672	1389
1684	1527

High Gloss Front: Please request a quotation to obtain a price.

Hutches and Wall Storage

Cabinet Hutches
Corner Hutches
Adjustable Shelf Hutches



Wall Hutches
Wall Hutches / Pigeon Hole Unit
Desk Hutches

Desk Hutches / Pigeon Hole Unit
Wall Shelves
Tackboards



Wall Hutches with Glass Doors and Pigeon Hole Unit

HPFLPGW



Manufacturing Standards

- White glass (V4) doors with aluminum-frame;
- Soft-close doors;
- Pigeon hole compartment interiors are 2-3/8";
- Task light concealer;
- Z-bar wall mount.

Number of Doors:

30" - 42": 2 doors, 48" - 54": 3 doors, 60" - 72": 4 doors, 84": 5 doors.

Glass: If the choice of glass is not specified, the standard is white glass (V4). For other choices of glass, consult the Logiflex color chart. Prices available upon quotation request.


Dividers: Offered as option. Pre-drilled holes for dividers (DVD), set of 3 wire dividers included.

Handles: Optional built-in aluminum handles are available. Add \$11 retail each.

Attention: Logiflex is not responsible for the installation of wall hutches. This responsibility belongs entirely to the distributor or the client.


Options

Pre-drilled Holes with 3 Dividers




DVD
\$25

Handles



H001
\$11 ea.

Task Light



T5
DEL20
\$\$

Prices

Dimensions

A	B	ML
1630		1168
1636		1304
1642		1467
1648		1674
1654		1910
1660		2063
1666		2247
1672		2366
1684		2666

How to Order

							+ T524 T536 T548 DEL20
ML	AB	HPFLPGW	KB PL V4 (std)	DVD	H001		
series	dimensions	code	glass	dividers	handles	task light (p. 211)	
Example ML	1636	HPFLPGW	V4	DVD	H001		

Hutches and Wall Storage

Cabinet Hutches
Corner Hutches
Adjustable Shelf Hutches



Wall Hutches
Wall Hutches / Pigeon Hole Unit
Desk Hutches

Desk Hutches / Pigeon Hole Unit
Wall Shelves
Tackboards



Wall Hutches with Glass Doors and Pigeon Hole Unit

HPVPGW



Manufacturing Standards

- Satin nickel aluminum frames;
- Pigeon hole compartment interiors are 2-3/8";
- Task light concealer;
- Z-bar wall mount.

Number of Doors:

30" - 42": 2 doors, 48" - 54": 3 doors, 60" - 72": 4 doors, 84": 5 doors.

Glass: If the choice of glass is not specified, the standard is frosted glass (VS). For other choices of glass, consult the Logiflex color chart.

Locks: Offered as option. Black (LKBL) or satin nickel (LKSN). Match to handle color.

Dividers: Offered as option. Pre-drilled holes for dividers (DVD), set of 3 wire dividers included.

Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Attention: Logiflex is not responsible for the installation of wall hutches. This responsibility belongs entirely to the distributor or the client.


Options

Lock




LK
\$38 ea.

Pre-drilled Holes with 3 Dividers



DVD
\$25

Task Light



T5
DEL20
\$\$

Prices

Dimensions

A	B	ML
1630		1168
1636		1304
1642		1467
1648		1674
1654		1910
1660		2063
1666		2247
1672		2366
1684		2666

How to Order

Hutches and Wall Storage

Cabinet Hutches
Corner Hutches
Adjustable Shelf Hutches


Wall Hutches
Wall Hutches / Pigeon Hole Unit
Desk Hutches

Desk Hutches / Pigeon Hole Unit
Wall Shelves
Tackboards





Open Hutches

H0



Leg Bases



Manufacturing Standards

- Horizontal wood grain on back panel;
- Task light concealer;
- Flexible grommet on back;
- Vertical middle panel on hutches 54" wide or more.


Tackboards: A fabric (TB) or cork (LI) tackboard can be added.

Leg Base: If the choice of base is not specified, the standard is 2 full legs (LR). For 1/2 leg on left or right (HR or LH) add \$37 retail. For two half legs (HH), add \$74 retail. **Warning:** hutches with half legs (HH) must be secured to the wall or adjacent furniture so that they do not tip forward. Logiflex is not responsible for any accidents caused by incorrectly installed hutches.

Dividers: Offered as option. Pre-drilled holes for dividers (DVD), set of 3 wire dividers included.


Options

Tackboard




LI
TB

Pre-drilled Holes with 3 Dividers



DVD
\$25

Task Light



T5
DEL20
\$\$

How to Order

ML	AB	H0	C	TB LI	HH HR LH LR (std)	DVD	T524 T536 T548 DEL20
series	dimensions	code	height	tackboard (p. 147)	leg base	dividers	task light (p. 211)
Example ML	1636	H0	43	TB	LR	DVD	

Prices

Dimensions	
A B C	ML
163037	478
163637	530
164237	580
164837	640
165437	705
166037	737
166637	770
167237	840
168437	1006
163043	547
163643	592
164243	647
164843	699
165443	765
166043	786
166643	819
167243	990
168443	1132

Hutches and Wall Storage

Cabinet Hutches
Corner Hutches
Adjustable Shelf Hutches


Wall Hutches
Wall Hutches / Pigeon Hole Unit
Desk Hutches

Desk Hutches / Pigeon Hole Unit
Wall Shelves
Tackboards






Desk Hutches with Doors

HP



Leg Bases



Manufacturing Standards

- Horizontal wood grain on back panel;
- Task light concealer;
- Flexible grommet on back.

Number of Doors:

30" - 42": 2 doors, 48" - 54": 3 doors, 60" - 72": 4 doors, 84": 5 doors.

Tackboards: A fabric (TB) or cork (LI) tackboard can be added.

Leg Base: If the choice of base is not specified, the standard is 2 full legs (LR). For 1/2 leg on left or right (HR or LH) add \$37 retail. For two half legs (HH), add \$74 retail. **Warning:** hutches with half legs (HH) must be secured to the wall or adjacent furniture so that they do not tip forward. Logiflex is not responsible for any accidents caused by incorrectly installed hutches.


Locks: Offered as option. Black (LKBL) or satin nickel (LKSN). Match to handle color.

Dividers: Offered as option. Pre-drilled holes for dividers (DVD), set of 3 wire dividers included.

Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Options

Tackboard




LI
TB

Lock




LK
\$38 ea.

Pre-drilled Holes with 3 Dividers



DVD
\$25

Task Light



T5
DEL20
\$\$

How to Order

						+			
AB		C		TB LI	HH HR LH LR (std)	LKBL LKSN	DVD		T524 T536 T548 DEL20
ML		HP							
series	dimensions	code	height	tackboard (p. 147)	leg base	lock (p. 205)	dividers	handles (p. 196)	task light (p. 211)
ML	1636	HP	43	TB	LR	LKSN	DVD		

Prices

Dimensions		
A	B	C ML
163037		664
163637		743
164237		776
164837		847
165437		1052
166037		1059
166637		1097
167237		1180
168437		1282
163043		736
163643		821
164243		855
164843		936
165443		1125
166043		1175
166643		1213
167243		1303
168443		1451

High Gloss Front: Please request a quotation to obtain a price.

Hutches and Wall Storage

Cabinet Hutches
Corner Hutches
Adjustable Shelf Hutches


Wall Hutches
Wall Hutches / Pigeon Hole Unit
Desk Hutches

Desk Hutches / Pigeon Hole Unit
Wall Shelves
Tackboards





Desk Hutches with Glass Doors

HPFL



Leg Bases



Manufacturing Standards

- White glass (V4) doors with aluminum-frame;
- Horizontal wood grain on back panel;
- Soft-close doors;
- Task light concealer;
- Flexible grommet on back.

Number of Doors:

30" - 42": 2 doors, 48" - 54": 3 doors, 60" - 72": 4 doors, 84": 5 doors.

Tackboards: A fabric (TB) or cork (LI) tackboard can be added.

Leg Base: If the choice of base is not specified, the standard is 2 full legs (LR). For 1/2 leg on left or right (HR or LH) add \$37 retail. For two half legs (HH), add \$74 retail. **Warning:** hutches with half legs (HH) must be secured to the wall or adjacent furniture so that they do not tip forward. Logiflex is not responsible for any accidents caused by incorrectly installed hutches.


Glass: If the choice of glass is not specified, the standard is white glass (V4). For other choices of glass, consult the Logiflex color chart. Prices available upon quotation request.

Dividers: Offered as option. Pre-drilled holes for dividers (DVD), set of 3 wire dividers included.

Handles: Optional built-in aluminum handles are available. Add \$11 retail each.

Options


Tackboard



Pre-drilled Holes with 3 Dividers



Handles



Task Light



How to Order

How to Order									
ML	AB	HPFL	C	TB LI	HH HR LH LR (std)	KB PL V4 (std)	DVD	H001	T524 T536 T548 DEL20
series	dimensions	code	height	tackboard (p. 147)	leg base	glass	dividers	handles	task light (p. 211)
Example ML	1636	HPFL	43	TB	LR	V4	DVD	H001	

Prices

Dimensions		
A	B	C ML
163037		1120
163637		1243
164237		1351
164837		1532
165437		1843
166037		1920
166637		2035
167237		2220
168437		2845
163043		1233
163643		1382
164243		1487
164843		1668
165443		1975
166043		2057
166643		2168
167243		2390
168443		3058

Hutches and Wall Storage

Cabinet Hutches
Corner Hutches
Adjustable Shelf Hutches


Wall Hutches
Wall Hutches / Pigeon Hole Unit
Desk Hutches

Desk Hutches / Pigeon Hole Unit
Wall Shelves
Tackboards






Desk Hutches with Glass Doors

HPV



Leg Bases



Manufacturing Standards

- Horizontal wood grain on back panel;
- Task light concealer;
- Satin nickel aluminum frames;
- Flexible grommet on back.

Number of Doors:

30" - 42": 2 doors, 48" - 54": 3 doors, 60" - 72": 4 doors, 84": 5 doors.

Tackboards: A fabric (TB) or cork (LI) tackboard can be added.

Leg Base: If the choice of base is not specified, the standard is 2 full legs (LR). For 1/2 leg on left or right (HR or LH) add \$37 retail. For two half legs (HH), add \$74 retail. **Warning:** hutches with half legs (HH) must be secured to the wall or adjacent furniture so that they do not tip forward. Logiflex is not responsible for any accidents caused by incorrectly installed hutches.

Glass: If the choice of glass is not specified, the standard is frosted glass (VS). For other choices of glass, consult the Logiflex color chart.


Locks: Offered as option. Black (LKBL) or satin nickel (LKSN). Match to handle color.

Dividers: Offered as option. Pre-drilled holes for dividers (DVD), set of 3 wire dividers included.

Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Options

Tackboard



LI
TB


Lock



LK

\$38 ea.


Pre-drilled Holes with 3 Dividers



DVD

\$25

Task Light



T5
DEL20

\$\$

How to Order

AB		C		TB LI	HH HR LH LR (std)	V4 KB PL VS (std)	LKBL LKSN	DVD	T524 T536 T548 DEL20	
ML		HPV								
series	dimensions	code	height	tackboard (p. 147)	leg base	glass	lock (p. 205)	dividers	handles (p. 196)	task light (p. 211)
ML	1636	HPV	43	TB	LR	VS	LKSN	DVD		

Prices

Dimensions		ML
A	B C	
163037		1120
163637		1243
164237		1351
164837		1532
165437		1843
166037		1920
166637		2035
167237		2220
168437		2845
163043		1233
163643		1382
164243		1487
164843		1668
165443		1975
166043		2057
166643		2168
167243		2390
168443		3058

Hutches and Wall Storage

Cabinet Hutches
Corner Hutches
Adjustable Shelf Hutches


Wall Hutches
Wall Hutches / Pigeon Hole Unit
Desk Hutches

Desk Hutches / Pigeon Hole Unit
Wall Shelves
Tackboards





Desk Hutches with Doors

HPA



Leg Bases



Manufacturing Standards

- Horizontal wood grain on back panel;
- Task light concealer;
- One adjustable shelf per section;
- Flexible grommet on back.

Number of Doors: 30" - 42": 2 doors, 48" - 54": 3 doors, 60" - 72": 4 doors, 84": 5 doors.

Tackboards: A fabric (TB) or cork (LI) tackboard can be added.

Leg Base: If the choice of base is not specified, the standard is 2 full legs (LR). For 1/2 leg on left or right (HR or LH) add \$37 retail. For two half legs (HH), add \$74 retail. **Warning:** hutches with half legs (HH) must be secured to the wall or adjacent furniture so that they do not tip forward. Logiflex is not responsible for any accidents caused by incorrectly installed hutches.


Locks: Offered as option. Black (LKBL) or satin nickel (LKSN). Match to handle color.

Dividers: Offered as option. Pre-drilled holes for dividers (DVD), set of 3 wire dividers included.

Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Options

Tackboard




LI
TB

Lock




LK
\$38 ea.

Pre-drilled Holes with 3 Dividers



DVD
\$25

Task Light



T5
DEL20
\$\$

Prices

Dimensions			
A	B	C	ML
163055			1246
163655			1327
164255			1435
164855			1551
165455			1809
166055			1903
166655			2013
167255			2062
168455			2254

How to Order

AB		C		TB	HH HR LH LR (std)	LKBL LKSN	DVD	T524 T536 T548 DEL20	
ML		HPA	55						
series	dimensions	code	height	tackboard (p. 147)	leg base	lock (p. 205)	dividers	handles (p. 196)	task light (p. 211)
Example ML	1636	HPA	55	TB	LR	LKSN	DVD		

Hutches and Wall Storage

Cabinet Hutches
Corner Hutches
Adjustable Shelf Hutches


Wall Hutches
Wall Hutches / Pigeon Hole Unit
Desk Hutches

Desk Hutches / Pigeon Hole Unit
Wall Shelves
Tackboards





Desk Hutches with Glass Doors

HPAFL



Leg Bases



Manufacturing Standards

- White glass (V4) doors with aluminum-frame;
- Horizontal wood grain on back panel;
- Soft-close doors;
- Task light concealer;
- One adjustable shelf per section;
- Flexible grommet on back.

Number of Doors:

30" - 42": 2 doors, 48" - 54": 3 doors, 60" - 72": 4 doors, 84": 5 doors.

Tackboards: A fabric (TB) or cork (LI) tackboard can be added.

Leg Base: If the choice of base is not specified, the standard is 2 full legs (LR). For 1/2 leg on left or right (HR or LH) add \$37 retail. For two half legs (HH), add \$74 retail. **Warning:** hutches with half legs (HH) must be secured to the wall or adjacent furniture so that they do not tip forward. Logiflex is not responsible for any accidents caused by incorrectly installed hutches.


Glass: If the choice of glass is not specified, the standard is white glass (V4). For other choices of glass, consult the Logiflex color chart. Prices available upon quotation request.

Dividers: Offered as option. Pre-drilled holes for dividers (DVD), set of 3 wire dividers included.

Handles: Optional built-in aluminum handles are available. Add \$11 retail each.


Options

Tackboard




LI
TB

Pre-drilled Holes with 3 Dividers




DVD
\$25

Handles



H001
\$11 ea.

Task Light



T5
DEL20
\$\$

How to Order

AB		C		TB LI	HH HR LH LR (std)	KB PL V4 (std)	DVD	H001	T524 T536 T548 DEL20
ML		HPAFL	55						
series	dimensions	code	height	tackboard (p. 147)	leg base	glass	dividers	handles	task light (p. 211)
Example ML	1636	HPAFL	55	TB	LR	V4	DVD	H001	

Hutches and Wall Storage

Cabinet Hutches
Corner Hutches
Adjustable Shelf Hutches


Wall Hutches
Wall Hutches / Pigeon Hole Unit
Desk Hutches

Desk Hutches / Pigeon Hole Unit
Wall Shelves
Tackboards





Desk Hutches with Glass Doors

HPAV



Leg Bases



Manufacturing Standards

- Horizontal wood grain on back panel;
- Satin nickel aluminum frames;
- One adjustable shelf per section;
- Task light concealer;
- Flexible grommet on back.

Number of Doors:

30" - 42": 2 doors, 48" - 54": 3 doors, 60" - 72": 4 doors, 84": 5 doors.

Tackboards: A fabric (TB) or cork (LI) tackboard can be added.

Leg Base: If the choice of base is not specified, the standard is 2 full legs (LR). For 1/2 leg on left or right (HR or LH) add \$37 retail. For two half legs (HH), add \$74 retail. **Warning:** hutches with half legs (HH) must be secured to the wall or adjacent furniture so that they do not tip forward. Logiflex is not responsible for any accidents caused by incorrectly installed hutches.


Glass: If the choice of glass is not specified, the standard is frosted glass (VS). For other choices of glass, consult the Logiflex color chart.

Dividers: Offered as option. Pre-drilled holes for dividers (DVD), set of 3 wire dividers included.

Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.


Options

Tackboard




LI
TB

Pre-drilled Holes with 3 Dividers



DVD
\$25

Task Light



T5
DEL20
\$\$

How to Order

AB		C		TB LI	HH HR LH LR (std)	V4 KB PL VS (std)	DVD		T524 T536 T548 DEL20
ML		HPAV	55						
series	dimensions	code	height	tackboard (p. 147)	leg base	glass	dividers	handles (p. 196)	task light (p. 211)
Example ML	1636	HPAV	55	TB	LR	VS	DVD		

Hutches and Wall Storage

Cabinet Hutches
Corner Hutches
Adjustable Shelf Hutches


Wall Hutches
Wall Hutches / Pigeon Hole Unit
Desk Hutches

Desk Hutches / Pigeon Hole Unit
Wall Shelves
Tackboards






Open Hutches with Pigeon Hole Unit

HOPG



Leg Bases



Manufacturing Standards

- Horizontal wood grain on back panel;
- Pigeon hole compartment interiors are 2-3/8";
- Vertical middle panel on hutches 54" wide or more;
- Task light concealer;
- Flexible grommet on back.


Tackboards: A fabric (TB) or cork (LI) tackboard can be added.

Leg Base: If the choice of base is not specified, the standard is 2 full legs (LR). For 1/2 leg on left or right (HR or LH) add \$37 retail. For two half legs (HH), add \$74 retail. **Warning:** hutches with half legs (HH) must be secured to the wall or adjacent furniture so that they do not tip forward. Logiflex is not responsible for any accidents caused by incorrectly installed hutches.

Dividers: Offered as option. Pre-drilled holes for dividers (DVD), set of 3 wire dividers included.


Options

Tackboard




LI
TB

Pre-drilled Holes with 3 Dividers



DVD
\$25

Task Light



T5
DEL20
\$\$

How to Order

AB		C		TB LI	HH HR LH LR (std)	DVD	T524 T536 T548 DEL20
ML	HOPG						
series	dimensions	code	height	tackboard (p. 147)	leg base	dividers	task light (p. 211)
Example ML	1636	HOPG	43	TB	LR	DVD	

Prices

Dimensions	
A B C	ML
163037	796
163637	849
164237	933
164837	991
165437	1106
166037	1138
166637	1211
167237	1327
168437	1484
163043	867
163643	884
164243	1002
164843	1053
165443	1167
166043	1188
166643	1262
167243	1435
168443	1576

Hutches and Wall Storage

Cabinet Hutches
Corner Hutches
Adjustable Shelf Hutches


Wall Hutches
Wall Hutches / Pigeon Hole Unit
Desk Hutches

Desk Hutches / Pigeon Hole Unit
Wall Shelves
Tackboards






Desk Hutches with Doors and Pigeon Hole Unit

HPPG



Leg Bases



Manufacturing Standards

- Horizontal wood grain on back panel;
- Pigeon hole compartment interiors are 2-3/8";
- Task light concealer;
- Flexible grommet on back.

Number of Doors:

30" - 42": 2 doors, 48" - 54": 3 doors, 60" - 72": 4 doors, 84": 5 doors.

Tackboards: A fabric (TB) or cork (LI) tackboard can be added.

Leg Base: If the choice of base is not specified, the standard is 2 full legs (LR). For 1/2 leg on left or right (HR or LH) add \$37 retail. For two half legs (HH), add \$74 retail. **Warning:** hutches with half legs (HH) must be secured to the wall or adjacent furniture so that they do not tip forward. Logiflex is not responsible for any accidents caused by incorrectly installed hutches.


Locks: Offered as option. Black (LKBL) or satin nickel (LKSN). Match to handle color.

Dividers: Offered as option. Pre-drilled holes for dividers (DVD), set of 3 wire dividers included.

Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Options

Tackboard



LI
TB


Lock



LK

\$38 ea.


Pre-drilled Holes with 3 Dividers



DVD

\$25

Task Light



T5
DEL20

\$5

How to Order

AB		C		TB LI	HH HR LH LR (std)	LKBL LKSN	DVD	T524 T536 T548 DEL20
ML		HPPG						
series	dimensions	code	height	tackboard (p. 147)	leg base	lock (p. 205)	dividers	handles (p. 196)
task light (p. 211)								
Example	ML	1636	HPPG	43	TB	LR	LKSN	DVD

Prices

Dimensions	
A B C	ML
163037	983
163637	1062
164237	1126
164837	1201
165437	1470
166037	1461
166637	1541
167237	1624
168437	1770
163043	1057
163643	1102
164243	1177
164843	1261
165443	1519
166043	1547
166643	1611
167243	1708
168443	1828

High Gloss Front: Please request a quotation to obtain a price.

Hutches and Wall Storage

Cabinet Hutches
Corner Hutches
Adjustable Shelf Hutches


Wall Hutches
Wall Hutches / Pigeon Hole Unit
Desk Hutches

Desk Hutches / Pigeon Hole Unit
Wall Shelves
Tackboards





Desk Hutches with Glass Doors and Pigeon Hole Unit

HPFLPG



Leg Bases



Manufacturing Standards

- White glass (V4) doors with aluminum-frame;
- Horizontal wood grain on back panel;
- Soft-close doors;
- Task light concealer;
- Pigeon hole compartment interiors are 2-3/8";
- Flexible grommet on back.

Number of Doors:

30" - 42": 2 doors, 48" - 54": 3 doors, 60" - 72": 4 doors, 84": 5 doors.

Tackboards: A fabric (TB) or cork (LI) tackboard can be added.

Leg Base: If the choice of base is not specified, the standard is 2 full legs (LR). For 1/2 leg on left or right (HR or LH) add \$37 retail. For two half legs (HH), add \$74 retail. **Warning:** hutches with half legs (HH) must be secured to the wall or adjacent furniture so that they do not tip forward. Logiflex is not responsible for any accidents caused by incorrectly installed hutches.


Glass: If the choice of glass is not specified, the standard is white glass (V4). For other choices of glass, consult the Logiflex color chart.

Dividers: Offered as option. Pre-drilled holes for dividers (DVD), set of 3 wire dividers included.

Handles: Optional built-in aluminum handles are available. Add \$11 retail each.

Options


Tackboard



Pre-drilled Holes with 3 Dividers



Handles



Task Light



How to Order

AB		C		TB	HH	KB			
ML		HPFLPG		LI	LR (std)	PL	V4 (std)		
series	dimensions	code	height	tackboard (p. 147)	leg base	glass	dividers	handles	task light (p. 211)
Example ML	1636	HPFLPG	43	TB	LR	V4	DVD	H001	

Prices

Dimensions			
A	B	C	ML
163037			1461
163637			1592
164237			1706
164837			1907
165437			2277
166037			2372
166637			2504
167237			2691
168437			3326
163043			1673
163643			1824
164243			1953
164843			2175
165443			2569
166043			2679
166643			2829
167243			3042
168443			3714

Hutches and Wall Storage

Cabinet Hutches
Corner Hutches
Adjustable Shelf Hutches


Wall Hutches
Wall Hutches / Pigeon Hole Unit
Desk Hutches

Desk Hutches / Pigeon Hole Unit
Wall Shelves
Tackboards






Desk Hutches with Glass Doors and Pigeon Hole Unit

HPVPG



Leg Bases



Manufacturing Standards

- Horizontal wood grain on back panel;
- Pigeon hole compartment interiors are 2-3/8";
- Satin nickel aluminum frames;
- Task light concealer;
- Flexible grommet on back.

Number of Doors:

30" - 42": 2 doors, 48" - 54": 3 doors, 60" - 72": 4 doors, 84": 5 doors.

Tackboards: A fabric (TB) or cork (LI) tackboard can be added.

Leg Base: If the choice of base is not specified, the standard is 2 full legs (LR). For 1/2 leg on left or right (HR or LH) add \$37 retail. For two half legs (HH), add \$74 retail. **Warning:** hutches with half legs (HH) must be secured to the wall or adjacent furniture so that they do not tip forward. Logiflex is not responsible for any accidents caused by incorrectly installed hutches.

Glass: If the choice of glass is not specified, the standard is frosted glass (VS). For other choices of glass, consult the Logiflex color chart.


Locks: Offered as option. Black (LKBL) or satin nickel (LKSN). Match to handle color.

Dividers: Offered as option. Pre-drilled holes for dividers (DVD), set of 3 wire dividers included.

Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Options

Tackboard



LI
TB


Lock



LK

\$38 ea.


Pre-drilled Holes with 3 Dividers



DVD

\$25

Task Light



T5
DEL20

\$5

How to Order

											+
AB		C			TB LI	HH HR LH LR (std)	V4 KB PL VS (std)	LKBL LKSN	DVD	T524 T536 T548 DEL20	
ML		HPVPG									
series	dimensions	code	height	tackboard (p. 147)	leg base	glass	lock (p. 205)	dividers	handles (p. 196)	task light (p. 211)	
Example ML	1636	HPVPG	43	TB	LR	VS	LKSN	DVD			

Prices

Dimensions			
A	B	C	ML
163037			1461
163637			1592
164237			1706
164837			1907
165437			2277
166037			2372
166637			2504
167237			2691
168437			3326
163043			1673
163643			1824
164243			1953
164843			2175
165443			2569
166043			2679
166643			2829
167243			3042
168443			3714

Hutches and Wall Storage

Cabinet Hutches
Corner Hutches
Adjustable Shelf Hutchches


Wall Hutches
Wall Hutches / Pigeon Hole Unit
Desk Hutches

Desk Hutches / Pigeon Hole Unit
Wall Shelves
Tackboards





Desk Hutches with Doors and Pigeon Hole Unit

HPAPG



Leg Bases



Manufacturing Standards

- Horizontal wood grain on back panel;
- Pigeon hole compartment interiors are 2-3/8";
- Task light concealer;
- Flexible grommet on back.

Number of Doors:

30" - 42": 2 doors, 48" - 54": 3 doors, 60" - 72": 4 doors, 84": 5 doors.

Tackboards: A fabric (TB) or cork (LI) tackboard can be added.

Leg Base: If the choice of base is not specified, the standard is 2 full legs (LR). For 1/2 leg on left or right (HR or LH) add \$37 retail. For two half legs (HH), add \$74 retail. **Warning:** hutches with half legs (HH) must be secured to the wall or adjacent furniture so that they do not tip forward. Logiflex is not responsible for any accidents caused by incorrectly installed hutches.


Locks: Offered as option. Black (LKBL) or satin nickel (LKSN). Match to handle color.

Dividers: Offered as option. Pre-drilled holes for dividers (DVD), set of 3 wire dividers included.

Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Options

Tackboard




LI
TB

Lock




LK
\$38 ea.

Pre-drilled Holes with 3 Dividers



DVD
\$25

Task Light



T5
DEL20
\$\$

How to Order

+									
ML	AB	HPAPG	C	TB LI	HH HR LH LR (std)	LKBL LKSN	DVD	T524 T536 T548 DEL20	
series	dimensions	code	height	tackboard (p. 147)	leg base	lock (p. 205)	dividers	handles (p. 196)	task light (p. 211)
Example ML	1636	HPAPG	55	TB	LR	LKSN	DVD		

Prices

Dimensions			
A	B	C	ML
163055			1566
163655			1633
164255			1789
164855			1878
165455			2202
166055			2306
166655			2438
167255			2486
168455			2688

High Gloss Front: Please request a quotation to obtain a price.

Hutches and Wall Storage

Cabinet Hutches
Corner Hutches
Adjustable Shelf Hutches


Wall Hutches
Wall Hutches / Pigeon Hole Unit
Desk Hutches

Desk Hutches / Pigeon Hole Unit
Wall Shelves
Tackboards





Desk Hutches with Glass Doors and Pigeon Hole Unit

HPAFLPG



Leg Bases



Manufacturing Standards

- White glass (V4) doors with aluminum-frame;
- Horizontal wood grain on back panel;
- Pigeon hole compartment interiors are 2-3/8";
- Soft-close doors;
- One adjustable shelf per section;
- Task light concealer;
- Flexible grommet on back.

Number of Doors:

30" - 42": 2 doors, 48" - 54": 3 doors, 60" - 72": 4 doors, 84": 5 doors.

Tackboards: A fabric (TB) or cork (LI) tackboard can be added.

Leg Base: If the choice of base is not specified, the standard is 2 full legs (LR). For 1/2 leg on left or right (HR or LH) add \$37 retail. For two half legs (HH), add \$74 retail. **Warning:** hutches with half legs (HH) must be secured to the wall or adjacent furniture so that they do not tip forward. Logiflex is not responsible for any accidents caused by incorrectly installed hutches.


Glass: If the choice of glass is not specified, the standard is white glass (V4). For other choices of glass, consult the Logiflex color chart.

Dividers: Offered as option. Pre-drilled holes for dividers (DVD), set of 3 wire dividers included.

Handles: Optional built-in aluminum handles are available. Add \$11 retail each.


Options

Tackboard




LI
TB

Pre-drilled Holes with 3 Dividers




DVD
\$25

Handles



H001
\$11 ea.

Task Light



T5
DEL20
\$\$

How to Order

How to Order									
ML	AB	HPAFLPG	C	TB LI	HH HR LH LR (std)	KB PL V4 (std)	DVD	H001	T524 T536 T548 DEL20
series	dimensions	code	height	tackboard (p. 147)	leg base	glass	dividers	handles	task light (p. 211)
Example ML	1636	HPAFLPG	55	TB	LR	V4	DVD	H001	

Prices

Dimensions			
A	B	C	ML
163055			2464
163655			2689
164255			2969
164855			3258
165455			3749
166055			4007
166655			4286
167255			4495
168455			4992

Hutches and Wall Storage

Cabinet Hutches
Corner Hutches
Adjustable Shelf Hutches


Wall Hutches
Wall Hutches / Pigeon Hole Unit
Desk Hutches

Desk Hutches / Pigeon Hole Unit
Wall Shelves
Tackboards





Desk Hutches with Glass Doors and Pigeon Hole Unit

HPAVPG



Leg Bases



Manufacturing Standards

- Horizontal wood grain on back panel;
- Satin nickel aluminum frames;
- Pigeon hole compartment interiors are 2-3/8";
- Task light concealer;
- One adjustable shelf per section;
- Flexible grommet on back.

Number of Doors:

30" - 42": 2 doors, 48" - 54": 3 doors, 60" - 72": 4 doors, 84": 5 doors.

Tackboards: A fabric (TB) or cork (LI) tackboard can be added.

Leg Base: If the choice of base is not specified, the standard is 2 full legs (LR). For 1/2 leg on left or right (HR or LH) add \$37 retail. For two half legs (HH), add \$74 retail. **Warning:** hutches with half legs (HH) must be secured to the wall or adjacent furniture so that they do not tip forward. Logiflex is not responsible for any accidents caused by incorrectly installed hutches.


Glass: If the choice of glass is not specified, the standard is frosted glass (VS). For other choices of glass, consult the Logiflex color chart.

Dividers: Offered as option. Pre-drilled holes for dividers (DVD), set of 3 wire dividers included.

Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.


Options

Tackboard



LI
TB


Pre-drilled Holes with 3 Dividers



DVD

\$25

Task Light



T5

DEL20

\$\$

How to Order

ML AB HPAVPG C TB LI HH HR LH LR (std) V4 KB PL VS (std) DVD T524 T536 T548 DEL20									
series	dimensions	code	height	tackboard (p. 147)	leg base	glass	dividers	handles (p. 196)	task light (p. 211)
Example ML	1636	HPAVPG	55	TB	LR	VS	DVD		

Prices

Dimensions			
A	B	C	ML
163055			2464
163655			2689
164255			2969
164855			3258
165455			3749
166055			4007
166655			4286
167255			4495
168455			4992

Hutches and Wall Storage

Cabinet Hutches
Corner Hutches
Adjustable Shelf Hutches


Wall Hutches
Wall Hutches / Pigeon Hole Unit
Desk Hutches

Desk Hutches / Pigeon Hole Unit
Wall Shelves
Tackboards




Wall Shelves

WWS



WWST



Manufacturing Standards


- 12" high interior;
- Z-bars for wall mounting (hardware not included);

Dividers: Offered as option. Pre-drilled holes for dividers (DVD), set of 3 wire dividers included.

Attention: Logiflex is not responsible for the installation of wall hutches. This responsibility belongs entirely to the distributor or the client.

Options

Pre-drilled Holes with 3 Dividers



DVD

\$25

How to Order

				+
AB		WWS WWST	DVD	
ML				
series	dimensions	code	dividers	
Example ML	1336	WWS	DVD	

Prices

WWS - Wall Shelf (no top)

Dimensions		
A	B	ML
1336		319
1342		362
1348		495
1354		588
1360		732
1372		755

WWST - Wall Shelf (with top)

Dimensions		
A	B	ML
1336		376
1342		393
1348		536
1354		620
1360		755
1372		798

Hutches and Wall Storage

Cabinet Hutches
Corner Hutches
Adjustable Shelf Hutches


Wall Hutches
Wall Hutches / Pigeon Hole Unit
Desk Hutches

Desk Hutches / Pigeon Hole Unit
Wall Shelves
Tackboards



Fabric Tackboards for Hutches

TB



Manufacturing Standards

Standard Fabric: Please choose from the Logiflex color chart.

Chair Fabric: Please submit a quotation request providing the following information: manufacturer's name, pattern name/number and color name/number. Price available upon request.

COM Fabric: (Provided by the customer). COM fabrics must be sent directly to your Customer Service Representative, **Prepaid**. It is important to indicate the reference number of your purchase order on the package containing your fabric.

Tackboards with COM Fabric:
30" - 42" tackboards = 1.5 yards
48" - 60" tackboards = 2 yards
66" - 78" tackboards = 2.5 yards
84" - 96" tackboards = 3 yards

Tackboards for Existing Hutches:
If ordering a tackboard for an existing hutch, please specify the code of the existing hutch. Logiflex can then make the tackboard to the exact dimensions for easy installation of the product.

Prices


Dimensions B	COM GR1	GR2	GR3	GR4	GR5	GR6
30	270	317	355	391	418	440
36	270	317	355	391	418	440
42	270	317	355	391	418	440
48	270	317	355	391	418	440
54	270	317	355	391	418	440
60	354	401	440	468	493	518
66	354	401	440	468	493	518
72	393	443	480	519	545	570
84	438	487	524	562	589	613

How to Order

B		ex: 37, 43, 55		GR1 GR2 GR3 GR4 GR5 COM	ex: HPPG, HOPG	See Logiflex color chart or COM fabric number
ML		TB				
series	dimensions	code	existing hutch height	fabric	hutch code (for existing hutch)	fabric
Example ML	30	TB		GR1		

Fabric Tackboards and Display Boards

TBW



Manufacturing Standards

- Spaces on back to allow for passage of wiring;
- Attaches to wall with Velcro system.


Standard Fabric: Please choose from the Logiflex color chart.

Chair Fabric: Please submit a quotation request providing the following information: manufacturer's name, pattern name/number and color name/number. Price available upon request.

COM Fabric: (Provided by the customer). COM fabrics must be sent directly to your Customer Service Representative, **Prepaid**. It is important to indicate the reference number of your purchase order on the package containing your fabric.

Tackboards with COM Fabric:

30" - 42" tackboards = 1.5 yards
48" - 60" tackboards = 2 yards
66" - 72" tackboards = 2.5 yards
84" tackboards = 3 yards



Prices


Dimensions		COM					
A	B	GR1	GR2	GR3	GR4	GR5	GR6
2430		270	317	355	391	418	440
2436		270	317	355	391	418	440
2442		270	317	355	391	418	440
2448		270	317	355	391	418	440
2454		270	317	355	391	418	440
2460		354	401	440	468	493	518
2466		354	401	440	468	493	518
2472		393	443	480	519	545	570
2484		438	487	524	562	589	613

How to Order

AB		BI SB BA (std)		GR1 GR2 GR3 GR4 GR5 COM	See Logiflex color chart or COM fabric number
ML		TBW			
series	dimensions	code	mounting spacers	fabric	fabric
Example ML	2442	TBW	BA	GR1	

Cork Tackboards for Hutches

LI



Manufacturing Standards

Tackboards for Existing Hutches:
If ordering a tackboard for an existing hutch, please specify the code of the existing hutch. Logiflex can then make the tackboard to the exact dimensions for easy installation of the product.

Prices


Dimensions	
B	
30	270
36	270
42	270
48	270
54	270
60	354
66	354
72	393
84	438

How to Order

B		ex: 37, 43, 55		ex: HPPG, HOPG	
ML		LI			
series	dimensions	code	existing hutch height	hutch code (for existing hutch)	
Example ML	30	LI			


Cork Tackboards and Display Boards

LIW



Manufacturing Standards

- Spaces on back to allow for passage of wiring;
- Attaches to wall with Velcro system.



Prices

Dimensions A B	
2430	270
2436	270
2442	270
2448	270
2454	270
2460	354
2466	354
2472	393
2484	438

How to Order

AB		BI SB BA (std)	
ML		LIW	
series	dimensions	code	mounting spacers
Example ML	2442	LIW	BA

Bookcases and Cabinets

Bookcases and Cabinets

Corner Bookcases

Bookcases

Display Cases

Wardrobes

Wardrobes with Pedestals

Cabinets


Pigeonhole Units

Multiple Units




Corner Bookcases


BBC L




BBC R



Wood Grain Direction



Left (L)



Right (R)

Manufacturing Standards

- 1" thick adjustable shelves;
- Shelf brackets.

Number of adjustable shelves included:
Less than 29" H: 1 shelf, 36" - 47" H: 2 shelves,
48" - 65" H: 3 shelves, 66" - 83" H: 4 shelves,
more than 84" H: 5 shelves.


Additional shelves (SH): see Appendix G for prices, p. 17

Prices

Dimensions				
A	B	C	ML	MLL
121229			723	793
121236			768	
121242			801	
121248			846	
121254			887	
121260			938	
121266			988	
121272			1021	
121284			1054	
151529			796	827
151536			835	
151542			868	
151548			912	
151554			946	
151560			988	
151566			1021	
151572			1036	
151584			1070	
202029			835	918
202036			868	
202042			905	
202048			938	
202054			969	
202060			1003	
202066			1036	
202072			1070	
202084			1104	
242429			868	935
242460			1036	
242466			1068	
242472			1103	
242484			1135	
303029			1036	1155

Options

Additional Shelves



SH


How to Order

ML MLL		ABC		L R	SH	
	BB		C			
series	code	dimensions	code	wood grain direction	shelves	
Example ML	BB	151529	C	L	SH	




30" Bookcases with Masonite Back


BB1230



BB1530



BB2030



Manufacturing Standards


- 1" thick adjustable shelves;
- Shelf brackets;
- Black masonite back.

Number of adjustable shelves included:
 Less than 29" H: 1 shelf, 36" - 47" H: 2 shelves,
 48" - 65" H: 3 shelves, 66" - 83" H: 4 shelves,
 more than 84" H: 5 shelves.

Additional shelves (SH): see Appendix G for prices, p. 17

Options

Additional Shelves



SH

How to Order

ML MLL		ABC	SH
	BB		
series	code	dimensions	shelves

Example

ML	BB	153029	SH
----	----	--------	----

Prices

Dimensions		
A	B	C
ML	MLL	
123029	402	467
123036	420	
123042	428	
123048	444	
123054	462	
123060	478	
123066	511	
123072	640	
123084	755	
153029	495	573
153036	511	
153042	536	
153048	554	
153054	580	
153060	588	
153066	645	
153072	747	
153084	788	
203029	529	627
203036	543	
203042	570	
203048	588	
203054	612	
203060	620	
203066	696	
203072	779	
203084	821	

Bookcases and Cabinets

Corner Bookcases
Bookcases
Display Cases


Wardrobes
Wardrobes with Pedestals
Cabinets

Pigeonhole Units
Multiple Units




30" Bookcases with Laminate Back


BBL1230



BBL1530



BBL2030



Manufacturing Standards


- 1" thick adjustable shelves;
- Shelf brackets;
- 5/8" thick laminate back.

Number of adjustable shelves included:
Less than 29" H: 1 shelf, 36" - 47"H: 2 shelves,
48" - 65"H: 3 shelves, 66" - 83"H: 4 shelves,
more than 84"H: 5 shelves.

Additional shelves (SH): see Appendix G for prices, [p. 17](#)

Options

Additional Shelves



SH

How to Order

ML MLL		ABC	SH
	BBL		
series	code	dimensions	shelves
Example	ML	BBL	153029 SH

Prices

Dimensions		
A	B	C
ML	MLL	
123029	495	562
123036	529	
123042	562	
123048	580	
123054	594	
123060	620	
123066	653	
123072	779	
123084	880	
153029	518	587
153036	552	
153042	586	
153048	599	
153054	616	
153060	644	
153066	678	
153072	803	
153084	921	
203029	620	694
203036	653	
203042	696	
203048	711	
203054	737	
203060	755	
203066	798	
203072	923	
203084	973	

Bookcases and Cabinets

Corner Bookcases
Bookcases
Display Cases


Wardrobes
Wardrobes with Pedestals
Cabinets

Pigeonhole Units
Multiple Units




36" Bookcases with Masonite Back


BB1236



BB1536



BB2036



Manufacturing Standards


- 1" thick adjustable shelves;
- Shelf brackets;
- Black masonite back.

Number of adjustable shelves included:
Less than 29" H: 1 shelf, 36" - 47"H: 2 shelves,
48" - 65"H: 3 shelves, 66" - 83"H: 4 shelves,
more than 84"H: 5 shelves.

Additional shelves (SH): see Appendix G for prices, [p. 17](#)

Options

Additional Shelves



SH

How to Order

ML MLL		ABC	SH
	BB		
series	code	dimensions	shelves
Example	ML	BB	153629
			SH

Prices

Dimensions		
A	B	C
ML	MLL	
123629	444	517
123636	462	
123642	478	
123648	495	
123654	511	
123660	529	
123666	562	
123672	686	
123684	779	
153629	536	627
153636	554	
153642	580	
153648	594	
153654	620	
153660	628	
153666	660	
153672	788	
153684	830	
203629	570	683
203636	588	
203642	612	
203648	628	
203654	653	
203660	660	
203666	737	
203672	821	
203684	864	

Bookcases and Cabinets

Corner Bookcases
Bookcases
Display Cases


Wardrobes
Wardrobes with Pedestals
Cabinets

Pigeonhole Units
Multiple Units




36" Bookcases with Laminate Back


BBL1236



BBL1536



BBL2036



Manufacturing Standards


- 1" thick adjustable shelves;
- Shelf brackets;
- 5/8" thick laminate back.

Number of adjustable shelves included:
Less than 29" H: 1 shelf, 36" - 47"H: 2 shelves,
48" - 65"H: 3 shelves, 66" - 83"H: 4 shelves,
more than 84"H: 5 shelves.

Additional shelves (SH): see Appendix G for prices, p. 17

Options

Additional Shelves



SH

How to Order

ML MLL	ABC	SH
	BBL	
series	code	dimensions



Example ML BBL 153629 SH

Prices

Dimensions		
A	B	C
ML	MLL	
123629	536	603
123636	570	
123642	600	
123648	620	
123654	640	
123660	660	
123666	705	
123672	830	
123684	930	
153629	559	634
153636	592	
153642	624	
153648	644	
153654	658	
153660	683	
153666	727	
153672	853	
153684	952	
203629	660	740
203636	696	
203642	737	
203648	755	
203654	779	
203660	798	
203666	840	
203672	964	
203684	1015	

Display Cases with 5 Angled Shelves

MD5



Manufacturing Standards

- 5 angled shelves with fixed horizontal shelves underneath.

Prices



Dimensions	
A B	ML
1830	1676
1836	1722
1842	1811

How to Order

AB		
ML		MD5
series	dimensions	code
Example ML	1836	MD5

Display Cases with 3 Angled Shelves and 2 Door Cabinet

MD3AR



Manufacturing Standards

- 3 angled shelves with fixed horizontal shelves underneath;
- HJAB handles;
- 2-door cabinet with 1 adjustable shelf;
- Lock.

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Prices

Dimensions	
A B	ML
1830	1630
1836	1676
1842	1766

How to Order

AB			
ML		MD3AR	
series	dimensions	code	handles (p. 196)
Example ML	1836	MD3AR	


High Gloss Front: Please request a quotation to obtain a price.



Wardrobes with One Door


VL

Door opening to the left



VR

Door opening to the right



Manufacturing Standards

- Fixed shelf (8" clearance between shelf and top);
- Clothes rail;
- HJAB handle;
- Lock;
- 5/8" laminate back;
- Ventilation grill in back panel.

Legs: To add metal legs under the cabinets. Add \$56 retail each. Logiflex will adjust the unit to the desired height.

- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).

Handle: For a handle other than HJAB standard, please choose from the Logiflex list at no extra charge.

Prices

Dimensions		
A	B	C ML
201866		718
202466		821
241866		879
242466		923
201872		786
202472		891
241872		948
242472		1015
201884		923
202484		1012
241884		1085
242484		1151

High Gloss Front: Please request a quotation to obtain a price.

How to Order

					+
ML	ABC	VL VR	PSQ OVAMBL OVAMSN	HJAB (std)	
series	dimension	code	legs (p. 197)	handles (p. 196)	


Example ML 202466 VL PSQ HJAB



Wardrobes with One Glass Door


VLFL

Door opening to the left



VRFL

Door opening to the right



Manufacturing Standards

- White glass (V4) doors with aluminum-frame and built-in handle;
- Soft-close door;
- Clothes rail;
- 5/8" laminate back;
- Fixed shelf (8" clearance between shelf and top);
- Ventilation grill in back panel.

Glass: If the choice of glass is not specified, the standard is white glass (V4). For other choices of glass, consult the Logiflex color chart. Prices available upon quotation request.

Legs: To add metal legs under the cabinets. Add \$56 retail each. Logiflex will adjust the unit to the desired height.

- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).

Prices

Dimensions		
A	B	C ML
201866		1656
202466		2012
241866		1841
242466		2195
201872		1811
202472		2190
241872		1994
242472		2370
201884		2182
202484		2611
241884		2368
242484		2775

How to Order

ML	ABC	VLFL VRFL	KB PL V4 (std)	PSQ OVAMBL OVAMSN
series	dimension	code	glass	legs (p. 197)


Example ML 202466 VLFL V4 PSQ



Wardrobes with One Glass Door


VLPV

Door opening to the left



VRPV

Door opening to the right



Manufacturing Standards

- Fixed shelf (8" clearance between shelf and top);
- Clothes rail;
- HJA handle;
- 5/8" laminate back;
- Ventilation grill in back panel.

Glass: If the choice of glass is not specified, the standard is frosted glass (VS). For other choices of glass, consult the Logiflex color chart. Prices available upon quotation request.

Legs: To add metal legs under the cabinets. Add \$56 retail each. Logiflex will adjust the unit to the desired height.

- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).

Handle: For a handle other than HJA standard, please choose from the Logiflex list at no extra charge.

Lock: Offered as option. Satin nickel (LKSN). Match to handle color. Only available for 66" and 72" units.

Options

Lock



LK

\$38 ea.

How to Order

							+
ML	ABC	VLPV VRPV	V4 KB PL VS (std)	PSQ OVAMBL OVAMSN	HJA (std)	LKBL LKSN	
series	dimension	code	glass	legs (p. 197)	handles (p. 196)	lock (p. 205)	
Example ML	202466	VLPV	VS	PSQ	HJA	LKSN	


Prices

Dimensions			ML
A	B	C	
201866			1656
202466			2012
241866			1841
242466			2195
201872			1811
202472			2190
241872			1994
242472			2370
201884			2182
202484			2611
241884			2368
242484			2775



Wardrobes with Two Doors

V



Manufacturing Standards

- Fixed shelf (8" clearance between shelf and top);
- Clothes rail;
- HJAB handles;
- Lock;
- 5/8" laminate back;
- Ventilation grill in back panel.

Legs: To add metal legs under the cabinets. Add \$56 retail each. Logiflex will adjust the unit to the desired height.

- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Prices

Dimensions			ML
A	B	C	
203066			1031
203666			1132
204266			1273
243066			1192
243666			1262
244266			1408
203072			1097
203672			1228
204272			1392
243072			1259
243672			1344
244272			1475
203084			1334
203684			1418
204284			1564
243084			1511
243684			1591
244284			1722

High Gloss Front: Please request a quotation to obtain a price.

How to Order


ABC			PSQ OVAMBL OVAMSN	HJAB (std)
ML		V		
series	dimension	code	legs (p. 197)	handles (p. 196)

Example ML 203066 V PSQ HJAB



Wardrobes with Two Glass Doors

VFL



Manufacturing Standards

- White glass (V4) doors with aluminum-frame and built-in handle;
- Soft-close doors;
- Clothes rail;
- Fixed shelf (8" clearance between shelf and top);
- 5/8" laminate back;
- Ventilation grill in back panel.

Glass: If the choice of glass is not specified, the standard is white glass (V4). For other choices of glass, consult the Logiflex color chart. Prices available upon quotation request.

Legs: To add metal legs under the cabinets. Add \$56 retail each. Logiflex will adjust the unit to the desired height.

- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).

Prices

Dimensions			ML
A	B	C	
203066			2342
203666			2694
204266			2986
243066			2539
243666			2887
244266			3218
203072			2514
203672			2906
204272			3188
243072			2739
243672			3075
244272			3430
203084			3076
203684			3420
204284			3756
243084			3213
243684			3609
244284			3947

How to Order


ABC		KB PL V4 (std)		PSQ OVAMBL OVAMSN
ML		VFL		
series	dimension	code	glass	legs (p. 197)

Example ML 203066 VFL V4 PSQ



Wardrobes with Two Glass Doors

VPV



Manufacturing Standards

- Fixed shelf (8" clearance between shelf and top);
- Clothes rail;
- HJA handle;
- 5/8" laminate back;
- Ventilation grill in back panel.

Glass: If the choice of glass is not specified, the standard is frosted glass (VS). For other choices of glass, consult the Logiflex color chart. Prices available upon quotation request.

Legs: To add metal legs under the cabinets. Add \$56 retail each. Logiflex will adjust the unit to the desired height.

- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).

Handles: For handles other than HJA standard, please choose from the Logiflex list at no extra charge.

Options

Lock



LK

\$38 ea.

How to Order

							+
ABC			V4 KB PL VS (std)	PSQ OVAMBL OVAMSN	HJA (std)	LKBL LKSN	
ML		VPV					
series	dimension	code	glass	legs (p. 197)	handles (p. 196)	lock (p. 205)	
Example	ML	203066	VPV	VS	PSQ	HJA	LKSN

Prices

Dimensions			ML
A	B	C	
203066			2342
203666			2694
204266			2986
243066			2539
243666			2887
244266			3218
203072			2514
203672			2906
204272			3188
243072			2739
243672			3075
244272			3430
203084			3076
203684			3420
204284			3756
243084			3213
243684			3609
244284			3947

Bookcases and Cabinets

Corner Bookcases
Bookcases
Display Cases

Wardrobes
Wardrobes with Pedestals
Cabinets


Pigeonhole Units
Multiple Units



Wardrobes with Two Doors and Cabinet

ARV

VAR



Manufacturing Standards

- Adjustable shelves;
- Shelf brackets;
- Fixed shelf (8" clearance between shelf and top);
- Clothes rail;
- HJAB handles;
- Lock;
- 5/8" laminate back;
- Ventilation grill in back panel.

Legs: To add metal legs under the cabinets. Add \$56 retail each. Logiflex will adjust the unit to the desired height.

- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Adjustable shelves (SH):

66" H - 72" H: 4 shelves / 84" high: 5 adjustable.

Additional shelves, see Appendix G for prices, p. 17.


Prices

Dimensions			
A	B	C	ML
202466			1341
203066			1416
203666			1494
204266			1568
204866			1643
242466			1426
243066			1499
243666			1577
244266			1652
244866			1727
202472			1408
203072			1484
203672			1575
204272			1708
204872			1710
242472			1510
243072			1568
243672			1643
244272			1717
244872			1795
202484			1639
203084			1717
203684			1816
204284			1954
204884			1964
242484			1749
243084			1809
243684			1890
244284			1971
244884			2057

High Gloss Front: Please request a quotation to obtain a price.

Options

Additional Shelves



SH

How to Order

ML	ABC	ARV VAR	PSQ OVAMBL OVAMSN	HJAB (std)	SH
series	dimension	code	legs (p. 197)	handles (p. 196)	shelves
Example ML	202466	ARV	PSQ	HJAB	SH

Bookcases and Cabinets

Corner Bookcases
Bookcases
Display Cases

Wardrobes
Wardrobes with Pedestals
Cabinets


Pigeonhole Units
Multiple Units



Wardrobe on Right and Cabinet with Pedestal on Left

AREV

ARFV



Manufacturing Standards

- 2 utility drawers and 1 file drawer or 2 file drawers;
- 2 adjustable shelves;
- Shelf brackets;
- Fixed shelf;
- Clothes rail;
- HJAB handles;
- Locks;
- 5/8" laminate back;
- Ventilation grill in back panel.

Legs: To add metal legs under the cabinets. Add \$56 retail each. Logiflex will adjust the unit to the desired height.


- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Additional shelves (SH): see Appendix G for prices, p. 17

Options

Additional Shelves



SH

How to Order

		ABC	AREV ARFV	PSQ OVAMBL OVAMSN	HJAB (std)		
ML							
series	dimension	code		legs (p. 197)	handles (p. 196)	shelves	
Example ML	203066	AREV	PSQ	HJAB	SH		

Prices

Dimensions			Wardrobe Interior Width
A	B	C	
202466	1945	ML	6-7/8"
203066	2013		12-7/8"
203666	2072		18-7/8"
204266	2145		24-7/8"
204866	2215		27-7/8"
242466	2019		6-7/8"
243066	2086		12-7/8"
243666	2154		18-7/8"
244266	2230		24-7/8"
244866	2303		27-7/8"
202472	2004		6-7/8"
203072	2072		12-7/8"
203672	2137		18-7/8"
204272	2215		24-7/8"
204872	2278		27-7/8"
242472	2086		6-7/8"
243072	2154		12-7/8"
243672	2222		18-7/8"
244272	2298		24-7/8"
244872	2364		27-7/8"
202484	2215		6-7/8"
203084	2305		12-7/8"
203684	2379		18-7/8"
204284	2460		24-7/8"
204884	2535		27-7/8"
242484	2320		6-7/8"
243084	2394		12-7/8"
243684	2469		18-7/8"
244284	2582		24-7/8"
244884	2796		27-7/8"

High Gloss Front: Please request a quotation to obtain a price.

Bookcases and Cabinets

Corner Bookcases
Bookcases
Display Cases


Wardrobes
Wardrobes with Pedestals
Cabinets

Pigeonhole Units
Multiple Units




Wardrobe on Left and Cabinet with Pedestal on Right

VARE



VARF



Manufacturing Standards

- 2 utility drawers and 1 file drawer or 2 file drawers;
- 2 adjustable shelves;
- Shelf brackets;
- Fixed shelf;
- Clothes rail;
- HJAB handles;
- Locks;
- 5/8" laminate back;
- Ventilation grill in back panel.

Legs: To add metal legs under the cabinets. Add \$56 retail each. Logiflex will adjust the unit to the desired height.


- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Additional shelves (SH): see Appendix G for prices, p. 17

Options

Additional Shelves



SH

How to Order

ML	ABC	VARE VARF	PSQ OVAMBL OVAMSN	HJAB (std)	SH
series	dimension	code	legs (p. 197)	handles (p. 196)	shelves
Example ML	203066	VARE	PSQ	HJAB	SH

Prices

Dimensions			Wardrobe Interior Width
A	B	C	
202466	1945	ML	6-7/8"
203066	2013		12-7/8"
203666	2072		18-7/8"
204266	2145		24-7/8"
204866	2215		27-7/8"
242466	2019		6-7/8"
243066	2086		12-7/8"
243666	2154		18-7/8"
244266	2230		24-7/8"
244866	2303		27-7/8"
202472	2004		6-7/8"
203072	2072		12-7/8"
203672	2137		18-7/8"
204272	2215		24-7/8"
204872	2278		27-7/8"
242472	2086		6-7/8"
243072	2154		12-7/8"
243672	2222		18-7/8"
244272	2298		24-7/8"
244872	2364		27-7/8"
202484	2215		6-7/8"
203084	2305		12-7/8"
203684	2379		18-7/8"
204284	2460		24-7/8"
204884	2535		27-7/8"
242484	2320		6-7/8"
243084	2394		12-7/8"
243684	2469		18-7/8"
244284	2582		24-7/8"
244884	2796		27-7/8"


High Gloss Front: Please request a quotation to obtain a price.



Cabinets with One Door


ARL - 20

Door opening to the left



ARR - 20

Door opening to the right



Manufacturing Standards

- Adjustable shelves;
- Shelf brackets;
- HJAB handle;
- Lock;
- 5/8" laminate back.

Number of adjustable shelves included:

Less than 29" H: 1 shelf, 36" - 47"H: 2 shelves,
48" - 65"H: 3 shelves, 66" - 72"H: 4 shelves.


Legs: To add metal legs under the cabinets. Add \$56 retail each.
Logiflex will adjust the unit to the desired height.

- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).

Handle: For a handle other than HJAB standard, please choose from the Logiflex list at no extra charge.

Additional shelves (SH): see Appendix G for prices, [p. 17](#)

Options

Additional Shelves

SH

How to Order

						+
ML	ABC	ARL ARR	PSQ OVAMBL OVAMSN	HJAB (std)	SH	
series	dimensions	code	legs (p. 197)	handles (p. 196)	shelves	
Example ML	241866	ARL	PSQ	HJAB	SH	

Prices

Dimensions	
A B C	ML
201829	562
201836	614
201841	666
201848	718
201854	770
201860	822
201866	887
201872	951
202429	618
202436	678
202441	735
202448	793
202454	851
202460	908
202466	990
202472	1071


High Gloss Front: Please request a quotation to obtain a price.



Cabinets with One Door


ARL - 24

Door opening to the left



ARR - 24

Door opening to the right



Manufacturing Standards

- Adjustable shelves;
- Shelf brackets;
- HJAB handle;
- Lock;
- 5/8" laminate back.

Number of adjustable shelves included:

Less than 29" H: 1 shelf, 36" - 47"H: 2 shelves,
48" - 65"H: 3 shelves, 66" - 72"H: 4 shelves.


Legs: To add metal legs under the cabinets. Add \$56 retail each.
Logiflex will adjust the unit to the desired height.

- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).

Handle: For a handle other than HJAB standard, please choose from the Logiflex list at no extra charge.

Additional shelves (SH): see Appendix G for prices, p. 17

Options

Additional Shelves

SH

How to Order

						+
ABC		ARL ARR	PSQ OVAMBL OVAMSN	HJAB (std)	SH	
ML						
series	dimensions	code	legs (p. 197)	handles (p. 196)	shelves	
Example ML	241866	ARL	PSQ	HJAB	SH	

Prices

Dimensions	
A B C	ML
241829	677
241836	736
241841	797
241848	856
241854	958
241860	977
241866	1044
241872	1114
242429	741
242436	803
242441	864
242448	925
242454	987
242460	1048
242466	1115
242472	1180


High Gloss Front: Please request a quotation to obtain a price.



Cabinets with One Glass Door


ARLFL

Door opening to the left



ARRFL

Door opening to the right



Manufacturing Standards

- White glass (V4) doors with aluminum-frame and built-in handle;
- Soft-close door;
- Adjustable shelves;
- Shelf brackets;
- 5/8" laminate back.

Number of adjustable shelves included:

Less than 29" H: 1 shelf, 36" - 47"H: 2 shelves,
48" - 65"H: 3 shelves, 66" - 83"H: 4 shelves,
more than 84"H: 5 shelves.

Glass: If the choice of glass is not specified, the standard is white glass (V4). For other choices of glass, consult the Logiflex color chart. Prices available upon quotation request.


Legs: To add metal legs under the cabinets. Add \$56 retail each. Logiflex will adjust the unit to the desired height.

- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).

Additional shelves (SH): see Appendix G for prices, [p. 17](#)

Options

Additional Shelves



SH

How to Order

ML	ABC	ARLFL ARRFL	KB PL V4 (std)	PSQ OVAMBL OVAMSN	SH	
series	dimensions	code	glass	legs (p. 197)	shelves	
Example ML	241866	ARLFL	V4	PSQ	SH	

Prices


Dimensions		
A	B	C ML
201866		1831
202466		2187
241866		2016
242466		2385
201872		1979
202472		2201
241872		2171
242472		2563
201884		2164
202484		2219
241884		2327
242484		2743



Cabinets with One Glass Door


ARLPV

Door opening to the left



ARRPV

Door opening to the right



Manufacturing Standards

- Adjustable shelves;
- Shelf brackets;
- HJA handle;
- 5/8" laminate back.

Number of adjustable shelves included:
Less than 29" H: 1 shelf, 36" - 47" H: 2 shelves,
48" - 65" H: 3 shelves, 66" - 83" H: 4 shelves,
more than 84" H: 5 shelves.

Glass: If the choice of glass is not specified, the standard is frosted glass (VS). For other choices of glass, consult the Logiflex color chart. Prices available upon quotation request.

Legs: To add metal legs under the cabinets. Add \$56 retail each. Logiflex will adjust the unit to the desired height.

- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).

Handle: For a handle other than HJA standard, please choose from the Logiflex list at no extra charge.

Lock: Offered as option. Satin nickel (LKSN). Match to handle color. Only available for 66" and 72" units.


Additional shelves (SH): see Appendix G for prices, p. 17

Options

Lock

LK
\$38 ea.

Additional Shelves



SH

How to Order

ML	ABC	ARLPV ARRPV	V4 KB PL VS (std)	PSQ OVAMBL OVAMSN	HJA (std)	LKBL LKSN	SH
series	dimensions	code	glass	legs (p. 197)	handles (p. 196)	lock (p. 205)	shelves
Example ML	241866	ARLPV	VS	PSQ	HJA	LKSN	SH


Prices

Dimensions			ML
A	B	C	
201866			1831
202466			2187
241866			2016
242466			2385
201872			1979
202472			2201
241872			2171
242472			2563
201884			2164
202484			2219
241884			2327
242484			2743




Cabinets with Two Doors

AR1530



AR1536



Manufacturing Standards

- Adjustable shelves;
- Shelf brackets;
- HJAB handles;
- Lock;
- 5/8" laminate back.

Number of adjustable shelves included:

Less than 29" H: 1 shelf, 36" - 47" H: 2 shelves,
48" - 65" H: 3 shelves, 66" - 83" H: 4 shelves,
more than 84" H: 5 shelves.

Legs: To add metal legs under the cabinets. Add \$56 retail each.
Logiflex will adjust the unit to the desired height.


- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Additional shelves (SH): see Appendix G for prices, [p. 17](#)

Options

Additional Shelves



SH

How to Order

ML MLL		ABC		PSQ OVAMBL OVAMSN	HJAB (std)	SH
				AR		
series	dimensions	code	legs (p. 197)	handles (p. 196)	shelves	
Example ML	153029	AR	PSQ	HJAB	SH	

Prices

Dimensions		
A	B	C
153029	685	780
153036	747	
153041	846	
153048	900	
153053	1005	
153060	1102	
153066	1173	
153072	1257	
153084	1431	
153629	714	819
153636	777	
153641	876	
153648	922	
153653	951	
153660	1133	
153666	1201	
153672	1284	
153684	1505	

High Gloss Front: Please request a quotation to obtain a price.

Bookcases and Cabinets

Corner Bookcases
Bookcases
Display Cases


Wardrobes
Wardrobes with Pedestals
Cabinets

Pigeonhole Units
Multiple Units




Cabinets With Two Doors


AR2030



AR2036



AR2042



Manufacturing Standards

- Adjustable shelves;
- Shelf brackets;
- HJAB handles;
- Lock;
- 5/8" laminate back.

Number of adjustable shelves included:

Less than 29" H: 1 shelf, 36" - 47" H: 2 shelves,
48" - 65" H: 3 shelves, 66" - 83" H: 4 shelves,
more than 84" H: 5 shelves.

Legs: To add metal legs under the cabinets. Add \$56 retail each.
Logiflex will adjust the unit to the desired height.


- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Additional shelves (SH): see Appendix G for prices, p. 17

Options

Additional Shelves



SH

How to Order

ML MLL		ABC		PSQ OVAMBL OVAMSN	HJAB (std)	SH
series	dimensions	code		legs (p. 197)	handles (p. 196)	shelves

Example ML 203629 AR PSQ HJAB SH

Prices

Dimensions			ML	MLL
A	B	C		
203029			765	863
203036			843	
203041			934	
203048			1024	
203053			1100	
203060			1181	
203066			1246	
203072			1331	
203084			1403	
203629			823	935
203636			897	
203641			990	
203648			1083	
203653			1160	
203660			1208	
203666			1292	
203672			1375	
203684			1545	
204229			950	1077
204236			1020	
204241			1109	
204248			1200	
204253			1274	
204260			1314	
204266			1373	
204272			1443	
204284			1582	

High Gloss Front: Please request a quotation to obtain a price.

Bookcases and Cabinets

Corner Bookcases
Bookcases
Display Cases


Wardrobes
Wardrobes with Pedestals
Cabinets

Pigeonhole Units
Multiple Units




Cabinets with Two Doors


AR2430



AR2436



AR2442



Manufacturing Standards

- Adjustable shelves;
- Shelf brackets;
- HJAB handles;
- Lock;
- 5/8" laminate back.

Number of adjustable shelves included:

Less than 29" H: 1 shelf, 36" - 47" H: 2 shelves,
48" - 65" H: 3 shelves, 66" - 83" H: 4 shelves,
more than 84" H: 5 shelves.

Legs: To add metal legs under the cabinets. Add \$56 retail each.
Logiflex will adjust the unit to the desired height.


- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Additional shelves (SH): see Appendix G for prices, p. 17

Options

Additional Shelves



SH

How to Order

ML MLL		ABC		PSQ OVAMBL OVAMSN	HJAB (std)	SH
				AR		
series	dimensions	code	legs (p. 197)	handles (p. 196)	shelves	
Example ML	243629	AR	PSQ	HJAB	SH	

Prices


Dimensions			ML	MLL
A	B	C		
243029			844	968
243036			920	
243041			1012	
243048			1100	
243053			1177	
243060			1259	
243066			1323	
243072			1408	
243084			1581	
243629			899	1039
243636			974	
243641			1066	
243648			1157	
243653			1235	
243660			1285	
243666			1370	
243672			1460	
243684			1622	
244229			966	1107
244236			1048	
244241			1136	
244248			1224	
244253			1298	
244260			1373	
244266			1458	
244272			1544	
244284			1714	

High Gloss Front: Please request a quotation to obtain a price.




Cabinets with Two Glass Doors


ARFL2030



ARFL2036



ARFL2042



Manufacturing Standards

- White glass (V4) doors with aluminum-frame and built-in handle;
- Soft-close doors;
- Adjustable shelves;
- Shelf brackets;
- 5/8" laminate back.

Number of adjustable shelves included:

Less than 29" H: 1 shelf, 36" - 47" H: 2 shelves,
48" - 65" H: 3 shelves, 66" - 83" H: 4 shelves,
more than 84" H: 5 shelves.

Glass: If the choice of glass is not specified, the standard is white glass (V4). For other choices of glass, consult the Logiflex color chart. Prices available upon quotation request.


Legs: To add metal legs under the cabinets. Add \$56 retail each. Logiflex will adjust the unit to the desired height.

- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).

Additional shelves (SH): see Appendix G for prices, p. 17

Options

Additional Shelves



SH

How to Order

ML MLL		ABC		KB PL V4 (std)	PSQ OVAMBL OVAMSN	SH
series	dimensions	code	glass	legs (p. 197)		shelves
Example	ML	203629	ARFL	V4	PSQ	SH


Prices

Dimensions			ML	MLL
A	B	C		
203029	1458	1632		
203036	1690			
203041	1914			
203048	2144			
203053	2359			
203060	2527			
203066	2718			
203072	2919			
203084	3296			
203629	1636	1843		
203636	1894			
203641	2150			
203648	2399			
203653	2633			
203660	2829			
203666	3045			
203672	3268			
203684	3699			
204229	1776	2006		
204236	2063			
204241	2336			
204248	2611			
204253	2864			
204260	3085			
204266	3322			
204272	3569			
204284	4064			




Cabinets with Two Glass Doors


ARPV2030



ARPV2036



ARPV2042



Manufacturing Standards

- Adjustable shelves;
- Shelf brackets;
- HJA handles;
- 5/8" laminate back.

Number of adjustable shelves included:

Less than 29" H: 1 shelf, 36" - 47" H: 2 shelves,
48" - 65" H: 3 shelves, 66" - 83" H: 4 shelves,
more than 84" H: 5 shelves.

Glass: If the choice of glass is not specified, the standard is frosted glass (VS). For other choices of glass, consult the Logiflex color chart. Prices available upon quotation request.

Legs: To add metal legs under the cabinets. Add \$56 retail each. Logiflex will adjust the unit to the desired height.

- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).

Handles: For handles other than HJA standard, please choose from the Logiflex list at no extra charge.

Additional shelves (SH): see Appendix G for prices, p. 17


Options

Lock



LK
\$38 ea.

Additional Shelves



SH

How to Order

ML MLL		ABC		V4 KB PL VS (std)	PSQ OVAMBL OVAMSN	HJA (std)	LKBL LKSN	SH
series	dimensions	code	glass	legs (p. 197)	handles (p. 196)	lock (p. 205)	shelves	
Example ML	203629	ARPV	VS	PSQ	HJA	LKSN	SH	


Prices

Dimensions			ML	MLL
A	B	C		
203029	1458	1632		
203036	1690			
203041	1914			
203048	2144			
203053	2359			
203060	2527			
203066	2718			
203072	2919			
203084	3296			
203629	1636	1843		
203636	1894			
203641	2150			
203648	2399			
203653	2633			
203660	2829			
203666	3045			
203672	3268			
203684	3699			
204229	1776	2006		
204236	2063			
204241	2336			
204248	2611			
204253	2864			
204260	3085			
204266	3322			
204272	3569			
204284	4064			




Cabinets with Two Glass Doors


ARFL2430



ARFL2436



ARFL2442



Manufacturing Standards

- White glass (V4) doors with aluminum-frame and built-in handle;
- Soft-close doors;
- Adjustable shelves;
- Shelf brackets;
- 5/8" laminate back.

Number of adjustable shelves included:

Less than 29" H: 1 shelf, 36" - 47" H: 2 shelves,
48" - 65" H: 3 shelves, 66" - 83" H: 4 shelves,
more than 84" H: 5 shelves.

Glass: If the choice of glass is not specified, the standard is white glass (V4). For other choices of glass, consult the Logiflex color chart. Prices available upon quotation request.


Legs: To add metal legs under the cabinets. Add \$56 retail each. Logiflex will adjust the unit to the desired height.

- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).

Additional shelves (SH): see Appendix G for prices, p. 17

Options

Additional Shelves



SH

How to Order

ML MLL	ABC	ARFL	KB PL VS (std)	PSQ OVAMBL OVAMSN	SH	
series	dimensions	code	glass	legs (p. 197)	shelves	
Example ML	243629	ARFL	V4	PSQ	SH	


Prices

Dimensions			ML	MLL
A	B	C		
243029			1539	1735
243036			1770	
243041			1994	
243048			2224	
243053			2435	
243060			2604	
243066			2796	
243072			2995	
243084			3373	
243629			1713	1944
243636			1968	
243641			2224	
243648			2473	
243653			2711	
243660			2905	
243666			3120	
243672			3344	
243684			3791	
244229			1847	2108
244236			2133	
244241			2407	
244248			2681	
244253			2937	
244260			3157	
244266			3394	
244272			3638	
244284			4131	




Cabinets with Two Glass Doors


ARPV2430



ARPV2436



ARPV2442



Manufacturing Standards

- Adjustable shelves;
- Shelf brackets;
- HJA handles;
- 5/8" laminate back.

Number of adjustable shelves included:

Less than 29" H: 1 shelf, 36" - 47" H: 2 shelves,
48" - 65" H: 3 shelves, 66" - 83" H: 4 shelves,
more than 84" H: 5 shelves.

Glass: If the choice of glass is not specified, the standard is frosted glass (VS). For other choices of glass, consult the Logiflex color chart. Prices available upon quotation request.

Legs: To add metal legs under the cabinets. Add \$56 retail each. Logiflex will adjust the unit to the desired height.

- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).

Handles: For handles other than HJA standard, please choose from the Logiflex list at no extra charge.

Additional shelves (SH): see Appendix G for prices, p. 17


Options

Lock



LK
\$38 ea.

Additional Shelves



SH

How to Order

ML MLL	ABC	ARPV	V4 KB PL VS (std)	PSQ OVAMBL OVAMSN	HJA (std)	LKBL LKSN	SH
series	dimensions	code	glass	legs (p. 197)	handles (p. 196)	lock (p. 205)	shelves
Example ML	243629	ARPV	VS	PSQ	HJA	LKSN	SH


Prices

Dimensions			ML	MLL
A	B	C		
243029			1539	1735
243036			1770	
243041			1994	
243048			2224	
243053			2435	
243060			2604	
243066			2796	
243072			2995	
243084			3373	
243629			1713	1944
243636			1968	
243641			2224	
243648			2473	
243653			2711	
243660			2905	
243666			3120	
243672			3344	
243684			3791	
244229			1847	2108
244236			2133	
244241			2407	
244248			2681	
244253			2937	
244260			3157	
244266			3394	
244272			3638	
244284			4131	




Pigeonhole Units


F5




F10



F15



F20



Manufacturing Standards

- Frame is 5/8" laminate frame with 1.5 mm PVC edge;
- Fixed 5/8" thick laminate shelves with 1.5 mm PVC edge.

Prices

F5 - 5 Compartment Form Holder

Code	Dimensions			ML
	A	B	C	
F5	16-3/8"	11-5/8"	13-5/8"	225
F5LS	13"	11-5/8"	13-5/8"	225

F10 - 10 Compartment Form Holder

Code	Dimensions			ML
	A	B	C	
F10	16-3/8"	22-3/8"	13-5/8"	431
F10LS	13"	22-3/8"	13-5/8"	431

F15 - 15 Compartment Form Holder

Code	Dimensions			ML
	A	B	C	
F15	16-3/8"	33-1/8"	13-5/8"	647
F15LS	13"	33-1/8"	13-5/8"	647

F20 - 20 Compartment Form Holder

Code	Dimensions			ML
	A	B	C	
F20	16-3/8"	22-3/8"	25-7/8"	855


How to Order

ML	F		LS
series	code	compartments	letter format


Example ML F 20

Pigeonhole Units


F30



F45



F45B



Manufacturing Standards

- Frame and vertical separators are 1" laminate with 1.5 mm PVC edges;
- Fixed 5/8" thick laminate shelves with 1.5 mm PVC edge.

Prices

F30 - 30 Compartment Form Holder

Code	Dimensions			ML
	A	B	C	
F30	16-3/8"	34-5/8"	26-5/8"	1289

F45 - 45 Compartment Form Holder

Code	Dimensions			ML
	A	B	C	
F45	16-3/8"	34-5/8"	38-7/8"	1852

F45B - 45 Compartment Form Holder with Base

Code	Dimensions			ML
	A	B	C	
F45B	16-3/8"	34-5/8"	42-1/4"	1936

How to Order


		30 45 45B
ML	F	
series	code	compartments

Example ML F 30




Multiple Units


BBLE




BBRE



BBLF



BBRF



Manufacturing Standards

- Adjustable shelves;
- Shelf brackets;
- HJAB handle;
- Lock.

Number of adjustable shelves included:


51"H: 2 shelves, 66" - 72"H: 3 shelves, 84" H: 4 shelves.

Legs: To add metal legs under the multiple units add \$56 retail each. Logiflex will adjust the unit to the desired height.

- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).

Handle: For a handle other than HJAB standard, please choose from the Logiflex list at no extra charge.**Additional shelves (SH):** see Appendix G for prices, p. 17

Options

Additional Shelves

SH

How to Order

ML		ABC	BBLE BBRE BBLF BBRF	PSQ OVAMBL OVAMSN	HJAB (std)	SH	
series	dimensions	code	legs (p. 197)	handles (p. 196)	shelves		
Example ML	201951	BBLE	PSQ	HJAB	SH		

Prices


Dimensions		
A	B	C ML
201951		1182
241951		1211
301951		1242
201966		1208
241966		1237
301966		1266
201972		1235
241972		1263
301972		1293
201984		1262
241984		1292
301984		1317

High Gloss Front: Please request a quotation to obtain a price.




Multiple Units

MU2



MU4



Manufacturing Standards

- Adjustable shelves;
- Shelf bracket;
- HJAB handles;
- Lock;
- 5/8" laminate back.

Legs: To add metal legs under the cabinets. Add \$56 retail each. Logiflex will adjust the unit to the desired height.


- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Additional shelves (SH): see Appendix G for prices, [p. 17](#)

Options

Additional Shelves



SH

How to Order

PSQ OVAMBL OVAMSN HJAB (std) SHA SHB							
ML	AB	MU	2 4				
series	dimension	code	number	legs (p. 197)	handles (p. 196)	cabinet shelves	bookshelf shelves
Example ML	2030	MU	4	PSQ	HJAB		

Prices

MU2 - Height: 41", 1 adjustable shelf

Dimensions

A	B	ML
2030		897
2036		930
2430		1063
2436		1095

MU4 - Height: 66", 3 adjustable shelves

Dimensions


A	B	ML
2030		1187
2036		1221
2430		1351
2436		1386

High Gloss Front: Please request a quotation to obtain a price.



Multiple Units

MU5



Manufacturing Standards

- Adjustable shelves;
- Shelf bracket;
- HJAB handles;
- Lock;
- 5/8" laminate back.

Legs: To add metal legs under the cabinets. Add \$56 retail each. Logiflex will adjust the unit to the desired height.


- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Additional shelves (SH): see Appendix G for prices, [p. 17](#)

Options

Additional Shelves



SH

Prices

MU5 - Height: 72", 4 adjustable shelves

Dimensions

A	B	ML
2030		1231
2036		1266
2430		1395
2436		1430


How to Order

AB		5		PSQ OVAMBL OVAMSN	HJAB (std)	SHA	SHB
ML		MU					
series	dimension	code	number	legs (p. 197)	handles (p. 196)	cabinet shelves	bookshelf shelves
Example ML	2030	MU	5	PSQ	HJAB		




Multiple Units

MU7



MU8



Manufacturing Standards

- Adjustable shelves;
- Shelf bracket;
- Task-light concealer;
- HJAB handles;
- Lock;
- 5/8" laminate back.

Legs: To add metal legs under the cabinets. Add \$56 retail each. Logiflex will adjust the unit to the desired height.


- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Additional shelves (SH): see Appendix G for prices, [p. 17](#)

Options

Additional Shelves



SH

How to Order

PSQ OVAMBL OVAMSN HJAB (std) SHA SHB							
ML	AB	MU	7 8				
series	dimension	code	number	legs (p. 197)	handles (p. 196)	cabinet shelves	bookshelf shelves
Example ML	2030	MU	7	PSQ	HJAB		

Prices

MU7 - Height: 66", 2 adjustable shelves

Dimensions

A	B	ML
2030		1266
2036		1298
2430		1430
2436		1463

MU8 - Height: 72", 2 adjustable shelves

Dimensions


A	B	ML
2030		1307
2036		1341
2430		1472
2436		1508

High Gloss Front: Please request a quotation to obtain a price.




Multiple Units

MU10



MU11



Manufacturing Standards

- Adjustable shelves;
- Shelf bracket;
- HJAB handles;
- Lock;
- 5/8" laminate back.

Legs: To add metal legs under the cabinets. Add \$56 retail each. Logiflex will adjust the unit to the desired height.


- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Additional shelves (SH): see Appendix G for prices, [p. 17](#)

Options

Additional Shelves



SH

How to Order

ML	AB	MU	10 11	PSQ OVAMBL OVAMSN	HJAB (std)	SH
series	dimension	code	number	legs (p. 197)	handles (p. 196)	shelves
Example ML	2030	MU	10	PSQ	HJAB	SH

Prices

MU10 - Height: 66", 3 adjustable shelves

Dimensions

A	B	ML
2030		1375
2036		1409
2430		1540
2436		1575

MU11 - Height: 72", 3 adjustable shelves

Dimensions


A	B	ML
2030		1417
2036		1454
2430		1583
2436		1620

High Gloss Front: Please request a quotation to obtain a price.




Multiple Units

MU13



MU15



Manufacturing Standards

- Adjustable shelves;
- Shelf bracket;
- 2 lateral file drawers;
- 2 crossbars per file drawer;
- HJAB handles;
- Lock;
- 5/8" laminate back.

Legs: To add metal legs under the cabinets. Add \$56 retail each. Logiflex will adjust the unit to the desired height.


- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Additional shelves (SH): see Appendix G for prices, [p. 17](#)

Options

Additional Shelves



SH

How to Order

+						
ML	AB	MU	13 15	PSQ OVAMBL OVAMSN	HJAB (std)	SH
series	dimension	code	number	legs (p. 197)	handles (p. 196)	shelves
Example ML	2030	MU	15	PSQ	HJAB	SH

Prices

MU13 - Height: 41"

Dimensions

A	B	ML
2030		1179
2036		1254
2430		1347
2436		1419

MU15 - Height: 66", 2 adjustable shelves

Dimensions


A	B	ML
2030		1474
2036		1580
2430		1593
2436		1690

High Gloss Front: Please request a quotation to obtain a price.



Multiple Units

MU16



Manufacturing Standards

- Adjustable shelves;
- Shelf bracket;
- 2 lateral file drawers;
- 2 crossbars per file drawer;
- HJAB handles;
- Lock;
- 5/8" laminate back.

Legs: To add metal legs under the cabinets. Add \$56 retail each. Logiflex will adjust the unit to the desired height.


- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Additional shelves (SH): see Appendix G for prices, [p. 17](#)

Options

Additional Shelves



SH

Prices

MU16 - Height: 72", 3 adjustable shelves

Dimensions

A	B	ML
2030		1557
2036		1685
2430		1643
2436		1770

How to Order



AB		16		PSQ OVAMBL OVAMSN	HJAB (std)	SH
ML		MU				
series	dimension	code	number	legs (p. 197)	handles (p. 196)	shelves


Example ML 2030 MU 16 PSQ HJAB SH

High Gloss Front: Please request a quotation to obtain a price.




Multiple Units

MU18



MU19



Manufacturing Standards

- Adjustable shelves;
- Shelf bracket;
- 3 lateral file drawers;
- 2 crossbars per file drawer;
- HJAB handles;
- Lock;
- 5/8" laminate back.

Legs: To add metal legs under the cabinets. Add \$56 retail each. Logiflex will adjust the unit to the desired height.


- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Additional shelves (SH): see Appendix G for prices, [p. 17](#)

Options

Additional Shelves



SH

How to Order

+						
ML	AB	MU	18 19	PSQ OVAMBL OVAMSN	HJAB (std)	SH
series	dimension	code	number	legs (p. 197)	handles (p. 196)	shelves
Example ML	2030	MU	18	PSQ	HJAB	SH

Prices

MU18 - Height: 66", 1 adjustable shelf

Dimensions

A	B	ML
2030		1861
2036		1933
2430		1943
2436		2034

MU19 - Height: 72", 2 adjustable shelves

Dimensions


A	B	ML
2030		1865
2036		1980
2430		2029
2436		2117

High Gloss Front: Please request a quotation to obtain a price.




Multiple Units

MU23



MU24



Manufacturing Standards

- Adjustable shelves;
- Shelf bracket;
- 2 lateral file drawers;
- 2 crossbars per file drawer;
- HJAB handles;
- Lock;
- 5/8" laminate back.

Legs: To add metal legs under the cabinets. Add \$56 retail each. Logiflex will adjust the unit to the desired height.


- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Additional shelves (SH): see Appendix G for prices, [p. 17](#)

Options

Additional Shelves



SH

How to Order

ML	AB	MU	23 24	PSQ OVAMBL OVAMSN	HJAB (std)	SH
series	dimension	code	number	legs (p. 197)	handles (p. 196)	shelves
Example ML	2030	MU	24	PSQ	HJAB	SH

Prices

MU23 - Height: 66", 2 adjustable shelves

Dimensions

A	B	ML
2030		1917
2036		2078
2430		2004
2436		2164

MU24 - Height: 72", 2 adjustable shelves

Dimensions


A	B	ML
2030		1946
2036		2114
2430		2086
2436		2246

High Gloss Front: Please request a quotation to obtain a price.




Multiple Units

MU23FL



MU24FL



Manufacturing Standards

- White glass (V4) doors with aluminum-frame and built-in handle;
- Soft-close doors;
- Adjustable shelves;
- Shelf bracket;
- 2 lateral file drawers;
- Lock;
- HJA handles;
- 5/8" laminate back.

Glass: If the choice of glass is not specified, the standard is white glass (V4). For other choices of glass, consult the Logiflex color chart. Prices available upon quotation request.

Legs: To add metal legs under the cabinets. Add \$56 retail each. Logiflex will adjust the unit to the desired height.


- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).

Handles: For handles other than HJA standard, please choose from the Logiflex list at no extra charge.

Additional shelves (SH): see Appendix G for prices, p. 17

Options

Additional Shelves



SH

How to Order

			AB	23FL 24FL	KB PL V4 (std)	PSQ OVAMBL OVAMSN	HJA (std)	KB PL V4 (std)
ML		MU						SH
series	dimension	code	number	glass	legs (p. 197)	handles (p. 196)	glass	shelves
Example ML	2030	MU	24FL	VS	PSQ	HJA	V4	SH

Prices

MU23FL - Height: 66", 2 adjustable shelves

Dimensions

A	B	ML
2030		2735
2036		3042
2430		2825
2436		3133

MU24FL - Height: 72", 2 adjustable shelves

Dimensions

A	B	ML
2030		2934
2036		3258
2430		3027
2436		3351

High Gloss Front: Please request a quotation to obtain a price.

Bookcases and Cabinets

Corner Bookcases
Bookcases
Display Cases


Wardrobes
Wardrobes with Pedestals
Cabinets

Pigeonhole Units
Multiple Units




Multiple Units

MU23PV



MU24PV



Manufacturing Standards

- Adjustable shelves;
- Shelf bracket;
- 2 lateral file drawers;
- Lock;
- 2 crossbars per file drawer;
- HJA handles;
- 5/8" laminate back.

Glass: If the choice of glass is not specified, the standard is frosted glass (VS). For other choices of glass, consult the Logiflex color chart.

Legs: To add metal legs under the cabinets. Add \$56 retail each. Logiflex will adjust the unit to the desired height.

- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).


Handles: For handles other than HJA standard, please choose from the Logiflex list at no extra charge.

Locks: the MU24APV includes a satin nickel lock (LKSN) only on the lateral filing drawers.

Additional shelves (SH): see Appendix G for prices, p. 17

Options

Additional Shelves



SH

How to Order

								+
ML	AB	MU	23PV 24PV	V4 KB PL VS (std)	PSQ OVAMBL OVAMSN	HJA (std)	SH	
series	dimension	code	number	glass	legs (p. 197)	handles (p. 196)	shelves	
Example ML	2030	MU	24PV	VS	PSQ	HJA	SH	

Prices

MU23PV - Height: 66", 2 adjustable shelves

Dimensions

A	B	ML
2030		2735
2036		3042
2430		2825
2436		3133

MU24PV - Height: 72", 2 adjustable shelves

Dimensions


A	B	ML
2030		2934
2036		3258
2430		3027
2436		3351

High Gloss Front: Please request a quotation to obtain a price.




Multiple Units

MU26



MU27



Manufacturing Standards

- Adjustable shelves;
- Shelf bracket;
- 2 lateral file drawers;
- 2 crossbars per file drawer;
- Task-light concealer;
- HJAB handles;
- Lock;
- 5/8" laminate back.

Legs: To add metal legs under the cabinets. Add \$56 retail each. Logiflex will adjust the unit to the desired height.


- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Additional shelves (SH): see Appendix G for prices, [p. 17](#)

Options

Additional Shelves



SH

How to Order

							+
ML	AB	MU	26 27	PSQ OVAMBL OVAMSN	HJAB (std)	SH	
series	dimension	code	number	legs (p. 197)	handles (p. 196)	shelves	
Example ML	2030	MU	27	PSQ	HJAB	SH	

Prices

MU26 - Height: 66", 1 adjustable shelf

Dimensions

A	B	ML
2030		1917
2036		2078
2430		2054
2436		2222

MU27 - Height: 72", 1 adjustable shelf

Dimensions


A	B	ML
2030		2004
2036		2164
2430		2137
2436		2305

High Gloss Front: Please request a quotation to obtain a price.




Multiple Units

MU32



MU33



Manufacturing Standards

- Adjustable shelves;
- Shelf bracket;
- 3 lateral file drawers;
- 2 crossbars per file drawer;
- HJAB handles;
- Lock;
- 5/8" laminate back.

Legs: To add metal legs under the cabinets. Add \$56 retail each. Logiflex will adjust the unit to the desired height.


- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Additional shelves (SH): see Appendix G for prices, [p. 17](#)

Options

Additional Shelves



SH

How to Order

							+
ML	AB	MU	32 33	PSQ OVAMBL OVAMSN	HJAB (std)	SH	
series	dimension	code	number	legs (p. 197)	handles (p. 196)	shelves	
Example ML	2030	MU	33	PSQ	HJAB	SH	

Prices

MU32 - Height: 66", 1 adjustable shelf

Dimensions

A	B	ML
2030		2243
2036		2406
2430		2370
2436		2521

MU33 - Height: 72", 2 adjustable shelves

Dimensions


A	B	ML
2030		2327
2036		2488
2430		2452
2436		2605

High Gloss Front: Please request a quotation to obtain a price.



Multiple Units

MU34



Manufacturing Standards

- Adjustable shelves;
- Shelf bracket;
- 4 lateral file drawers;
- 2 crossbars per file drawer;
- HJAB handles;
- Lock;
- 5/8" laminate back.

Legs: To add metal legs under the cabinets. Add \$56 retail each. Logiflex will adjust the unit to the desired height.


- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Additional shelves (SH): see Appendix G for prices, [p. 17](#)

Options

Additional Shelves



SH

Prices

MU34 - Height: 72", 1 adjustable shelf

Dimensions

A	B	ML
2030		2574
2036		2739
2430		2702
2436		2852

How to Order

AB		34		PSQ OVAMBL OVAMSN	HJAB (std)	SH	
ML		MU					
series	dimension	code	product	legs (p. 197)	handles (p. 196)	shelves	
Example ML	2030	MU	34	PSQ	HJAB	SH	


Accessories



Handles

HJA

Handle




- 6" metal handle;
- 5-1/32" (128mm) center to center.

Code	\$	Description
HJA	11	<i>Satin Nickel</i>
HJAB	11	<i>Black</i>

H070

Handle




- 8-3/16" metal handle;
- 7-1/2" (190.5mm) center to center.

Code	\$	Description
H070BN	11	<i>Brushed Nickel</i>
H070CHR	11	<i>Chrome</i>

H011

Handle




- 9-1/8" metal handle;
- 8-13/16" (224mm) center to center.

Code	\$	Description
H011	11	<i>Satin Nickel</i>

H071

Handle




- 7-9/32" metal handle;
- 6-5/16" (160.338mm) center to center.

Code	\$	Description
H071CHR	11	<i>Chrome</i>
H071BN	11	<i>Brushed Nickel</i>
H071BL	11	<i>Black</i>

H051

Handle




- 3-5/32" metal handle;
- 2-17/32" (64mm) center to center.

Code	\$	Description
H051CHR	11	<i>Chrome</i>
H051SN	11	<i>Satin Nickel</i>
H051BL	11	<i>Black</i>

H072

Handle




- 6-3/8" metal handle;
- 5-1/32" (127.8mm) center to center.

Code	\$	Description
H072CHR	11	<i>Chrome</i>
H072BL	11	<i>Black</i>

H052

Handle




- 7-1/32" metal handle;
- 6-9/32" (160mm) center to center.

Code	\$	Description
H052CHR	11	<i>Chrome</i>
H052SN	11	<i>Satin Nickel</i>
H052BL	11	<i>Black</i>

SXP002

Handle




- 9-1/2" metal handle;
- 7-9/16" (192mm) center to center.

Code	\$	Description
SXP002	11	<i>Satin Nickel</i>

H060

Handle




- 9-1/4" metal handle;
- 8-3/4" (222.25mm) center to center.

Code	\$	Description
H060BN	11	<i>Brushed Nickel</i>
H060CHR	11	<i>Chrome</i>

SXP003

Handle




- 5-1/8" metal handle;
- 3-25/32" (96mm) center to center.

Code	\$	Description
SXP003	11	<i>Satin Nickel</i>

Legs

OVAM

Oval Corner Leg




- Oval metal corner leg / on leveler;
- Finish: Black (BL) and Satin Nickel (SN);
- Height: 2-1/8"

Code	\$	Description
OVAMBL 56		Black
OVAMSN 56		Satin Nickel

PSQ

Corner Leg



- Metal corner leg / on leveler;
- Finish: Satin Nickel (SN);
- Height: 2-5/8"

Code	\$	Description
PSQ 76		Satin Nickel

4.5

Round Leg




- Fixed round metal leg / on leveler;
- 4-1/2" diameter;
- 6" x 6" end plate;
- Finish: Black (BL) and Satin Nickel (SN);
- Height: 27-1/2".

Code	\$	Description
4.5BL 217		Black
4.5SN 217		Satin Nickel

IFN

Round Leg




- Fixed round metal leg / on leveler;
- 2-1/2" diameter;
- 3-3/4" x 3-3/4" end plate screwed to the leg;
- Finish: Black (BL) and Satin Nickel (SN);
- Height: 27-1/2".

Code	\$	Description
IFNBL 76		Black
IFNSN 76		Satin Nickel

IFW

Round Leg




- Fixed round metal leg;
- 2-1/2" diameter;
- Locking wheel;
- 3-3/4" x 3-3/4" end plate;
- Finish: Black (BL) and Satin Nickel (SN);
- Height: 28".

Code	\$	Description
IFWBL 134		Black
IFWSN 134		Satin Nickel

IAWF

Round Leg




- Round metal leg;
- 2-1/2" diameter;
- Locking wheel;
- 5" x 5" end plate;
- Finish: Black (BL) and Satin Nickel (SN);
- Height: Adjustable from 27"H - 34".

Code	\$	Description
IAWFBL 218		Black with locking mechanism
IAWFSN 218		Satin Nickel with locking mechanism

MT

T Leg



- Fixed metal T leg;
- Base: 22" (CHR), 26", 30" or 36" (BL) and (CHR);
- 8" x 8" end plate;
- Finish: Black (BL) and Chrome (CHR);
- Height: 27-1/2".


Code	\$	Description
MT26BL 200		26" base, Black
MT30BL 200		30" base, Black
MT36BL 200		36" base, Black
MT22CHR 200		22" base, Chrome
MT26CHR 200		26" base, Chrome
MT30CHR 200		30" base, Chrome
MT36CHR 200		36" base, Chrome



Legs

MY

V Leg




- Fixed metal V leg;
- Base: 26", 30" or 36";
- 8" x 8" end plate;
- Finish: Black (BL) and Chrome (CHR);
- Height: 27-1/2".

Code	\$	Description
MY26BL	200	26" base, Black
MY30BL	200	30" base, Black
MY36BL	200	36" base, Black
MY26CHR	200	26" base, Chrome
MY30CHR	200	30" base, Chrome
MY36CHR	200	36" base, Chrome

MXLX

Deluxe Cross Leg




- Fixed Deluxe metal cross leg / on leveler;
- Base: 24", 30" or 36";
- 8" x 8" end plate;
- Finish: Black (BL) and Satin Nickel (SN);
- Height: 27-1/2".

Code	\$	Description
MXLX24BL	552	24" base, Black
MXLX30BL	552	30" base, Black
MXLX36BL	552	36" base, Black
MXLX24SN	552	24" base, Satin Nickel
MXLX30SN	552	30" base, Satin Nickel
MXLX36SN	552	36" base, Satin Nickel

TF

Deluxe T Leg




- Fixed Deluxe metal T leg / on levelers;
- Base: 24";
- 5" x 12" end plate;
- Finish: Black (BL) and Satin Nickel (SN);
- Height: 27-1/2".

Code	\$	Description
TF24NBL	225	24" base, Black
TF24NSN	225	24" base, Satin Nickel

MX

Cross Leg




- Fixed metal cross leg;
- Base: 26", 30" or 36";
- 8" x 8" end plate;
- Finish: Black (BL) and Chrome (CHR);
- Height: 27-1/2".

Code	\$	Description
MX26BL	221	26" base, Black
MX30BL	259	30" base, Black
MX36BL	259	36" base, Black
MX26CHR	259	26" base, Chrome
MX30CHR	259	30" base, Chrome
MX36CHR	259	36" base, Chrome

MXH44

Heavy Duty Cross Leg



- Fixed Heavy Duty metal cross leg / on leveler;
- Base: 44"
- 12" x 12" end plate;
- Finish: Black (BL);
- Height: 27-1/2".


Code	\$	Description
MXH44BL	406	Black



Legs

HATLEY

Fixed Leg



- Set of two 28" tapered legs with wood insert;
- 4" x 4" end plate;
- Finish: Satin Nickel (SN) and Chrome (CHR);
- Height: 28".

Code	\$	Description
HATSN	281	Satin Nickel
HATCHR	281	Chrome
HATBL	281	Black


Varnish and Stain Colors of Wooden Insert

GW Golden Wheat	PN Pecan
WW White Wash	CF Coffee
CT Chestnut	BR Brandy
ES Espresso	BK Bark
AT Apricot	SD Sand
BW Black Wash	BO Bordeaux

For stability reasons, please check with your account manager the dimensions of your furniture when ordering these legs separately from the surface.

MAGOG

Fixed Leg




- Fixed Magog leg;
- Base: 18";
- 8" x 8" end plate;
- Finish: Satin Nickel (SN), Black (BL) and Chrome (CHR);
- Height: 28".

Code	\$	Description
MAGSN	489	Satin Nickel
MAGBL	489	Black
MAGCHR	997	Chrome

For stability reasons, please check with your account manager the dimensions of your furniture when ordering this leg separately from the surface.

LENNOX

Fixed Leg




- Fixed Lennox leg;
- Base: 18";
- 8" x 8" end plate;
- Finish: Satin Nickel (SN), Black (BL) and Chrome (CHR);
- Height: 28".

Code	\$	Description
LENSN	489	Satin Nickel
LENBL	489	Black
LENCHR	997	Chrome

For stability reasons, please check with your account manager the dimensions of your furniture when ordering this leg separately from the surface.

RA2

Angled Rectangular Leg



- Set of 2 angled rectangular metal legs;
- Dimensions: 2" x 1";
- Finish: Satin Nickel (SN) and Black (BL);
- Height: 28".

Code	\$	Description
RA2SN	160	Satin Nickel
RA2BL	160	Black


For stability reasons, please check with your account manager the dimensions of your furniture when ordering this leg separately from the surface.



Keyboard Trays

KB360M

Keyboard Tray




- Black plastic 24-1/2" wide retractable ergonomic keyboard;
- Lift-N-Lock spring system (no lever) to adjust height;
- Handle for easy tilt adjustment from 10° to 15°;
- 10" x 7-1/2" mouse tray;
- 19" black gel wrist rest;
- 360° rotation.

Code	\$	Description
KB360M	526	

KBMODR

Keyboard Tray




- 28" wide keyboard tray;
- 1" thick laminate;
- Adjustable height from 1-3/4 to 2-3/4" / additional 2" for slides;
- Black gel wrist rest / depth-adjustable stop handles.

Code	\$	Description
KBMODR	270	

KB

Keyboard Tray




- 24" wide keyboard tray only;
- 5/8" and 1" thick laminate;
- Adjustable height from 1-3/4" to 2-3/4" / additional 2" for slides.

Code	\$	Description
KB	166	1" thick laminate
KBT	157	5/8" thick laminate

AP

Wrist Rest




- Black gel wrist rest.

Code	\$	Description
AP	63	

KBMOD

Keyboard Tray



- Keyboard tray, available in lengths from minimum 24" to maximum 30";
- 5/8" and 1" thick laminate;
- Adjustable height from 1-3/4 to 2-3/4" / additional 2" for slides.

Code	\$	Description
KBMOD	199	1" thick laminate
KBMODT	190	5/8" thick laminate


To order, for example a 27" long keyboard tray, 5/8" thick laminate: KBMODT27



CPU Holders

MCPU50

Miniature CPU Holder




- Height adjustable: 8" - 14";
- Width adjustable: 2" - 4";
- Maximum capacity: 10 kg (22 lbs);
- Need a minimum 5" deep clearance.

Code	\$	Description
MCPU50	146	

MCPU90

CPU Holder




- Black metal CPU holder;
- Easy manipulation;
- Vertical adjustment:
 - Height: 15.5" x 20"
 - Width: 5.5" x 9.8"
- Horizontal adjustment:
 - Height: 17.5" x 22"
 - Width: 9.25" x 13.5"

Code	\$	Description
MCPU90	185	<i>per unit</i>

CPUIND

CPU Holder




- 5/8" thick laminate CPU holder;
- 10" x 20" interior

Code	\$	Description
CPUIND	158	<i>per unit</i>

Computer Monitor Brackets

C-1A

Computer Monitor Bracket




- Computer monitor bracket with fixed arm support;
- Height-adjustable arm;
- Clamp mounted;
- Finish: Black.

Code	\$	Description
C-1A	119	

C-1B

Computer Monitor Bracket




- Computer monitor bracket with flexible arm support;
- Height-adjustable arm;
- Clamp mounted;
- Finish: Black.

Code	\$	Description
C-1B	202	

C-2A

Double Computer Monitor Bracket




- Double computer monitor bracket with fixed arm support;
- Height-adjustable arms;
- Clamp mounted;
- Finish: Black.

Code	\$	Description
C-2A	201	

C-2B

Double Computer Monitor Bracket




- Double computer monitor bracket with flexible arm support;
- Height-adjustable arms;
- Clamp mounted;
- Finish: Black.

Code	\$	Description
C-2B	358	

C-2A-1S

Triple Computer Monitor Bracket




- Triple computer monitor bracket with fixed arm support;
- Height-adjustable arms;
- Clamp mounted;
- Finish: Black.

Code	\$	Description
C-2A-1S	235	

C-2B-1S

Triple Computer Monitor Bracket



- Triple monitor bracket with 2 flexible arm supports;
- Height-adjustable arms;
- Clamp mounted;
- Finish: Black.

Code	\$	Description
C-2B-1S	392	

GROM-01

Grommet Clamp



- Option: Grommet mounted;
- Finish: Black.


Code	\$	Description
GROM-01	20	



Computer Monitor Brackets

BRSC1M4

Monitor Arm




- Monitor arm with height-adjustable arm, clamp-mounted;
- Finish: Satin nickel.

Code	\$	Description
BRSC1M4	613	

This is a Human Scale product.

BRSC1M7

Monitor Arm




- Monitor arm with fixed-height arm, clamp-mounted;
- Finish: Satin nickel.

Code	\$	Description
BRSC1M7	433	

This is a Human Scale product.

BRSC2M4

Double Monitor Arm




- Double monitor arm with height-adjustable arm, clamp-mounted;
- Finish: Satin nickel.

Code	\$	Description
BRSC2M4	1079	

This is a Human Scale product.

BRSC2M7

Double Monitor Arm




- Double monitor arm with fixed-height arm, clamp-mounted;
- Finish: Satin nickel.

Code	\$	Description
BRSC2M7	670	

This is a Human Scale product.

BRSG1M4

Computer Monitor Bracket




- Computer monitor bracket with height-adjustable arm;
- Grommet mounted;
- Finish: Satin Nickel.

Code	\$	Description
BRSG1M4	590	

This is a Human Scale product.

BRSG1M7

Computer Monitor Bracket




- Computer monitor bracket with fixed-height arm;
- Grommet mounted;
- Finish: Satin Nickel.

Code	\$	Description
BRSG1M7	404	

This is a Human Scale product.

BRSG2M4

Double Computer Monitor Bracket




- Double computer monitor bracket with height-adjustable arm;
- Grommet mounted;
- Finish: Satin Nickel.

Code	\$	Description
BRSG2M4	1071	

This is a Human Scale product.

BRSG2M7

Double Computer Monitor Bracket



- Double computer monitor bracket with fixed height;
- Grommet mounted;
- Finish: Satin Nickel.

Code	\$	Description
BRSG2M7	640	

This is a Human Scale product.



Miscellaneous Accessories

WD

Wire Separators




- Set of 3 wire separators.

Code	\$	Description
WD	25	Set of 3

SB

Suspension Bars




- Short suspension bars: 1 or 2 suspension bars for a left/right filing for a regular file drawer;
- Long suspension bars: 1 or 2 suspension bars for a front/back filing for a lateral file drawer.

Code	\$	Description
SBV1	7	1 short suspension bar
SBV2	14	2 short suspension bars
SBH1	7	1 long suspension bar
SBH2	14	2 long suspension bars

GRILLB

Ventilation Grill




- Black ventilation grill;
- Factory installed only.

Code	\$	Description
GRILLB	48	

GRILLW

Ventilation Grill




- White ventilation grill;
- Factory installed only.

Code	\$	Description
GRILLW	62	

GRILLSN

Ventilation Grill




- Satin nickel ventilation grill;
- Factory installed only.

Code	\$	Description
GRILLSN	62	

PS

Black Paper Grommet




- Black paper grommet, sold separately or factory installed;
- Installation location must be specified.

Code	\$	Description
PS	15	Sold separately
PSINS	79	Factory installed

TCPM

Sliding Drawer




- Black plastic sliding drawer with steel ball bearing slides.

Code	\$	Description
TCPM	166	

TCPM2

Sliding Drawer




- Sliding drawer with compartments to organize with ball bearing slides.

Code	\$	Description
TCPM2	192	

Miscellaneous Accessories

LK

Lock




- Locks with keys
- Finish: Satin nickel or black finish;
- Additional locks, sold separately or factory installed;
- Please specify the type of furniture on which the will be installed.

Code	\$	Description
LKSN	38	Satin Nickel lock (factory installed)
LKSNF	25	Satin Nickel facade lock
LKSNP	25	Satin Nickel door lock
LKBL	38	Black lock (factory installed)
LKBLF	25	Black facade lock
LKBLP	25	Black door lock
KEY	21	Set of 2 keys - #501 - 600
SERR 010	21	Set of 2 master keys

WBRNS

Wall Bracket for Shelves




- Satin nickel finish.

Code	\$	Description
WBRNS	88	Sold in pairs

ELPF

Black Plastic Grommet




- Standard black plastic grommet with the Logiflex logo engraved;
- 2-1/2" diameter cutout.

Code	\$	Description
ELPF	6	Unit price

C_PF

Grommet




- Square metal grommet with the Logiflex logo engraved;
- Finish: Satin Nickel, Black and Chrome;
- 2-1/2" diameter cutout.

Code	\$	Description
CAPF	23	Unit price - Satin Nickel
CBPF	23	Unit price - Black
CCPF	23	Unit price - Chrome

SWV

Swivel Organizer Tray



- Storage drawer that rotate 360 degrees;
- Mounts flush to the edge;
- Dimensions: 7-1/2"D x 8-7/8"W x 1"H.


Code	\$	Description
SWV	54	



Electrical Accessories

WM41

Power and Data Cable Support



- 18.5", 32.5" or 44.5" metal wire management system with power block;
- 1 circuit power block with 4 Simplex included. (Maximum of 4 power blocks can be joined together);
- Metal mounting plate included;
- J-Channel to isolate data cables from power cables;
- 2 telecom plate cutouts. (Telecom plates not included);
- Satin nickel finish.




Code	A	\$	Description
WM41 18	315		Length: 18.5", 4 Simplex, 1 circuit
WM41 32	320		Length: 32.5", 4 Simplex, 1 circuit
WM41 44	338		Length: 44.5", 4 Simplex, 1 circuit

To be used with starter cable 8420AP1

WM81

Power and Data Cable Support



- 18.5", 32.5" or 44.5" metal wire management system with power block;
- 1 circuit power block with 8 Simplex included. (Maximum of 2 power blocks can be joined together);
- Metal mounting plate included;
- J-Channel to isolate data cables from power cables;
- 2 telecom plate cutouts. (Telecom plates not included);
- Satin nickel finish.




Code	A	\$	Description
WM81 18	372		Length: 18.5", 8 Simplex, 1 circuit
WM81 32	422		Length: 32.5", 8 Simplex, 1 circuit
WM81 44	427		Length: 44.5", 8 Simplex, 1 circuit

To be used with starter cable 8420AP1

WM44

Power and Data Cable Support



- 18.5", 32.5" or 44.5" metal wire management system with power block;
- 4 circuit power block with 4 Simplex included. (Maximum of 10 power blocks can be joined together);
- Mounting plate included;
- J-Channel to isolate data cables from power cables;
- 2 telecom plate cutouts. (Telecom plates not included);
- Satin nickel finish.




Code	A	\$	Description
WM44 18	327		Length: 18.5", 4 Simplex, 4 circuits
WM44 32	355		Length: 32.5", 4 Simplex, 4 circuits
WM44 44	372		Length: 44.5", 4 Simplex, 4 circuits

To be used with starter cable 84SB2 (to be connected to an electrical box by an electrician).

WM84

Power and Data Cable Support



- 18.5", 32.5" or 44.5" metal wire management system with power block;
- 4 circuit power block with 8 Simplex included. (Maximum of 5 power blocks can be joined together);
- Mounting plate included;
- J-Channel to isolate data cables from power cables;
- 2 telecom plate cutouts. (Telecom plates not included);
- Satin nickel finish.



Code	A	\$	Description
WM84 18	393		Length: 18.5", 8 Simplex, 4 circuits
WM84 32	450		Length: 32.5", 8 Simplex, 4 circuits
WM84 44	455		Length: 44.5", 8 Simplex, 4 circuits


To be used with starter cable 84SB2 (to be connected to an electrical box by an electrician).



Electrical Accessories

PW41

Mounting Bracket with Power Block




- Metal mounting kit assembly included;
- 1 circuit power block with 4 Simplex included.
(Maximum of 4 power blocks can be joined together).

Code	A	\$	Description
PW41	225		4 Simplex, 1 circuit
To be used with starter cable 8420AP1			

PW44

Mounting Bracket with Power Block




- Metal mounting kit assembly included;
- 4 circuit power block with 4 Simplex included.
(Maximum of 10 power blocks can be joined together).

Code	A	\$	Description
PW44	248		4 Simplex, 4 circuits

To be used with starter cable 84SB2 (to be connected to an electrical box by an electrician).

PW81

Mounting Bracket with Power Block




- Metal mounting kit assembly included;
- 1 circuit power block with 8 Simplex included.
(Maximum of 2 power blocks can be joined together).

Code	A	\$	Description
PW81	271		8 Simplex, 1 circuit

To be used with starter cable 8420AP1

PW84

Mounting Bracket with Power Block




- Metal mounting kit assembly included;
- 4 circuit power block with 8 Simplex included.
(Maximum of 5 power blocks can be joined together).

Code	A	\$	Description
PW84	327		8 Simplex, 4 circuits

To be used with starter cable 84SB2 (to be connected to an electrical box by an electrician).

SMWM

Cable Support




Ex: TELC

- 3.5" metal wire support with 1 telecom plate cutout;
- Satin nickel finish.

Code	\$	Description
SMWM	25	

TEL

Telecom Plate




Ex: TELC

- Grey telecom plate.


Code	\$	Description
TELA	20	Blank plate
TELB	193	CAT6 data / USB Ø charger / CAT3 phone
TELC	166	(2) CAT6 data
TELD	312	(4) CAT6 data




TELA



TELB



TELC




TELD



Electrical Accessories

84SB2

Starter Cable with Hardwire



- Starter cable with hardwire at one end.




Code	\$	Description
84 SB2 72	163	8 wire, 4 circuit - 72"
84 SB2 84	178	8 wire, 4 circuit - 84"
84 SB2 96	198	8 wire, 4 circuit - 96"
84 SB2 120	232	8 wire, 4 circuit - 120"
84 SB2 180	340	8 wire, 4 circuit - 180"

To be connected to an electrical box by an electrician.

8420AP1

Starter Cable with Plug




- 72" starter cable with electric plug at one end.



Code	\$	Description
84 20 AP1 48 24	203	8 wire 1 circuit - 72"

84SB1

NYC Starter Cable with Hardwire



- NYC Starter cable with hardwire at one end.




Code	\$	Description
84 SB1 72	250	8 wire, 4 circuit - 72"
84 SB1 84	269	8 wire, 4 circuit - 84"
84 SB1 96	284	8 wire, 4 circuit - 96"
84 SB1 108	304	8 wire, 4 circuit - 108"
84 SB1 120	320	8 wire, 4 circuit - 120"

To be connected to an electrical box by an electrician.

84FF

Junction Cable




- Minimum 12" - maximum 180".

Code	\$	Description
84 FF 12	104	8 wire / 4 circuit jumper cable 12"L
84 FF 18	111	8 wire / 4 circuit jumper cable 18"L
84 FF 24	118	8 wire / 4 circuit jumper cable 24"L
84 FF 30	122	8 wire / 4 circuit jumper cable 30"L
84 FF 36	128	8 wire / 4 circuit jumper cable 36"L
84 FF 42	137	8 wire / 4 circuit jumper cable 42"L
84 FF 48	145	8 wire / 4 circuit jumper cable 48"L
84 FF 54	152	8 wire / 4 circuit jumper cable 54"L
84 FF 60	164	8 wire / 4 circuit jumper cable 60"L
84 FF 66	171	8 wire / 4 circuit jumper cable 66"L
84 FF 72	179	8 wire / 4 circuit jumper cable 72"L
84 FF 78	190	8 wire / 4 circuit jumper cable 78"L
84 FF 84	199	8 wire / 4 circuit jumper cable 84"L
84 FF 96	215	8 wire / 4 circuit jumper cable 96"L
84 FF 108	233	8 wire / 4 circuit jumper cable 108"L
84 FF 120	251	8 wire / 4 circuit jumper cable 120"L
84 FF 132	269	8 wire / 4 circuit jumper cable 132"L
84 FF 144	283	8 wire / 4 circuit jumper cable 144"L
84 FF 156	288	8 wire / 4 circuit jumper cable 156"L
84 FF 168	316	8 wire / 4 circuit jumper cable 168"L
84 FF 180	333	8 wire / 4 circuit jumper cable 180"L

84CMM

Rigid Junction




- Minimum 5" - maximum 12".

Code	\$	Description
84 CMM 06 92		8 wire, 4 circuit M/M Rigid Channel - 6"L
84 CMM 12 103		8 wire, 4 circuit M/M Rigid Channel - 12"L

84CFF

Rigid Junction



- Minimum 2" - maximum 12".


Code	\$	Description
84 CFF 02	81	8 wire 4 circuit F/F Rigid Channel - 2"L
84 CFF 06	87	8 wire 4 circuit F/F Rigid Channel - 6"L
84 CFF 12	96	8 wire 4 circuit F/F Rigid Channel - 12"L



Electrical Accessories

8SR


Simplex Removal Tool



Code	\$	Description
8SR	5	Simplex removal tool

844AA

Power Block




Ex: 84S

- Electri-Pak, 8 wire 4 circuit double-sided power block. Simplex ordered separately;
- "Y" connector not required; 4 ports: 1 input and up to 3 outputs;
- Max. 8 Simplex total per block.

Code	\$	Description
844AA	76	

84S

Circuit - electric plug




- Simplex for 84 system.

Code	\$	Description
84 S1-BL-150	16	Circuit 1 - 20A
84 S2-BL-150	16	Circuit 2 - 20A
84 S3-BL-150	16	Circuit 3 - 20A
84 S4-BL-150	16	Circuit 4 - 20A
84 S3IG-OR-150	20	Circuit 3 isolated ground - 20A
84 SB-BL-150	7	Blank

KSUP844AA

Mounting Bracket Support Kit




- 844AA metal support bracket assembly kit;
- Support in black and mounting plate included.

Code	\$	Description
KSUP844AA	36	

PMDBRKTKIT

Bracket




Ex: 844AA + 84S

- 844AA metal mounting bracket assembly and mounting plate included.

Code	\$	Description
PMD BRKT KIT	50	

WMS

Power and Data Cable Support



- 18.5", 32.5" or 44.5" metal power and data support for 844AA power block with 2 telecom plate cutouts;
- Metal mounting plate included;
- J-Channel to isolate data cables from power cables;
- Satin nickel finish.

Code	A	\$	Description
WMS18	177		18.5" support
WMS32	234		32.5" support
WMS44	240		44.5" support

WM

Velcro Tie




- Velcro tie for electrical cable;
- The non-metallic buckle is safe to use around electrical devices;
- Dimensions: 3/4" x 10";
- Color: black.

Code	\$	Description
WM	10	Unit price
WMS	11	with #8, 9/16" Robertson screw, per unit

Electrical Accessories : Communication Boxes - Single Stations

BCSS1BL

Communication Box




- Communication box to be installed under surface;
- 2 empty telecommunication outlets (outlets not included);
- 15A/125V;
- 1 set of universal adapters.

Code	\$	Description
BCSS1BL	147	Available in black only

BCSS2BL

Communication Box




- Communication box to be installed under surface;
- 1 electrical outlet and 1 empty telecommunication outlet (outlet not included);
- 72" power cable with electric plug;
- 15A/125V;
- 1 set of universal adapters.



Code	\$	Description
BCSS2BL	147	Available in black only

BCSS3BL

Communication Box



- Communication box to be installed under surface;
- 2 electrical outlets;
- 72" power cable with electric plug;
- 15A/125V;
- 1 set of universal adapters.




Code	\$	Description
BCSS3BL	147	Available in black only



Electrical Accessories - Miscellaneous

PBL

Power bar




- Power bar with 6 electric outlets;
- 120" power cable with electric plug.



Code	\$	Description
PBL	56	

DEL20

LED task light




- 20" LED task light, 75W, cool white;
- 180° swivel feature;
- 72" power cable with electric plug;
- 20" connection wire for DEL20 task lamps;
- Finish: Satin nickel.



Code	\$	Description
DEL20	187	20" length

T5

Florescent task light




- Florescent lamp (T5) with swivel reflector and electronic ballast;
- 120" power cable with electric plug;
- 16" connection wire for T524, T536 or T548 florescent task lamps;
- Finish: Black and Satin Nickel



Code	\$	Description
T524 BL	152	24" length - Black
T524SN	152	24" length - Satin Nickel
T536 BL	204	36" length - Black
T536 SN	204	36" length - Satin Nickel
T548 BL	269	48" length - Black
T548 SN	269	48" length - Satin Nickel

EL1

Retractable Connectivity unit




- Retractable connectivity unit with 3 electrical outlets, 1 USB (charger) and 2 empty telecommunication outlets (outlets not included);
- 72" or 120" power cable with electric plug;
- Finish: Satin Nickel.



Code	\$	Description
EL1-72 SN	711	Satin Nickel, 72" power cable
EL1-120 SN	727	Satin Nickel, 120" power cable

EL2

Retractable Connectivity unit



- Retractable connectivity unit with 3 electrical outlets and 3 empty telecommunication outlets (outlets not included);
- 72" or 120" power cable with electric plug;
- Finish: Satin Nickel.




Code	\$	Description
EL2-72 SN	581	Satin Nickel, 72" power cable
EL2-120 SN	597	Satin Nickel, 120" power cable



Electrical Accessories - Miscellaneous

MH1SN

Power/Data Centre




- Power/data centre with retractable door;
- 2 electrical outlets and 2 empty telecommunication outlets (outlets not included);
- 72" power cable with electric plug;
- 15A/125V. 1 set of universal adapters.



Code	\$	Description
MH1SN	585	Satin Nickel, 72" power cable
MH1SN120	595	Satin Nickel, 120" power cable

MH1B

Power/Data Centre




- Power/data centre with retractable door;
- 2 electrical outlets, 1 USB (charger) and 1 empty telecommunication outlet (outlet not included);
- 72" or 120" power cable with electric plug;
- 1 set of universal adapters.



Code	\$	Description
MH1B	656	Satin Nickel, 72" power cable
MH1B120	667	Satin Nickel, 120" power cable

POR 01

RJ45, CAT 6 connectivity port




- RJ45, CAT6 connector;
- RJ45 M/F cable - 72" ;
- Finish: Black.

Code	\$	Description
POR 01	123	

POR 02

RJ11 connectivity port




- RJ11 connector, 4 pin
- RJ11 M/F cable - 84";
- Finish: Black.

Code	\$	Description
POR 02	36	

POR 03

USB connectivity port




- 1 USB (data/passive);
- USB M/F cable - 72";
- Finish: Black.

Code	\$	Description
POR 03	76	

POR 04

HDMI connectivity port




- HDMI connector;
- HDMI M/F cable - 18";
- Finish: Black.

Code	\$	Description
POR 04	112	

POR 05

Mini Stereo Jack




- 3.5 mm Mini Stereo Jack, M/F;
- Audio M/F cable -120";
- Finish: Black.

Code	\$	Description
POR 05	41	

POR 06

VGA Connector



- VGA connector, 15 pin;
- VGA M/F cable -120";
- Finish: Black.

Code	\$	Description
POR 06	142	

Electrical Accessories - Miscellaneous

SPINE

Wire Management Spine




- 2" diameter;
- Gray plastic.

Code	\$	Description
SPINE	144	

WMP

Wire Management Pole



- Blank steel pole to bring cables from the ceiling to a work station;
- Satin nickel finish with a gray boot base;
- 2 compartments: 1 power/1 communications
- Mounting hardware, entrance end plate and ceiling trim plate included;
- Wires and outlets not included;
- Height: 12' 5".

Code	\$	Description
WMP	389	

As our product line is constantly evolving and expanding, we recommend that you visit logiflex.ca for updates.

logiflex

1235 St-Roch N., Sherbrooke QC J1N 0H2 Canada
T : 1.877.864.9323 | F : 1.800.474.7830 | logiflex.ca

