CONFERENCE / COLLABORATION

Price List
USA 2025



logiflex

Table of Contents

Introduction 3

Update Summary 4
Product Map 5
Our social responsability 8
Conditions of Sale 8
Manufacturing Standards 9
How to Use the Price List 10
Appendix A: Colors and Finishes 11
Appendix B: Conference Table Bases 13
Appendix C: Conference Table Surfaces 16
Appendix D: Salto Training Table 18
Appendix E: Multimedia Table 23
Appendix F: Woodgrain Direction 26
Appendix G: Surfaces and Edges 26
Appendix H: Pricing for Additional Adjustable Shelves 27
Appendix I: Maximum Dimensions Magog & Lennox 27
Appendix J: Pricing for Tops 28
Appendix K: Seating Capacity 29
Appendix L: Electrical Wire Management Solutions 30

Conference Tables 34

Arrow Bases 35
Cubic Bases 39
H Bases 42
Rectangular Bases 45
Y Bases 49
Howard Bases 52
Wellington Bases 56
Finesse 59

All Purpose and Occasional Tables 63

All Purpose Tables 64
Flint 78
Hatley 79
Table 19 83
Magog 85
Manhattan 94
Orford 95
Slim 98
Stanstead 100
Lennox 103

Training Tables 112

Salto Flip-top Table 113
Salto Flip-top Table with Modesty 114
Academic Tables on Levelers 115
Academic Tables on Casters 117

Complimentary Furniture 119

Wall Units 120
Credenzas 125
Cabinets 132
Mobile Service Carts 134
Conference Boards 137
Lecterns 138

Collaborative Furniture 140

Multimedias Tables 141
Link Collaboration Tables 149

Accessories 152

Handles 153
Legs 154
Miscellaneous Accessories 157
Electrical Accessories 158

Introduction

Update Summary

The Tables price list presents these principal modifications:

DATE	SECTION	MODIFICATIONS
March 3, 2025	Training Tables	• Addition of a new dimension for Salto table, with and without modesty.
	All the Price List	• All prices have been increased by approximately 3%.


Previous updates:

DATE	SECTION	MODIFICATIONS
January 22, 2025	Multimedias Tables	• Addition of multimedias tables TMM-TZ, TMM-WG, BMM-TZ and BMM-WG.
December 10, 2024	Conference Tables	• Addition of conference tables TARA, TARAW, BTRRA and BTRRAW.
June 26, 2024	All Purpose and Occasional Tables	• Addition of the Magog tables TCMAG20, TCMAG24, TRMAG20, TRMAG24, RTMAG20 and RTMAG24. • Addition of the Lennox tables TCLEN20, TCLEN24, TRLEN20, TRLEN24, TLEN20 and TLEN24.
	Accessories - Legs	• Addition of the round disk base RDB and square base SDB.
March 1, 2024	All the Price List	• All prices have been increased by approximately 5% except products with HPL surface. The Tables MLL, MAL, CSL, CGL, CSZL, OSL, OSZL, OGL and ACL have been increased by 10%.
November 22, 2023	All the Price List	• Removal of high gloss finish.
	Electrical accessories	• Addition of items for 15a electric circuit: BE1-DMB, BE1-DC, BE1-PI, BE1-J & BE1-HC. • Addition of Interlink items: BEL-1, BEL-2, BEL-PI72 & BEL-JFM. • Addition of port USB A + C SCQ. • Removal of QIRE, OAS, INT, COV1, TEL, COV2, 42AP, 42SB2, 42QDINSERT, DAISYT, 42FF & 42FM. • Replacement of item QIBL by CQIBL & CQIWH.

Product Map


Conference Tables

Arrow Bases p. 24




RTARW | TARW | BTRARW | TFARW

Cubic Bases p. 29




RTCU | TCU | BTRCU

H Bases p. 33




RTH | TH | BTRH

Rectangular Bases p. 37




RTRE | TRE | BTRRE | TFRE

Y Bases p. 42




RTY | TY | BTRY

Howard Bases p. 52



RTHOW | THOW | BTRHOW | TFHOW

Wellington Bases p. 56



TWEL

Finesse p. 59




TARA | TARAW | BTRRA | BTRRAW


Product Map

All Purpose and Occasional Tables


All Purpose p. 64




Flint p. 78




Hatley p. 79




Tables 19 p. 83




Magog p. 85




Manhattan p. 94



Orford p. 95




Slim p. 98



Stanstead p. 100




Lennox p. 103




Training Tables

Salto p. 113




Academic p. 115



Product Map


Complimentary Furniture

Wall Units p. 120




WU24 | WU30 | WU36 | WU42 | WU48 | WU54 | WU60

Credenzas p. 125




WELARBBAR20 | WELARBBAR29 | WELARBBAR36 | WELCRAR | WELARAR20 | WELARAR29 | WELARAR36

Cabinets p. 132




WELAR42 | WELAR78

Mobile Service Carts p. 134




WELCART20 | WELCART36 | WCART36

Conference Boards p. 137



WC | WCSD


Lecterns p. 138



LTN | LTNM


Collaborative and Multimedias Furniture

Multimedias Tables p. 141



MP | MT | MB | MG | TMM-TZ | TMM-WG | BMM-TZ | BMM-WG

Link Collaboration Tables p. 149



TAC29 | TAC36 | TAC42

Our social responsability

At Logiflex, we have chosen to be a responsible North American manufacturer by implementing initiatives for sustainable development. As much as possible, we source local materials and partner with suppliers who prioritize clean manufacturing processes. We also consolidate goods during transport to reduce ou fuel consumption and we continually make changes that help reduce our waste production.

The company is ISO 9001 certified.

You can consult our eco-responsible approach as well as all our certifications in the Certifications section of our website. Find out how our products can help you obtain LEED credits and the Logiflex products that are Indoor Advantage Gold certified.

Conditions of Sale

Prices

The amounts listed in this document are suggested retail prices and may be changed without notice. Applicable taxes are not included. If you have an open and active account with Logiflex, merchandise will be invoiced at the prices prevailing at the time of shipment. A deposit may be requested if the opening of your account has not been completed or if your account has become inactive.

Terms of Payment

Net 30 days F.O.B. Sherbrooke, Quebec. The invoice will be assigned the shipping date and is payable 30 days from that date. Logiflex remains the owner of the merchandise until the invoice is paid in full.

Customized Products (Special Items)

Price requests for customized products or special items can be submitted via the "Member Zone" section of our website, at www.logiflex.ca. Our quotations department will study your request and send you a quotation and a technical drawing for approval as soon as possible. Modifications to quotations or technical drawings can be requested the same way. The approved quotation(s) and technical drawing(s) can then be attached to your purchase order.

Orders

An official purchase order must be issued for all purchases. Your purchase order must contain the following information:

- Your company letterhead
- Your reference number
- The delivery address (with contact name, email and phone number)
- The complete product codes
- Furniture colour(s)
- Quantities
- Descriptions
- Retail prices and net prices
- Project registration number (if applicable), and your approved quotation and technical drawing (for special items).

Please note that a quotation cannot serve as a purchase order.

Returns

All returns must first be approved by Logiflex. If the return is accepted, a Logiflex customer service representative will send you an official return authorization form in order to facilitate procedures between you, the carrier, and the Logiflex merchandise reception clerk. Additional costs for shipping or other expenses may be applied following any merchandise returns.

Modifications and/or Cancellations

You have 48 hours from the time we acknowledge receipt of your order to make any requests for corrections or modifications. You may cancel your order during this same 48-hour period. If you would like to modify or cancel your order after this 48-hour verification period, please check with a Logiflex customer service representative. Orders cannot be changed or cancelled if production has already begun or if Logiflex has already received the raw materials.

Liability

Logiflex's liability ends once the carrier has delivered all items in good condition. A delivery receipt signed by the customer acknowledges that the shipment is complete and has been received in good condition.

Claims

Logiflex recommends inspecting the shipment before signing the carrier's delivery receipt. You must notify Logiflex of any incomplete shipments or damaged furniture within 30 days after delivery. Requests to replace damaged products can be made via the "Member Zone" section of our website, at www.logiflex.ca. Our after-sales service department will examine your request and help you correct the situation.

Changes

Logiflex reserves the right to make changes to the materials, accessories, components, specifications and designs, and to discontinue collections and/or models, at any time and without prior notice.

Storage and/or Shipping Fees

According to the terms Logiflex set forth in the transport policy. The transport policy can be consulted online in the Private Space.

Items Delivered Disassembled

Some items are delivered disassembled, such as empty desks, empty returns, bridges, arched tables, D, P or Q tables, lateral tables, end tables, hook tables, corner tables and extended-corner tables.

Warranty

Logiflex guarantees to the original purchaser that Logiflex products are free from defects in design, materials and workmanship for the product's lifetime, with certain exceptions.

You may consult the full warranty on the website: **Logiflex Warranty**

Manufacturing Standards

Product Dimensions

For display purposes, the furniture dimensions represented in the price tables on each product page are rounded to the nearest whole number.

Knocked Down Furniture

Conference tables are delivered dissassembled.

Surfaces

Surfaces are either 1" or 1-5/8" thick. Furniture in high pressure laminate are either 1-1/6" ou 1-9/16".

Drawer Fronts

A PVC strip 1.5 mm thick is systematically applied along all drawer front edges.

Wood Grain

The wood grain is always vertical on fronts and furniture doors. Surfaces more than 96" are in two parts. Logiflex cannot guarantee that the wood grain will match up on the different parts of a same surface.

Finishes


You must specify the desired finish(es) for each item of furniture ordered. Please make your selection(s) from the Logiflex chart. See Annexe A for further details on the available metal finishes.

Levelers


All freestanding furniture sit on 1" in diameter, white nylon levelers, allowing for up to 1-1/4" height adjustment. The standard finished height for work surfaces is 29".

Access Doors (AD) for Conference Table Bases

An access door can be added to each conference table base, where permitted by the type of base. If applicable, the option (AD) will be offered on the specifications sheet of the conference table in question. This information can be found in the "How to order" section of the conference table specifications pages in this price list.



How to Use the Price List




Standard Product Code
Details as per the price listed

Options, if desired ($)
Always after the product code

Appendix A: Colors and Finishes

How to specify your laminate colors



Glass and Acrylic

V4	White Glass	**KR**	Bright Red Glass
V5	White Satin Glass	**KM**	Metallic Gray Glass
KB	Jet Black Glass	**KA**	Satin Silver Glass
KS	Black Satin Glass	**KG**	Satin Gold Glass
KE	Ocean Blue Glass	**VS**	Frosted Glass
KO	Overseas Blue Glass	**PL**	Frosted Acrylic

Availablility Chart

FINI FINISH	CODE	COLOR COULEUR	THICKNESS ÉPAISSEUR ⅝"	1"	1-⅝"	HPL STRATIFIÉ	PANVAL CODE
OMNIA	**DOO**	Dosha	•	•		•	K77
	COO	Cosmos	•	•		•	K78
AURA	**GIA**	Ginger Root | Gingembre	•	•		•	H72
	HAA	Haze | Brume	•	•	•	•	H57
	OHA	Ohm	•	•	•	•	K69
	STA	Storm | Tempête	•	•	•	•	H58
	TUA	Tundra	•	•		•	H75
LYRA	**ASY**	Asha	•	•		•	K47
	CIY	Chiffon | Mousseline **	•	•	•	•	K60
	KAY	Kali	•	•		•	K46
SUPERMAT	**IGS**	Ingot grey | Gris lingot	•	•			828
	WGS	Willow grey | Gris saule	•	•			802
DOLOMITE	**AU**	Audacity | Audace **	•	•	•	•	241
	B	Jet Black | Noir intense *	•	•		•	888 | S405-CA
	BC	Brown cherry | Cerisier brun	•	•	•	•	207
	C	Slate | Ardoise *	•	•		•	801
	DR	Driftwood | Bois de rive	•	•		•	744
	G	Mink Grey | Gris vison	•	•		•	805 | OU-927
	NM	Natural Maple | Érable naturel	•	•	•	•	206
	PO	Porto	•	•		•	913 | OU-648
	SW	Smoked Walnut | Noyer fumé	•	•	•	•	G21
	TO	Tobacco	•	•		•	205
	W	Polar White | Blanc polaire	•	•	•	•	555 | 459-CA
	WK	Whisky	•	•	•	•	245

* Non recommended color for work surfaces.
** For conference tables with 2 or more parts, we do not recommend the use of colors with irregular and contrasted woodgrain like Chiffon, Audacity or Coastal Pear as it results in a pronounced wood grain mismatch.

Colors may vary from 2% to 5% between tfl and hpl laminates due to different technical applications.

See our complete **Colors & Finishes Guide**

N New

Appendix A: Colors and Finishes

12 Wood Stains

Logiflex offers varnish and stain selection among the following 12 colors on all wood applications.


Knots and color variation can occur between different wood components of the same piece of furniture, or between different pieces of furniture. This variation is due to the natural characteristics of the wood, and is more contrasting for pale wood colors like Golden Wheat.

WW White Wash


GW Golden Wheat




SD Sand



AT Apricot



PN Pecan




BR Brandy



CT Chestnut




CF Coffee




ES Espresso



BO Bordeaux




BW Black Wash




BK Bark


Appendix B: Conference Table Bases

Arrow Bases



- Laminate base with Satin Nickel (SN) or White (WH) metal corners;
- Tables delivered disassembled.







2 bases | 2 bases | 3 bases

Cubic Bases



- Laminate base;
- Tables delivered disassembled.







2 bases | 2 bases | 3 bases

H Bases


- Laminate base;
- Tables delivered disassembled.







2 bases | 2 bases | 3 bases

Rectangular Bases



- Laminate base;
- Tables delivered disassembled.







2 bases | 2 bases | 3 bases


Appendix B: Conference Tables Bases

Y Bases



- Laminate base;
- Tables delivered disassembled.







Howard Table Bases



- Laminate base with chrome (CHR) corners;
- Tables delivered disassembled.







Wellington Bases




- Laminate base with decorative chrome (CHR) inserts;
- Tables 120" and longer have 1 middle base and 228" have 2 middle bases with a removable panel to provide access to electrical wiring;
- Tables delivered disassembled.






Wellington Credenza Bases





Appendix B: Conference Tables Bases

Finesse Angled Legs




- Metal legs or Metal with wood insert legs;
- Tables delivered disassembled.





4 legs with stiffeners




6 legs

Appendix C: Conference Table Surfaces


The following charts indicate the number of sections and wood grain direction for conference tables.

RACETRACK



	1" Tops		1-5/8" Tops	
	Number of Sections	Wood Grain Direction	Number of Sections	Wood Grain Direction
42 84	1	↔	2	↕
42 96	1	↔	2	↕
42 108	2	↕	2	↕
48 84	1	↔	2	↕
48 96	1	↔	2	↕
48 120	2	↕	2	↕
48 144	3	↕	3	↕
60 144	3	↕	3	↕
60 168	4	↕	4	↕


RECTANGULAR



	1" Tops		1-5/8" Tops	
	Number of Sections	Wood Grain Direction	Number of Sections	Wood Grain Direction
42 84	1	↔	2	↕
42 96	1	↔	2	↕
42 108	2	↕	2	↕
48 84	1	↔	2	↕
48 96	1	↔	2	↕
48 120	2	↕	2	↕
48 144	3	↕	3	↕
48 168	3	↕	4	↕
54 84	2	↕	2	↕
54 96	2	↕	2	↕
54 120	3	↕	3	↕
54 144	3	↕	3	↕
54 168	4	↕	4	↕
60 84	2	↕	2	↕
60 96	2	↕	2	↕
60 120	3	↕	3	↕
60 144	3	↕	3	↕
60 168	4	↕	4	↕
60 192	4	↕	4	↕
60 228	5	↕	5	↕


Appendix C: Conference Table Surfaces

ROUNDED BOAT



	1" Tops		1-5/8" Tops	
	Number of Sections	Wood Grain Direction	Number of Sections	Wood Grain Direction
30 42 84	1	↔	2	↕
30 42 96	1	↔	2	↕
30 42 108	2	↕	2	↕
36 42 84	1	↔	2	↕
36 42 96	1	↔	2	↕
36 42 108	2	↕	2	↕
36 48 84	1	↔	2	↕
36 48 96	1	↔	2	↕
36 48 120	2	↕	2	↕
36 48 144	3	↕	3	↕
42 48 84	1	↔	2	↕
42 48 96	1	↔	2	↕
42 48 120	2	↕	2	↕
42 48 144	3	↕	3	↕
42 54 120	3	↕	3	↕
42 54 144	3	↕	3	↕
42 54 168	4	↕	4	↕
48 60 168	4	↕	4	↕
54 60 168	4	↕	4	↕

TELECONFERENCE




	1" Tops	
	Number of Sections	Wood Grain Direction
54 72 144	3	↕
54 72 168	4	↕
60 78 192	4	↕
60 78 216	5	↕

RECTANGULAR (ROUNDED CORNERS)



	1" Tops		1-5/8" Tops	
	Number of Sections	Wood Grain Direction	Number of Sections	Wood Grain Direction
36 72	1	↔	1	↔
42 84	1	↔	1	↔
48 96	1	↔	1	↔


BOAT (ROUNDED CORNERS)



	1" Tops		1-5/8" Tops	
	Number of Sections	Wood Grain Direction	Number of Sections	Wood Grain Direction
36 72	1	↔	1	↔
42 84	1	↔	1	↔
48 96	1	↔	1	↔

Appendix D: Salto Training Table

A versatile table that embodies design and innovation.



Intuitive Use

With its sleek leg design, the Salto training table offers a variety of configurations for various uses. It stands out for its easy one-hand use and compact storage. Its robust construction makes it a reliable and durable choice.


Choose your style

Personalize more than just the color combinations for the surface. Choose between three different metal leg finishes. Claim your space with laminate modesty panels: and yes they're compatible with the tilting motion.

Appendix D : Salto Training Table

Layout Ideas for Multiple Salto Tables


Here are some configurations that can be done with the Salto training table.




Please note that the ganging-clamps are only installed on the sides of the Salto table and in the top corners. Only one ganging-clamp is required per side.

Seating Capacity


The images below show the suggested seating capabilities for each Salto table dimension.



24 x 48



24 x 72




24 x 60

Appendix D : Salto Training Table

Features of the Salto Training Table


Flip-top mechanism: The effectiveness of the lever mechanism makes storage easy and intuitive. A simple one-handed operation raises the surface. To replace the table, only tilt the surface without having to operate the handle again.

Flip the Salto Table




Storage position: Tables can be arranged diagonally or zigzag. For storage space, see below.

Diagonal




Add 7 7/8" in depth and 2 1/2" in width for each additional table.

Zigzag



See the drawing on the right for dimensions for storage.




Appendix D : Salto Training Table


Features of the Salto Training Table

Ganging-Clamp: The Salto ganging-clamp fastens the tables so that they no longer move. It is important to remove the ganging-clamps to move the tables in a new configuration. Metal inserts are installed as standard under the surface in order to add ganging-clamps afterwards. The ganging-clamps are installed at the 4 corners of the table and in front of it.

Salto tables side by side



Salto tables face to face



Legs : Legs are made of steel and equipped with wheels with brakes. The leg height is 28.5". Leg diameter is 2 3/16". Legs are available in three metal colors.



Satin Nickel (SN)



White (WH)




Black (BL)

The color of the casters (C) is determined according to the color of the leg (L).




Clearance between surface and leg

Width: 48" 54" 60"



Width: 72"




Appendix D : Salto Training Table


Features of the Salto Training Table (continued)

Modesty: The flip-top table can come with or without melamine modesty. There are 2 extrusions of metal visible on either side of modesty. Modesty follows the movement of the mechanism.

Modesty of the Salto table



Resessed modesty distacne



Please note that modesty is an integral part of the table structure and cannot be added afterwards.

Please note that a Modesty Level screen would conflict with the mechanism when the table is in the storage position.

Weight Capacity: The maximum load for a Salto table is 300lbs/136kg.

Standards and Certifications: Meets ANSI/BIFMA x5.5-2021 standards.

Grommet (option): Grommets are available in 4 metal colors.




Satin Nickel (SN) | **White (WH)** | **Black (BL)** | **Chrome (CHR)**


Connection and grommet positioning:

Without modesty

24" depth




30" depth




With modesty


24" depth




30" depth



Accessories



Ganging-Clamp
Connects 2 Salto tables.



Hooks
Allows you to hang a bag to keep the floor clear. Sold in pairs. See its positioning at p.17




Velcro Fastener
Allows the management of electrical cables.

For electrical accessories, see Appendix K.

Appendix E: Multimedia Table

Limitless collaboration: make every meeting a success.



A look that's uniquely yours

Shape it to your space! Make the multimedia table a true reflection of your environment. Choose from 2 surface and leg options to fit your needs and style. Easy to personalize, it seamlessly integrates into any setting while adding a unique touch to your meetings.

Technology and collaboration

Redefine your collaborative spaces with a table that blends technology, design, and efficiency. Whether for formal meetings or impromptu exchanges, the multimedia table stands as the hub for projects and ideas. Take advantage of the optional whiteboard on the back to expand your creative zone!


Appendix E: Multimedia Table

Layout for Multimedia Table

Meeting rooms or open spaces, often used for collaboration, are ideal places to add multimedia tables.

Seating Capacity

The images below show the recommended seating capacities for each multimedia table size.




Features of the Multimedia Table


Back of the Panel: The back of the multimedia unit is fixed. There are two types of construction for the back:


- As standard, the back of the multimedia unit is made from a single 5/8" laminate panel.
- When the markerboard option (MB) is chosen, the back is then divided into two sections. For more details, see the section on the markerboard on the following page.

Removable Side Panels: The side panels can be removed to provide accessibility for cable routing and access for a mini-computer (if applicable). The panels are held in place by 2" Velcro, one at the top and one at the bottom.



Removable Front Panel: The front panel can be removed by lifting it to detach it from the internal fasteners. This feature is important for installing the top, the connection unit (if the option was chosen), and for mounting a television wall bracket (not included) on the removable panel. The unit is compatible with screens up to 60" maximum. The maximum load for a screen is 45 lbs/20 kg.






Appendix E: Multimedia Table

Features of the Multimedia Table

Legs : The legs are available in 28"H or 39"H depending on the desired table height. The legs can be square or round and are offered in 3 metal colors.



Square Leg



Round Leg



Satin Nickel (SN)




White (WH)





Black (BL)

Ventilation Gird (option) : It is possible to add a ventilation grid on top of the multimedia unit when a mini-computer (not included) is installed inside.



Markerboard (option) : It is possible to choose a multimedia table with an optional markerboard. The markerboard is 11/16" thick, and the bottom of the panel, made of laminate, is 5/8" thick. The markerboard starts 18" from the bottom.





Back Grommet (option) : It is located 13"H from the bottom, centered in width, and has a diameter of 2-1/2". Grommets are available in 4 metal colors.



Satin Nickel (SN)




White (WH)



Black (BL)




Chrome (CHR)




Appendix F: Woodgrain Direction


Wood grain runs lengthwise on table surfaces that are in one section. The wood grain is horizontal on doors and legs on credenzas, cabinets and mobile serving carts. See adjacent image for wood grain direction placements.



Credenzas



Wall Units



Tables

Appendix G: Surfaces and Edges

SERIES	PREVIEW	COMPONENT	MATERIAL	EDGES
ML, CS, OS, AC, LV, SA		**1" surface**	Thermofused laminate (TFL) - 1" high-density particle board.	1.5 mm polyvinyl chloride (PVC)
MLL, CSL, OSL, ACL, SAL		**1-1/16" surface**	High pressure laminate (HPL) - 1" high-density particle board, 1/32" HPL sheet on surface, 1/32" balancing sheet under surface (prevents bending).	1.5 mm polyvinyl chloride (PVC)
MA, CG, OG		**1-5/8" surface**	Thermofused laminate (TFL) - 1-5/8" high-density particle board.	1.5 mm polyvinyl chloride (PVC)
MAL, CGL, OGL		**1-9/16" surface**	High pressure laminate (HPL) - 1-1/2" high-density particle board, 1/32" HPL sheet on surface, 1/32" balancing sheet under surface (prevents bending).	1.5 mm polyvinyl chloride (PVC)
CSZ, OSZ		**1" surface**	1" High-density particle board with Thermofused laminate (TFL).	1.5 mm polyvinyl chloride (PVC)
CSZL, OSZL		**1-1/16" surface**	High pressure laminate (HPL) - 1" high-density particle board, 1/32" HPL sheet on surface, 1/32" balancing sheet under surface (prevents bending).	1.5 mm polyvinyl chloride (PVC)
All Series		**Front, back and modesty**	Thermofused laminate (TFL) - 5/8" high-density particle board.	1.5 mm polyvinyl chloride (PVC) on showing surfaces and 0.5 mm polyvinyl chloride (PVC) on non-showing surfaces.

Appendix H: Pricing for Additional Adjustable Shelves

To find out the price for additional adjustale shelves, trace down the vertical column "A" the shelf depth to its intersection with columns "B" the shelf length.

$		B								
		12"	15"	18"	20"	24"	30"	36"	42"	48"
A	12"	24	28	37	39	45	56	68	78	90
	15"	28	38	43	46	56	70	84	98	113
	16"	29	39	45	48	61	76	90	105	121
	20"	39	46	56	63	76	93	113	132	148
	24"	45	56	68	76	90	113	135	156	180
	30"	56	70	84	93	113	139			

Appendix I: Maximum Dimensions Magog & Lennox

This guide allows to know which dimensions are ideal and not to exceed for a Magog or Lennox table base.

Specification Guide

Height	Surface	Base
28"H.	Maximum 36" x 36"	1 base 20"
	Maximum 36" x 72"	2 bases 20"
	Maximum 48" x 48"	1 base 24"
	Maximum 48" x 96"	2 bases 24"
35"H. 39"H.	Maximum 30" x 30"	1 base 20"
	Maximum 30" x 60"	2 bases 20"
	Maximum 42" x 42"	1 base 24"
	Maximum 36" x 96"	2 bases 24"

If a desired dimension is included in this table but is excluded from the product page, please order an independent surface with the price calculator with an independent base.


Appendix J: Pricing for Tops

To calculate pricing for desk and table tops, use the following formula:


Calculation of retail price
Depth x Width / 144 x sq. ft. price = Retail Price*
Ex.: 24" x 48" = 1152 / 144 = 8 sq. ft. price x $52 = $288

Addition of the Knife Edge
Depth x Width / 144 x $31 = Retail Price
Add together the prices of the surface and the knife edge.

Rectangular Surfaces



Circular Surfaces



Retail Price per square foot								
ML		MLL		MA		MAL	
Rectangular Surfaces	Circular Surfaces	Rectangular Surfaces	Circular Surfaces	Rectangular Surfaces	Circular Surfaces	Rectangular Surfaces	Circular Surfaces
$ 25 Depth 30" and less	$ 31	$ 52	$ 54	$ 44	$ 46	$ 75	$ 78
$ 26 Depth greater than 30"							
1" Surface: : Thermofused laminate (TFL) - 1" high-density particle board with 1.5 mm polyvinyl chloride edge.		**1-1/16" Surface:** High pressure laminate (HPL) - 1" high-density particle board, 1/32" HPL sheet on surface, 1/32" balancing sheet under surface (prevents bending) with 1.5 mm PVC edge.		**1-5/8" surface:** Thermofused laminate (TFL) - 1-5/8" high-density particle board with 1.5 mm polyvinyl chloride edge.		**1-9/16" Surface:** High pressure laminate (HPL) - 1-1/2" high-density particle board, 1/32" HPL sheet on surface, 1/32" balancing sheet under surface (prevents bending) with with 1.5 mm polyvinyl chloride edge.	

***Note:** A minimum fee of $108 is applied to prices of lesser amounts.

Surface Price Calculator

In the fields below, input the desired depth and width as well as the square foot price found in the above price grid.

Dimensions


in.	x	in.	/ 144 x	$	=	$ 0	$ 0	Reset Form
Depth		Width		Square foot price		**Total** (surface only)	**Total** (with knife edge)	

ML / MLL ONLY

Grommets: It is possible to add grommets to the rectangular surfaces.

Options

Grommet Position



Grommet Style



ELPF $0 ea.
C_PF $28 ea.

Appendix K: Seating Capacity

In general, to establish conference table seating capacity it is important to include a workzone to accomodate documents and papers. The spacing of chairs is not only important in terms of defining comfortable work zones but essential in providing optimal line of sight where the room incorporates a multi media unit.

Seating Capacity






Table Shape and Seating Capacity


The shape of the conference surface does not affect the seating capacity for tables with the same dimensions.




Elliptical



Racetrack




Rectangular




Rounded Boat

Appendix L: Electrical Wire Management Solutions

Electrical configurations for Collaborative and Multimedias Tables



Please take note that there is a maximum of 8 communication boxes and/or jumper cable connections per circuit.




Example of electrical components to buy for a layout with an Interlink corded power infeed with plug

3 Salto Training Tables 24" x 60"


1 x BEL-PI72
3 x BEL-1-60-BL
9 x WM

If 72"L Table
Addition of 2 x BEL-JF-18




4 Salto Training Tables 24" x 72"


1 x BEL-PI72
3 x BEL-JF-18
4 x BEL-1-60-BL
12 x WM



Electrical Accessories




Grommet



ELPF C_PF

Power Outlet Cutout
(Plugs not included)



Communication Box




BEL-UM-1 BCSS-IL

Velcro Tie




WM

Communication box for Salto training table




BEL-UM-1
Communication box to be installed under a surface. 1 electrical outlet and 1 socket with USB A + C.



BCSS-IL
Communication box to be installed under a surface. 1 electrical outlet and 1 socket with USB A + C.
QR code: Guide for installing BCSS-II under the surface.

Appendix L: Electrical Wire Management Solutions

Electrical configurations for Level Collaborative and Multimedias Tables



Electrical Accessories

Connectivity

C

Specify connectivity on p. 159

MH3

A | B/C | D

INTA | INTB | INTC

OASA | OASB | OASC

Wireless charger

QIBL

Velcro Tie

WM


CHICAGO CODE

There is a specific norm about Chicago electrical components. Some of our products are approved, but not all of them.

If you see this logo in Accessories, this means the product is **NOT** approved in Chicago. More info here.

Appendix L: Electrical Wire Management Solutions


Electrical configurations for Collaborative and Multimedias Tables



Route the cables through the media unit to the bottom opening. The side panels can be removed to provide accessibility for the passage of wiring.

Electrical Accessories

Connectivity Kit



BEL-2-18-WH-PI
BEL-2-18-BL-PI

Grommet



C_PF


Communication Box



BEL-UM-1 BCSS-IL


Appendix L: Electrical Wire Management Solutions

Electrical configurations for Link Collaboration Tables




Electrical Accessories

Leg Grommet



PGR



Grommet/Connectivity/Wireless Charger




MH3

A | B/C | D

MH1



COV1 | QIBL



Connectivity




COV1

Conference Tables

Racetrack on Arrow Bases

RTARW



Manufacturing Standards

- Tables delivered disassembled;
- Laminate base with satin nickel (SN) metal corners.

Bases: *For the number of bases, see appendix B.*

Surfaces: *For the number of surfaces and the wood grain direction, see appendix C.*


Random wood grain: *For tables that have more than one section, it is important to note that the wood grain texture is random and does not match with the adjoining surface.*

Access Door: *to add one or more access doors to the base(s) add code (AD), $295 retail per access door.*

Options


Connectivity

Specify connectivity on p. 159



MH1 $740 | MH1B $829 | EL1 $900 | EL2 $734


Orientation



H - Horizontal

V - Vertical

Position



Prices


Dimensions A	B	ML	MLL	MA	MAL
4284	2227	2969	2617	3424	
4296	2322	3164	2781	3685	
42108	3090	4063	3585	4643	
4884	2322	3164	2781	3685	
4896	2440	3386	2975	3986	
48120	2666	3837	3349	4577	
48144	3559	4981	4365	5873	
60168	4272	6303	5492	7603	

How to Order

	ML MLL MA MAL	AB			WH SN	AD	L C R LR	EL1, EL2 MH1, MH1B	H V	L C R LR
			RT	**ARW**						
	series	dimensions	top	bases	metal finish (Appx. A)	access door and position		connectivity + orientation + position		
Example	ML	48120	**RT**	**ARW**	SN	AD	C	MH1SN	H	C

Rectangular on Arrow Bases

TARW



Manufacturing Standards

- Tables delivered disassembled;
- Laminate base with satin nickel (SN) metal corners.

Bases: *For the number of bases, see appendix B.*

Surfaces: *For the number of surfaces and the wood grain direction, see appendix C.*


Random wood grain: *For tables that have more than one section, it is important to note that the wood grain texture is random and does not match with the adjoining surface.*

Access Door: *to add one or more access doors to the base(s) add code (AD), $295 retail per access door.*

Options


Connectivity

Specify connectivity on p. 159




MH1 $740 | MH1B $829 | EL1 $900 | EL2 $734

Orientation




H - Horizontal



V - Vertical

Position



Prices


Dimensions A	B	ML	MLL	MA	MAL
4284		2050	2765	2429	3220
4296		2149	2957	2596	3480
42108		2923	3852	3397	4441
4884		2149	2957	2596	3480
4896		2266	3182	2785	3779
48120		3067	3999	3540	4590
48144		3397	4776	4176	5669
60168		4116	6097	5307	7398


How to Order

	ML MLL MA MAL	AB			WH SN	AD	L C R LR	EL1, EL2 MH1, MH1B	H V	L C R LR
			T	**ARW**						
	series	dimensions	top	bases	metal finish (Appx. A)	access door and position		connectivity + orientation + position		
Example	ML	48120	**T**	**ARW**	SN	AD	C	MH1SN	H	C

Rounded Boat on Arrow Bases

BTRARW





Manufacturing Standards

- Tables delivered disassembled;
- Laminate base with satin nickel (SN) metal corners.

Bases: *For the number of bases, see appendix B.*

Surfaces: *For the number of surfaces and the wood grain direction, see appendix C.*


Random wood grain: *For tables that have more than one section, it is important to note that the wood grain texture is random and does not match with the adjoining surface.*

Access Door: *to add one or more access doors to the base(s) add code (AD), $295 retail per access door.*

Options


Connectivity

Specify connectivity on p. 159



MH1 $740 | MH1B $829 | EL1 $900 | EL2 $734


Orientation



H - Horizontal

V - Vertical

Position



Prices


Dimensions A B C	ML	MLL	MA	MAL
364284	2227	2969	2617	3424
364296	2322	3164	2781	3685
3642108	2666	3837	3349	4577
424884	2322	3164	2781	3685
424896	2440	3386	2975	3986
4248120	3090	4063	3585	4643
4248144	3559	4981	4365	5873
5460168	4272	6303	5492	7579

How to Order

	ML MLL MA MAL	ABC			WH SN	AD	L C R LR	EL1, EL2 MH1, MH1B	H V	L C R LR
			BTR	**ARW**						
	series	dimensions	top	bases	metal finish (Appx. A)	access door and position		connectivity + orientation + position		
Example	ML	4248120	**BTR**	**ARW**	SN	AD	C	MH1SN	H	C

Teleconference on Arrow Bases

TFARW



Manufacturing Standards

- Tables delivered disassembled;
- Laminate base with satin nickel (SN) metal corners.

Bases: *For the number of bases, see appendix B.*

Surfaces: *For the number of surfaces and the wood grain direction, see appendix C.*


Random wood grain: *For tables that have more than one section, it is important to note that the wood grain texture is random and does not match with the adjoining surface.*

Access Door: *to add one or more access doors to the base(s) add code (AD), $295 retail per access door.*

Options


Connectivity

Specify connectivity on p. 159



MH1 $740 | MH1B $829 | EL1 $900 | EL2 $734


Orientation



H - Horizontal

V - Vertical

Position



Prices


Dimensions A	B	C	CS	CSL
5472144			3652	5481
5472168			4267	6401
6078192			5414	8070
6078216			6090	9077

How to Order

	CS CSL	ABC			WH SN	AD	L C R LR	EL1, EL2 MH1, MH1B	H V	L C R LR
			TF	**ARW**						
	series	dimensions	top	bases	metal finish (Appx. A)	access door and position		connectivity + orientation + position		
Example	CS	5472144	**TF**	**ARW**	SN	AD	C	MH1SN	H	C

Racetrack on Cubic Bases

RTCU



Manufacturing Standards

- Tables delivered disassembled;
- Laminate base.

Bases: *For the number of bases, see appendix B.*

Surfaces: *For the number of surfaces and the wood grain direction, see appendix C.*


Random wood grain: *For tables that have more than one section, it is important to note that the wood grain texture is random and does not match with the adjoining surface.*

Access Door: *to add one or more access doors to the base(s) add code (AD), $295 retail per access door.*

Options


Connectivity

Specify connectivity on p. 159



MH1 $740 | MH1B $829 | EL1 $900 | EL2 $734


Orientation



H - Horizontal

V - Vertical

Position



How to Order


ML MLL MA MAL	AB			AD	L C R LR	EL1, EL2 MH1, MH1B	H V	L C R LR
		RT	**CU**					
series	dimensions	top	bases	access door and position		connectivity + orientation + position		
Example ML	48120	**RT**	**CU**	AD	C	MH1SN	H	C

Prices

Dimensions A	B	ML	MLL	MA	MAL
4284	1702	2191	1909	2568	
4296	1771	2344	2035	2761	
42108	1891	2892	2522	3240	
4884	1818	2227	1917	2670	
4896	1908	2800	2439	3417	
48120	2118	3417	2965	4011	
48144	2560	3849	3337	4569	
60168	2939	5271	4557	6318	

Rectangular on Cubic Bases

TCU



Manufacturing Standards

- Tables delivered disassembled;
- Laminate base.

Bases: *For the number of bases, see appendix B.*

Surfaces: *For the number of surfaces and the wood grain direction, see appendix C.*


Random wood grain: *For tables that have more than one section, it is important to note that the wood grain texture is random and does not match with the adjoining surface.*

Access Door: *to add one or more access doors to the base(s) add code (AD), $295 retail per access door.*

Options


Connectivity

Specify connectivity on p. 159




MH1 $740 | MH1B $829 | EL1 $900 | EL2 $734

Orientation




H - Horizontal



V - Vertical

Position



Prices


Dimensions A	B	ML	MLL	MA	MAL
4284	1605	2048	1825	2465
4296	1673	2238	1939	2655
42108	1795	2586	2245	3062
4884	1685	2397	2084	2840
4896	1795	2488	2150	2969
48120	1982	3072	2677	3704
48144	2399	3539	3055	4276
60168	2701	4432	3790	5497


How to Order

ML MLL MA MAL	AB	T	CU	AD	L C R LR	EL1, EL2 MH1, MH1B	H V	L C R LR
series	dimensions	top	bases	access door and position		connectivity + orientation + position		
Example ML	48120	**T**	**CU**	AD	C	MH1SN	H	C

Rounded Boat on Cubic Bases

BTRCU





Manufacturing Standards

- Tables delivered disassembled;
- Laminate base.

Bases: *For the number of bases, see appendix B.*

Surfaces: *For the number of surfaces and the wood grain direction, see appendix C.*


Random wood grain: *For tables that have more than one section, it is important to note that the wood grain texture is random and does not match with the adjoining surface.*

Access Door: *to add one or more access doors to the base(s) add code (AD), $295 retail per access door.*

Options


Connectivity

Specify connectivity on p. 159



MH1 $740 | MH1B $829 | EL1 $900 | EL2 $734


Orientation



H - Horizontal

V - Vertical

Position



Prices


Dimensions A B C	ML	MLL	MA	MAL
304284	1862	2394	2094	2852
304296	1992	2546	2219	3066
3042108	2114	3014	2634	3600
364896	2040	2920	2548	3514
3648120	2251	3537	3079	4280
3648144	2708	3970	3446	4863
5460168	2962	4947	4282	6000

How to Order

	ML MLL MA MAL	ABC			AD	L C R LR	EL1, EL2 MH1, MH1B	H V	L C R LR
			BTR	**CU**					
	series	dimensions	top	bases	access door and position		connectivity + orientation + position		
Example	ML	3648120	**BTR**	**CU**	AD	C	MH1SN	H	C

Racetrack on H Bases

RTH



Manufacturing Standards

- Tables delivered disassembled;
- Laminate base.

Bases: *For the number of bases, see appendix B.*


Surfaces: *For the number of surfaces and the wood grain direction, see appendix C.*

Random wood grain: *For tables that have more than one section, it is important to note that the wood grain texture is random and does not match with the adjoining surface.*

Options


Connectivity

Specify connectivity on p. 159



MH1 $740 | MH1B $829 | EL1 $900 | EL2 $734


Orientation



H - Horizontal

V - Vertical

Position



Prices


Dimensions A	B	ML	MLL	MA	MAL
4284		1522	2102	1913	2653
4296		1641	2212	2011	2840
42108		1760	2657	2416	3362
4884		1641	2502	2183	3026
4896		1651	2649	2299	3243
48120		2040	3294	2863	4043
48144		2102	3732	3228	4629
60168		3027	5154	4451	6328

How to Order

ML MLL MA MAL	AB			EL1, EL2 MH1, MH1B	H V	L C R LR
		RT	**H**			
series	dimensions	top	bases	connectivity + orientation + position		
Example ML	4884	**RT**	**H**	MH1SN	H	C

Rectangular on H Bases

TH



Manufacturing Standards

- Tables delivered disassembled;
- Laminate base.

Bases: *For the number of bases, see appendix B.*


Surfaces: *For the number of surfaces and the wood grain direction, see appendix C.*

Random wood grain: *For tables that have more than one section, it is important to note that the wood grain texture is random and does not match with the adjoining surface.*

Options


Connectivity

Specify connectivity on p. 159



MH1 $740 | MH1B $829 | EL1 $900 | EL2 $734


Orientation



H - Horizontal

V - Vertical

Position



How to Order


ML MLL MA MAL	AB			EL1, EL2 MH1, MH1B	H V	L C R LR
		T	**H**			
series	dimensions	top	bases	connectivity + orientation + position		
Example ML	4884	**T**	**H**	MH1SN	H	C

Prices

Dimensions A	B	ML	MLL	MA	MAL
4284		1304	1982	1771	2494
4296		1426	2193	1906	2719
42108		1670	2774	2416	3362
4884		1426	2193	1906	2719
4896		1560	2671	2319	3267
48120		1915	3225	2863	4043
48144		2094	3644	3228	4629
60168		2686	4909	4344	6343

Rounded Boat on H Bases

BTRH



Manufacturing Standards

- Tables delivered disassembled;
- Laminate base.

Bases: *For the number of bases, see appendix B.*


Surfaces: *For the number of surfaces and the wood grain direction, see appendix C.*

Random wood grain: *For tables that have more than one section, it is important to note that the wood grain texture is random and does not match with the adjoining surface.*

Options


Connectivity

Specify connectivity on p. 159



MH1 $740 | MH1B $829 | EL1 $900 | EL2 $734


Orientation



H - Horizontal

V - Vertical

Position



Prices


Dimensions A B C	ML	MLL	MA	MAL
364284	1635	2302	2093	2848
364296	1749	2469	2245	3093
3642108	1869	2715	2466	3481
424884	1749	2497	2270	3125
424896	1760	2650	2409	3367
4248120	2150	3273	2977	4166
4248144	2228	3522	3201	4744
5460168	2845	4693	4559	6578

How to Order

	ML MLL MA MAL	ABC			EL1, EL2 MH1, MH1B	H V	L C R LR
			BTR	**H**			
	series	dimensions	top	bases	connectivity + orientation + position		
Example	ML	424884	**BTR**	**H**	MH1SN	H	C

Racetrack on Rectangular Bases

RTRE



Manufacturing Standards

- Tables delivered disassembled;
- Laminate base.

Bases: *For the number of bases, see appendix B.*

Surfaces: *For the number of surfaces and the wood grain direction, see appendix C.*


Random wood grain: *For tables that have more than one section, it is important to note that the wood grain texture is random and does not match with the adjoining surface.*

Access Door: *to add one or more access doors to the base(s) add code (AD), $295 retail per access door.*

Options


Connectivity

Specify connectivity on p. 159



MH1 $740 | MH1B $829 | EL1 $900 | EL2 $734


Orientation



H - Horizontal

V - Vertical

Position



Prices


Dimensions A	B	ML	MLL	MA	MAL
4284		2049	2783	2448	3239
4296		2144	2980	2610	3501
42108		2821	3779	3330	4366
4884		2144	2980	2610	3501
4896		2263	3201	2806	3798
48120		2487	3648	3181	4394
48144		3293	4700	4111	5593
60168		4007	6022	5239	7325


How to Order

ML MLL MA MAL	AB			AD	L C R LR	EL1, EL2 MH1, MH1B	H V	L C R LR
		RT	**RE**					
series	dimensions	top	bases	access door and position		connectivity + orientation + position		
Example ML	48120	**RT**	**RE**	AD	C	MH1SN	H	C

Rectangular on Rectangular Bases

TRE





Manufacturing Standards

- Tables delivered disassembled;
- Laminate base.

Bases: *For the number of bases, see appendix B.*

Surfaces: *For the number of surfaces and the wood grain direction, see appendix C.*


Random wood grain: *For tables that have more than one section, it is important to note that the wood grain texture is random and does not match with the adjoining surface.*

Access Door: *to add one or more access doors to the base(s) add code (AD), $295 retail per access door.*

Options


Connectivity

Specify connectivity on p. 159




MH1 $740 | MH1B $829 | EL1 $900 | EL2 $734

Orientation




H - Horizontal



V - Vertical

Position



Prices


Dimensions A	B	ML	MLL	MA	MAL
4284	1867	2579	2263	3032	
4296	1968	2774	2425	3292	
42108	2313	3444	2994	4187	
4884	1968	2774	2425	3292	
4896	2088	2997	2617	3593	
48120	2654	3573	3140	4164	
48144	3129	4498	3923	5391	
60168	3847	5818	5052	7121	

How to Order

ML MLL MA MAL	AB	T	RE	AD	L C R LR	EL1, EL2 MH1, MH1B	H V	L C R LR
series	dimensions	top	bases	access door and position		connectivity + orientation + position		
Example ML	48120	**T**	**RE**	AD	C	MH1SN	H	C

Rounded Boat on Rectangular Bases

BTRRE



Manufacturing Standards

- Tables delivered disassembled;
- Laminate base.

Bases: *For the number of bases, see appendix B.*

Surfaces: *For the number of surfaces and the wood grain direction, see appendix C.*


Random wood grain: *For tables that have more than one section, it is important to note that the wood grain texture is random and does not match with the adjoining surface.*

Access Door: *to add one or more access doors to the base(s) add code (AD), $295 retail per access door.*

Options


Connectivity

Specify connectivity on p. 159



MH1 $740 | MH1B $829 | EL1 $900 | EL2 $734


Orientation



H - Horizontal

V - Vertical

Position



How to Order


	ML MLL MA MAL	ABC			AD	L C R LR	EL1, EL2 MH1, MH1B	H V	L C R LR
			BTR	**RE**					
	series	dimensions	top	bases	access door and position		connectivity + orientation + position		
Example	ML	4248120	**BTR**	**RE**	AD	C	MH1SN	H	C

Prices

Dimensions A	B	C	ML	MLL	MA	MAL
364296			2144	2980	2610	3501
3642108			2821	3779	3330	4366
424884			2144	2980	2610	3501
424896			2263	3201	2806	3798
4248120			2487	3648	3181	4394
4248144			3293	4700	4111	5593
5460168			4007	6022	5239	7325

Teleconference on Rectangular Bases

TFRE



Manufacturing Standards

- Tables delivered disassembled;
- Laminate base.

Bases: *For the number of bases, see appendix B.*

Surfaces: *For the number of surfaces and the wood grain direction, see appendix C.*


Random wood grain: *For tables that have more than one section, it is important to note that the wood grain texture is random and does not match with the adjoining surface.*

Access Door: *to add one or more access doors to the base(s) add code (AD), $295 retail per access door.*

Options


Connectivity

Specify connectivity on p. 159



MH1 $740 | MH1B $829 | EL1 $900 | EL2 $734


Orientation



H - Horizontal

V - Vertical

Position



Prices


Dimensions A B C	CS	CSL
5472144	3131	4905
5472168	3384	5427
6078192	4149	6670
6078216	4654	7496

How to Order

	CS CSL	ABC			AD	L C R LR	EL1, EL2 MH1, MH1B	H V	L C R LR
			TF	**RE**					
	series	dimensions	top	bases	access door and position		connectivity + orientation + position		
Example	CS	5472144	**TF**	**RE**	AD	C	MH1SN	H	C

Racetrack on Y Bases

RTY



Manufacturing Standards

- Tables delivered disassembled;
- Laminate base.

Bases: *For the number of bases, see appendix B.*


Surfaces: *For the number of surfaces and the wood grain direction, see appendix C.*

Random wood grain: *For tables that have more than one section, it is important to note that the wood grain texture is random and does not match with the adjoining surface.*

Options


Connectivity

Specify connectivity on p. 159



MH1 $740 | MH1B $829 | EL1 $900 | EL2 $734


Orientation



H - Horizontal

V - Vertical

Position



How to Order


ML MLL MA MAL	AB			EL1, EL2 MH1, MH1B	H V	L C R LR
		RT	**Y**			
series	dimensions	top	bases	connectivity + orientation + position		
Example ML	48120	**RT**	**Y**	MH1SN	H	C

Prices

Dimensions A	B	ML	MLL	MA	MAL
4284	1574	2199	1962	2707	
4296	1694	2267	2060	2892	
42108	1815	2694	2347	3286	
4884	1694	2309	2099	2937	
4896	1706	2696	2340	3289	
48120	2094	3345	2905	4088	
48144	2161	3780	3273	4672	
60168	3092	5200	4490	6421	

Rectangular on Y Bases

TY



Manufacturing Standards

- Tables delivered disassembled;
- Laminate base.

Bases: *For the number of bases, see appendix B.*


Surfaces: *For the number of surfaces and the wood grain direction, see appendix C.*

Random wood grain: *For tables that have more than one section, it is important to note that the wood grain texture is random and does not match with the adjoining surface.*

Options


Connectivity

Specify connectivity on p. 159



MH1 $740 | MH1B $829 | EL1 $900 | EL2 $734


Orientation



H - Horizontal

V - Vertical

Position



How to Order


ML MLL MA MAL	AB			EL1, EL2 MH1, MH1B	H V	L C R LR
		T	**Y**			
series	dimensions	top	bases	connectivity + orientation + position		
Example ML	48120	**T**	**Y**	MH1SN	H	C

Prices

Dimensions A	B	ML	MLL	MA	MAL
4284	1357	2030	1814	2540	
4296	1482	2239	1948	2767	
42108	1600	2827	2467	3420	
4884	1482	2245	1955	2775	
4896	1613	2727	2371	3323	
48120	1965	3281	2914	4099	
48144	2127	3701	3283	4682	
60168	2752	4985	4414	6417	

Rounded Boat on Y Bases

BTRY



Manufacturing Standards

- Tables delivered disassembled;
- Laminate base.

Bases: *For the number of bases, see appendix B.*


Surfaces: *For the number of surfaces and the wood grain direction, see appendix C.*

Random wood grain: *For tables that have more than one section, it is important to note that the wood grain texture is random and does not match with the adjoining surface.*

Options


Connectivity

Specify connectivity on p. 159



MH1 $740 | MH1B $829 | EL1 $900 | EL2 $734


Orientation



H - Horizontal

V - Vertical

Position



Prices


Dimensions A B C	ML	MLL	MA	MAL
364284	1685	2354	2139	2899
364296	1803	2516	2288	3140
3642108	1923	2834	2575	3539
424884	1803	2535	2306	3171
424896	1815	2698	2456	3417
4248120	2202	3326	3025	4219
4248144	2269	3730	3391	4803
5460168	2913	4768	4628	6652

How to Order

	ML MLL MA MAL	ABC			EL1, EL2 MH1, MH1B	H V	L C R LR
			BTR	**Y**			
	series	dimensions	top	bases	connectivity + orientation + position		
Example	ML	4248120	**BTR**	**Y**	MH1SN	H	C

Racetrack on Howard Bases

RTHOW



Manufacturing Standards

- Tables delivered disassembled;
- Laminate base with metal corners.

Bases: *For the number of bases, see appendix B.*

Surfaces: *For the number of surfaces and the wood grain direction, see appendix C.*


Random wood grain: *For tables that have more than one section, it is important to note that the wood grain texture is random and does not match with the adjoining surface.*

Access Door: *to add one or more access doors to the base(s) add code (AD), $295 retail per access door.*

Options


Connectivity

Specify connectivity on p. 159




MH1 $740 | MH1B $829 | EL1 $900 | EL2 $734

Orientation




H - Horizontal



V - Vertical

Position



How to Order


CS CSL CG CGL	AB			PB CHR **SN (std)**	AD	L C R LR	EL1, EL2 MH1, MH1B	H V	L C R LR
		RT	**HOW**						
series	dimensions	top	bases	metal finish	access door and position		connectivity + orientation + position		
Example CS	48120	**RT**	**HOW**	SN	AD	C	MH1SN	H	C

Prices

Dimensions A	B	CS	CSL	CG	CGL
(SN) Satin nickel or **(PB)** white base					
4884	3042	3915	3559	4482	
4896	3085	4044	3677	4694	
48120	4164	5393	4905	6207	
48144	4252	5653	5136	6628	
54120	4247	5587	5079	6500	
54144	4346	5877	5343	6972	
54168	4442	6167	5605	7446	
60168	4459	6326	5753	7748	
(CHR) Chrome base					
4884	4028	4949	4546	5517	
4896	4073	5077	4663	5729	
48120	5646	6945	6385	7759	
48144	5732	7203	6621	8179	
54120	5729	7138	6559	8050	
54144	5827	7428	6823	8524	
54168	5927	7719	7086	8999	
60168	5942	7878	7232	9302	

Rectangular on Howard Bases

THOW



Manufacturing Standards

- Tables delivered disassembled;
- Laminate base with metal corners.

Bases: *For the number of bases, see appendix B.*

Surfaces: *For the number of surfaces and the wood grain direction, see appendix C.*


Random wood grain: *For tables that have more than one section, it is important to note that the wood grain texture is random and does not match with the adjoining surface.*

Access Door: *to add one or more access doors to the base(s) add code (AD), $295 retail per access door.*

Options


Connectivity

Specify connectivity on p. 159




MH1 $740 | MH1B $829 | EL1 $900 | EL2 $734

Orientation




H - Horizontal



V - Vertical

Position



How to Order


CS CSL CSZ CSZL CG CGL	AB			PB CHR **SN (std)**	AD	L C R LR	EL1, EL2 MH1, MH1B	H V	L C R LR
		T	**HOW**						
series	dimensions	top	bases	metal finish	access door and position		connectivity + orientation + position		
Example CS	48120	**T**	**HOW**	SN	AD	C	MH1SN	H	C


Prices

Dimensions A	B	CS	CSL	CSZ	CSZL	CG	CGL
(SN) Satin nickel or **(PB)** white base							
4884		3002	3872	3880	4791	3520	4440
4896		3048	4001	4050	5054	3638	4653
48120		4057	5278	5312	6592	4797	6087
48144		4150	5538	5652	7113	5036	6512
54120		4092	5416	5502	6893	4922	6328
54144		4189	5702	5882	7477	5184	6800
54168		4285	5993	6262	8062	5448	7270
60168		4388	6249	6584	8547	5681	7670
(CHR) Chrome base							
4884		3988	4681	4867	5824	4506	5224
4896		4036	4808	5040	6088	4628	5429
48120		5538	6515	6792	8142	6275	7291
48144		5628	6767	7135	8667	6514	7696
54120		5576	6652	6985	8447	6405	7522
54144		5670	6926	7366	9030	6663	7971
54168		5767	7202	7743	9614	6930	8422
60168		5869	7447	8065	10098	7162	8804

Rounded Boat on Howard Bases

BTRHOW





Manufacturing Standards

- Tables delivered disassembled;
- Laminate base with metal corners.

Bases: *For the number of bases, see appendix B.*

Surfaces: *For the number of surfaces and the wood grain direction, see appendix C.*


Random wood grain: *For tables that have more than one section, it is important to note that the wood grain texture is random and does not match with the adjoining surface.*

Access Door: *to add one or more access doors to the base(s) add code (AD), $295 retail per access door.*

Options


Connectivity

Specify connectivity on p. 159




MH1 $740 | MH1B $829 | EL1 $900 | EL2 $734

Orientation




H - Horizontal



V - Vertical

Position



How to Order


CS CSL CG CGL	ABC			PB CHR **SN (std)**	AD	L C R LR	EL1, EL2 MH1, MH1B	H V	L C R LR
		BTR	**HOW**						
series	dimensions	top	bases	metal finish	access door and position		connectivity + orientation + position		
Example CS	3648120	**BTR**	**HOW**	SN	AD	C	MH1SN	H	C

Prices

Dimensions A	B	CS	CSL	CG	CGL
(SN) Satin nickel or **(PB)** white base					
364884		3037	3912	3557	4479
364896		3084	4043	3675	4693
3648120		4170	5400	4909	6215
3648144		4200	5536	5033	6448
4254120		4200	5536	5033	6448
4254144		4296	5821	5291	6921
4254168		4388	6106	5552	7386
4860168		4499	6370	5791	7788
(CHR) Chrome base					
364884		4027	4948	4545	5516
364896		4071	5076	4660	5728
3648120		5651	6951	6389	7763
3648144		5739	7204	6627	8179
4254120		5683	7085	6513	8001
4254144		5774	7373	6773	8471
4254168		5869	7661	7033	8940
4860168		5978	7921	7270	9343

Teleconference on Howard Bases

TFHOW



Manufacturing Standards

- Tables delivered disassembled;
- Laminate base with metal corners,
- Reverse wood grain on surfaces.

Bases: *For the number of bases, see appendix B.*

Surfaces: *For the number of surfaces and the wood grain direction, see appendix C.*


Random wood grain: *For tables that have more than one section, it is important to note that the wood grain texture is random and does not match with the adjoining surface.*

Access Door: *to add one or more access doors to the base(s) add code (AD), $295 retail per access door.*

Options


Connectivity

Specify connectivity on p. 159



MH1 $740 | MH1B $829 | EL1 $900 | EL2 $734


Orientation



H - Horizontal

V - Vertical

Position



How to Order


	CS CSL	ABC			PB CHR **SN (std)**	AD	L C R LR	EL1, EL2 MH1, MH1B	H V	L C R LR
			TF	**HOW**						
	series	dimensions	top	bases	metal finish	access door and position		connectivity + orientation + position		
Example	CS	5472144	**TF**	**HOW**	SN	AD	C	MH1SN	H	C

Prices

Dimensions A	B	CS	CSL	CG	CGL
(SN) Satin nickel or **(PB)** white base					
5472144		4253	6141		
5472168		4366	6510		
6078192		4609	7184		
6078216		5197	8093		
(CHR) Chrome base					
5472144		5733	7693		
5472168		5848	8060		
6078192		6090	8735		
6078216		7175	10164		

Rectangular on Wellington Bases

TWEL - 48"



Manufacturing Standards

- Tables delivered disassembled;
- Laminate base with decorative chrome (CHR) inserts;
- Tables longer than 120" have a middle base with a removable panel to provide access to electrical wiring, *see appendix B.*

Bases: *For the number of bases, see appendix B.*


Surfaces: *For the number of surfaces and the wood grain direction, see appendix C.*

Random wood grain: *For tables that have more than one section, it is important to note that the wood grain texture is random and does not match with the adjoining surface.*

Options


Connectivity

Specify connectivity on p. 159




MH1 $740 | MH1B $829 | EL1 $900 | EL2 $734

Orientation




H - Horizontal



V - Vertical

Position



How to Order


	CS, CSL, CSZ, CSZL, CG, CGL	AB	T	WEL	SN, PB, CHR	EL1, EL2, MH1, MH1B	H, V	L, C, R, LR
	series	dimensions	top	bases	metal finish	connectivity + orientation + position		
Example	CS	4884	**T**	**WEL**	CHR	MH1SN	H	C

Prices

Dimensions A	B	CS	CSL	CSZ	CSZL	CG	CGL
(SN) Satin nickel or **(PB)** white base							
4884		4516	5538	5395	6456	5036	6105
4896		4563	5669	5565	6723	5154	6319
48120		4767	6050	6021	7368	5502	6867
48144		4859	6315	6361	7894	5739	7289
48168		5016	6657	6773	8496	6049	7791
(CHR) Chrome base							
4884		6192	7291	7069	8211	6707	7860
4896		6238	7422	7242	8473	6828	8073
48120		6441	7809	7695	9122	7178	8619
48144		6528	8070	8033	9645	7416	9043
48168		6691	8411	8448	10250	7725	9546

Rectangular on Wellington Bases

TWEL - 54"



Manufacturing Standards

- Tables delivered disassembled;
- Laminate base with decorative chrome (CHR) inserts;
- Tables longer than 120" have a middle base with a removable panel to provide access to electrical wiring, *see appendix B.*

Bases: *For the number of bases, see appendix B.*


Surfaces: *For the number of surfaces and the wood grain direction, see appendix C.*

Random wood grain: *For tables that have more than one section, it is important to note that the wood grain texture is random and does not match with the adjoining surface.*

Options


Connectivity

Specify connectivity on p. 159




MH1 $740 | MH1B $829 | EL1 $900 | EL2 $734

Orientation




H - Horizontal



V - Vertical

Position



How to Order


	CS, CSL, CSZ, CSZL, CG, CGL	AB	T	WEL	SN, PB, CHR	EL1, EL2, MH1, MH1B	H, V	L, C, R, LR
	series	dimensions	top	bases	metal finish	connectivity + orientation + position		
Example	CS	5484	**T**	**WEL**	CHR	MH1SN	H	C

Prices

Dimensions A	B	CS	CSL	CSZ	CSZL	CG	CGL
(SN) Satin nickel or **(PB)** white base							
5484		4551	5645	5539	6681	5131	6285
5496		4600	5790	5729	6972	5264	6522
54120		4810	6207	6221	7684	5642	7119
54144		4908	6495	6602	8270	5904	7592
54168		5078	6865	7053	8937	6241	8143
(CHR) Chrome base							
5484		6219	7394	7206	8428	6800	8035
5496		6273	7543	7402	8725	6936	8275
54120		6483	7961	7895	9440	7316	8873
54144		6580	8248	8275	10022	7580	9345
54168		6752	8615	8725	10686	7913	9895

Rectangular on Wellington Bases

TWEL - 60"



Manufacturing Standards

- Tables delivered disassembled;
- Laminate base with decorative chrome (CHR) inserts;
- Tables longer than 120" have a middle base with a removable panel to provide access to electrical wiring, *see appendix B.*

Bases: *For the number of bases, see appendix B.*


Surfaces: *For the number of surfaces and the wood grain direction, see appendix C.*

Random wood grain: *For tables that have more than one section, it is important to note that the wood grain texture is random and does not match with the adjoining surface.*

Options


Connectivity

Specify connectivity on p. 159




MH1 $740 | MH1B $829 | EL1 $900 | EL2 $734

Orientation




H - Horizontal



V - Vertical

Position



How to Order

	CS CSL CSZ CSZL CG CGL	AB			SN PB CHR	EL1, EL2 MH1, MH1B	H V	L C R LR
			T	**WEL**				
	series	dimensions	top	bases	metal finish	connectivity + orientation + position		
Example	CS	6084	**T**	**WEL**	CHR	MH1SN	H	C


Prices

Dimensions A B	CS	CSL	CSZ	CSZL	CG	CGL
(SN) Satin nickel or **(PB)** white base						
6084	4585	5754	5681	6902	5229	6466
6096	4635	5914	5891	7226	5376	6727
60120	4859	6356	6424	8000	5775	7372
60144	4957	6670	6840	8644	6066	7893
60168	5177	7115	7373	9416	6469	8538
60192	5395	7560	7903	10188	6871	9186
60228	5550	8036	8531	11157	7304	9962
(CHR) Chrome base						
6084	6258	7509	7357	8657	6904	8218
6096	6309	7666	7564	8980	7048	8478
60120	6527	8105	8094	9750	7449	9122
60144	6631	8425	8512	10397	7739	9644
60168	6851	8869	9043	11171	8145	10291
60192	7068	9312	9578	11942	8544	10938
60228	7225	9789	10203	12912	8976	11715

Finesse Rectangular Table with Rounded Corners

TARA

Angled Metal Legs



Manufacturing Standards

- Tables delivered disassembled;
- Rectangular table with rounded corners;
- 1 surface;
- Angled metal legs with levelers;
- Height of 29".

Note : *The four-legged models have 2 stiffeners.*


Bases: *For the number of bases, see appendix B.*

Wire Management: *For wire management, see p. 164.*

Options

Connectivity

Specify connectivity on p. 159




MH1 $740 | MH1B $829

Orientation




H - Horizontal



V - Vertical

Position



Prices

Dimensions A	B	OS	OSL	OSZ	OSZL
3672		871	1251	1325	1845
4284		1243	1760	1859	2568
4896		1437	2113	2241	3167


How to Order

	OS OSL OSZ OSZL	AB		BL SN WH	MH1 MH1B	H V	L C R LR
			TARA				
	series	dimensions	code	metal finish	connectivity + orientation + position		
Example	OS	3672	**TARA**	BL	MH1SN	H	C

Finesse Rectangular Table with Rounded Corners (continued)

TARAW

Angled Metal Legs with Wood Insert



Manufacturing Standards

- Tables delivered disassembled;
- Rectangular table with rounded corners;
- 1 surface;
- Angled metal legs with wood Insert and levelers;
- Height of 29".

Note : *The four-legged models have 2 stiffeners.*

Bases: *For the number of bases, see appendix B.*


Wire Management: *For wire management, see p. 164.*

Wood finishes: *Available colors for legs, aprons and surface grommets: White Wash **WW**, Golden Wheat **GW**, Sand **SD**, Apricot **AT**, Pecan **PN**, Brandy **BR**, Chestnut **CT**, Coffee **CF**, Espresso **ES**, Bordeaux **BO**, Black Wash **BW** and Bark **BK**.*

Options

Connectivity

Specify connectivity on p. 159




MH1 $740 | MH1B $829

Orientation




H - Horizontal



V - Vertical

Position



Prices

Dimensions A	B	OS	OSL	OSZ	OSZL
3672	1176	1556	1629	2150	
4284	1701	2218	2316	3025	
4896	1894	2570	2699	3625	


How to Order

	OS OSL OSZ OSZL	AB		BL SN WH	MH1 MH1B	H V	L C R LR	**Finishes** *See the Logiflex Color Guide*
			TARAW					
	series	dimensions	code	metal finish	connectivity + orientation + position			wood color
Example	OS	3672	**TARAW**	BL	MH1SN	H	C	GW

Finesse Boat Table with Rounded Corners

BTRRA

Angled Metal Legs



Manufacturing Standards

- Tables delivered disassembled;
- Rounded boat table with rounded corners;
- 1 surface;
- Angled metal legs with levelers;
- Height of 29".


Note : *The four-legged models have 2 stiffeners.*
The dimension A (interface depth) is 6" less than dimension B (overall depth).

Bases: *For the number of bases, see appendix B.*

Wire Management: *For wire management, see p. 164.*


Options

Connectivity
Specify connectivity on p. 159




MH1 $740 | MH1B $829

Orientation




H - Horizontal



V - Vertical

Position



How to Order

OS OSL OSZ OSZL	AB		BL SN WH	MH1 MH1B	H V	L C R LR
		BTRRA				
series	dimensions	code	metal finish	connectivity + orientation + position		
Example OS	3672	**BTRRA**	BL	MH1SN	H	C


Prices

Dimensions A B C	OS	OSL	OSZ	OSZL
303672	871	1251	1325	1845
364284	1243	1760	1859	2568
424896	1437	2113	2241	3167

Finesse Boat Table with Rounded Corners (continued)

BTRRAW

Angled Metal Legs with Wood Insert



Manufacturing Standards

- Tables delivered disassembled;
- Rounded boat table with rounded corners;
- 1 surface;
- Angled metal legs with wood Insert and levelers;
- Height of 29".

Note : *The four-legged models have 2 stiffeners.*
The dimension A (interface depth) is 6" less than dimension B (overall depth).


Bases: *For the number of bases, see appendix B.*

Wire Management: *For wire management, see p. 164.*

Wood finishes: *Available colors for legs, aprons and surface grommets: White Wash **WW**, Golden Wheat **GW**, Sand **SD**, Apricot **AT**, Pecan **PN**, Brandy **BR**, Chestnut **CT**, Coffee **CF**, Espresso **ES**, Bordeaux **BO**, Black Wash **BW** and Bark **BK**.*


Options

Connectivity
Specify connectivity on p. 159




MH1 $740 | MH1B $829

Orientation



H - Horizontal
V - Vertical

Position



How to Order

	OS OSL OSZ OSZL	AB		BL SN WH	MH1 MH1B	H V	L C R LR	**Finishes** *See the Logiflex Color Guide*
			BTRRAW					
	series	dimensions	code	metal finish	connectivity + orientation + position			wood color
Example	OS	3672	**BTRRAW**	BL	MH1SN	H	C	GW


Prices

Dimensions A B C	OS	OSL	OSZ	OSZL
303672	1176	1556	1629	2150
364284	1701	2218	2316	3025
424896	1894	2570	2699	3625

All Purpose and Occasional Tables

All Purpose Tables

TSTR



Manufacturing Standards

- Delivered disassembled;
- On structural base 1-1/4";
- Can be dismantled;
- Metal legs 1-1/4";
- Height: 29".

Leg color: *If choice of leg color is not specified, the standard black (BL) will be used, chrome CHR is available at no extra charge.*

Prices


Dimensions A	B	ML	MLL	MA	MAL
2430		946	1148	1028	1242
2448		996	1277	1133	1424
2460		1038	1367	1208	1552
3048		1018	1345	1186	1529
3060		1062	1416	1249	1628
3072		1166	1619	1423	1900
3672		1199	1719	1502	2054

How to Order

	ML MLL MA MAL	A B		CHR **BL (std)**
			TSTR	
	series	dimensions	product	leg color
Example	ML	2430	**TSTR**	BL

All Purpose Tables

TWL



Manufacturing Standards

- Delivered disassembled;
- Rectangular table;
- 1" recessed laminate apron;
- On 3" x 3" wooden legs;
- Can be dismantled;
- Height: 29".


Apron: *If not specified, the apron color is the same as the top.*

Legs: *Available colors: White Wash* ***WW****, Golden Wheat* ***GW****, Sand* ***SD****, Apricot* ***AT****, Pecan* ***PN****, Brandy* ***BR****, Chestnut* ***CT****, Coffee* ***CF****, Espresso* ***ES****, Bordeaux* ***BO****, Black Wash* ***BW*** *and Bark* ***BK****.*

Prices

Dimensions A B	ML	MLL	MA	MAL
3048	835	1143	1006	1328
3060	890	1259	1100	1492
3072	985	1417	1239	1697

Combination of Colors



Top **Apron** **Legs**


How to Order

Combination of Colors

	ML MLL MA MAL	A B		*See the Logiflex Color Guide*		
			TWL			
	series	dimensions	product	top	apron	legs
Example	ML	3048	**TWL**	W	W	WW

All Purpose Tables

TWLL



Manufacturing Standards

- Delivered disassembled;
- Rectangular table;
- 6" recessed laminate apron;
- On 3" x 3" wooden legs;
- Can be dismantled;
- Height: 29".


Apron: *If not specified, the apron color is the same as the top.*

Legs: *Available colors: White Wash* ***WW****, Golden Wheat* ***GW****, Sand* ***SD****, Apricot* ***AT****, Pecan* ***PN****, Brandy* ***BR****, Chestnut* ***CT****, Coffee* ***CF****, Espresso* ***ES****, Bordeaux* ***BO****, Black Wash* ***BW*** *and Bark* ***BK****.*

Prices

Dimensions A	B	OS	OSL	OSZ	OSZL	OG	OGL
4260		967	1567	1686	2322	1221	2044
4272		1089	1797	1953	2705	-	-
4284		1277	2100	2284	3157	-	-

Combination of Colors




Top **Apron** **Legs**

How to Order

			Combination of Colors		
OS OSL OG OGL OSZ OSZL	A B		*See the Logiflex Color Guide*		
		TWLL			
series	dimensions	product	top	apron	legs
Example OS	4260	**TWLL**	W	W	WW

All Purpose Tables

TMT



Manufacturing Standards

- Delivered disassembled;
- On metal T legs;
- Stiffener (RSTF) included for 72" tables;
- Height: 29".

Leg color: *If choice of leg color is not specified, the standard black (BL) will be used, chrome CHR is available at no extra charge.*

Prices


Dimensions A B	ML	MLL	MA	MAL
3048	888	1199	1060	1383
3060	946	1315	1154	1548
3072	985	1417	1239	1697

How to Order

	ML MLL MA MAL	A B		CHR **BL (std)**
			TMT	
	series	dimensions	product	leg color
Example	ML	3048	**TMT**	BL

All Purpose Tables

T4



Manufacturing Standards

- Delivered disassembled;
- Rectangular table;
- Four 2-1/2" round metal legs;
- Stiffener (RSTF) included for 60" tables;
- Height: 29".

Leg color: *If choice of leg color is not specified, the standard black (BL) will be used, satin nickel (SN) is available at no extra charge.*

Prices


Dimensions A	B	ML	MLL	MA	MAL
2442		605	818	721	949
2448		626	867	762	1018
2460		668	958	838	1145
3042		661	922	810	1085
3048		677	969	847	1153
3060		752	1105	963	1340

How to Order

	ML MLL MA MAL	A B		SN **BL (std)**
			T4	
	series	dimensions	product	leg color
Example	ML	2442	**T4**	BL

All Purpose Tables

WT



Manufacturing Standards

- Delivered disassembled;
- Rectangular table;
- Four 2-1/2" round black metal legs;
- 2 legs with casters;
- Stiffener (RSTF) included for tables 60" or longer;
- Height: 29".

Leg color: *If choice of leg color is not specified, the standard black (BL) will be used, satin nickel (SN) is available at no extra charge.*

Prices


Dimensions A	B	ML	MLL	MA	MAL
2448		1018	1301	1153	1448
2460		1062	1389	1230	1575
3042		1050	1351	1201	1515
3048		1071	1403	1239	1587
3060		1143	1539	1354	1771

How to Order

	ML MLL MA MAL	A B		SN **BL (std)**
			WT	
	series	dimensions	product	leg color
Example	ML	2448	**WT**	BL

All Purpose Tables

TW



Manufacturing Standards

- Delivered disassembled;
- Mobile typing desk;
- Blaxk metal base;
- On wheels (including 2 locking casters);
- Height: 29".

Modesty: *If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.*


Options

Modesty



PM — Standard 10" high
SM — 18-1/2" high
FM — Full height

Grommet Position



Grommet Style



ELPF — $0
C_PF — $28 ea.

How to Order


	ML MLL MA MAL	A B			PM SM **FM (std)**	GRC GRL GRR GLR	CAPF CBPF CCPF **ELPF (std)**
			H29	**TW**			
	series	dimensions	height	product	modesty	grommet position	grommet style
Example	ML	2436	**H29**	**TW**	FM	GRC	ELPF

Prices

Dimensions A B	ML	MLL	MA	MAL
1836	471	590	549	709
1842	491	627	595	770
2436	527	661	639	839
2442	572	728	687	909
2448	619	819	755	1008

All Purpose Tables

TCX



Manufacturing Standards

- Delivered disassembled;
- Square table on laminate cross base;
- Height: 29".

Prices


Dimensions A	B	ML	MLL	MA	MAL
3030		614	808	712	904
3636		678	952	835	949
4242		754	1101	957	1194
4848		859	1302	1129	1544
5454		1072	1634	1415	1973
6060		1171	1848	1594	2221

How to Order

	ML MLL MA MAL	A			B
			TC	**X**	
	series	top dimension	product	base	dimension
Example	ML	30	**TC**	**X**	30

All Purpose Tables

TCMXLX



Manufacturing Standards

- Delivered disassembled;
- Square table on metal Deluxe cross base;
- Height: 29".

Leg color: *If choice of leg color is not specified, the standard black (BL) will be used, satin nickel (SN) is available at no extra charge.*

Prices


Dimensions A	B	ML	MLL	MA	MAL
30	30	986	1238	1103	1328
36	36	995	1312	1164	1375
42	36	1002	1391	1221	1587

How to Order

	ML MLL MA MAL	A			B	SN **BL (std)**
			TC	**MXLX**		
	series	top dimension	product	base	dimension	leg color
Example	ML	30	**TC**	**MXLX**	30	BL

All Purpose Tables

TRMX



Manufacturing Standards

- Delivered disassembled;
- Round table on metal cross base;
- Height: 29".

Leg color: *If choice of leg color is not specified, the standard black (BL) will be used, Chrome (CHR) is available at no extra charge.*

Prices


Dimensions A	B	ML	MLL	MA	MAL
3026		765	983	877	1076
3630		831	1113	982	1254
4236		843	1200	1046	1391

How to Order

ML MLL MA MAL	A			B	CHR **BL (std)**
		TR	**MX**		
series	top dimension	product	base	base dimension	leg color
Example ML	30	**TR**	**MX**	26	BL

All Purpose Tables

TRMXLX



Manufacturing Standards

- Delivered disassembled;
- Round table on metal Deluxe cross base;
- Height: 29".

Leg color: *If choice of leg color is not specified, the standard black (BL) will be used, satin nickel (SN) is available at no extra charge.*

Prices


Dimensions A	B	ML	MLL	MA	MAL
3024		1003	1245	1112	1343
3630		1069	1315	1166	1389
4236		1130	1447	1271	1634

How to Order

	ML MLL MA MAL	A			B	SN **BL (std)**
			TR	**MXLX**		
	series	top dimension	product	base	base dimension	leg color
Example	ML	30	**TR**	**MXLX**	24	BL

All Purpose Tables

TRMXH



Manufacturing Standards

- Delivered disassembled;
- Round table on Heavy Duty metal Deluxe cross base;
- Height: 29".

Available in black (BL) only.

Prices


Dimensions A	B	ML	MLL	MA	MAL
48	44	1227	1708	1499	2005
54	44	1342	1928	1686	2307
60	44	1472	2175	1893	2641

How to Order

	ML MLL MA MAL	A			B	
			TR	**MXH**	**44**	**BL**
	series	top dimension	product	base	base dimension	leg color
Example	ML	48	**TR**	**MXH**	**44**	**BL**

All Purpose Tables

TRX



Manufacturing Standards

- Delivered disassembled;
- Round table on laminate cross base;
- Height: 29".

Prices


Dimensions A	B	ML	MLL	MA	MAL
3016		611	882	763	955
3620		676	937	821	1073
4224		743	1153	1008	1338
4830		931	1352	1175	1597
5433		1038	1618	1399	1937
6036		1171	1824	1574	2198

How to Order

	ML MLL MA MAL	A			B
			TR	**X**	
	series	top dimension	product	base	base dimensions
Example	ML	30	**TR**	**X**	16

All Purpose Tables

TRXCV



Manufacturing Standards

- Delivered disassembled;
- Round table on concave laminate cross base;
- Height: 29".

Prices


Dimensions A	B	ML	MLL	MA	MAL
3016		605	958	849	1051
3620		825	1028	903	1095
4224		894	1174	1025	1354
4830		974	1352	1175	1578
5433		1145	1545	1339	1892
6036		1284	1713	1472	2083

How to Order

	ML MLL MA MAL	A			B
			TR	**XCV**	
	series	top dimension	product	base	base dimensions
Example	ML	30	**TR**	**XCV**	16

Flint

UTFBW



Manufacturing Standards

- MDF top with wood veneer and knife edge;
- Wood base.

Wood finishes: *Available colors: White Wash* ***WW****, Golden Wheat* ***GW****, Sand* ***SD****, Apricot* ***AT****, Pecan* ***PN****, Brandy* ***BR****, Chestnut* ***CT****, Coffee* ***CF****, Espresso* ***ES****, Bordeaux* ***BO****, Black Wash* ***BW*** *and Bark* ***BK****.*

Prices


Dimensions A	B	C
242418	954	
303018	1163	
242424	1026	
303024	1216	
306018	1930	
307218	2103	

How to Order

		A B C		See the Logiflex color chart	
	MDFB		**UTFBW**		
	series	dimensions	code	top color	base color
Example	**MDFB**	242418	**UTFBW**	GW	GW

Rectangular Hatley Tables

THAT



Manufacturing Standards


- Delivered disassembled;
- Rectangular table on 4 metal tapered legs with wood insert;
- Stiffener (RSTF) included for 60" tables;
- Height: 29".

Wood finishes: *Available colors: White Wash* ***WW****, Golden Wheat* ***GW****, Sand* ***SD****, Apricot* ***AT****, Pecan* ***PN****, Brandy* ***BR****, Chestnut* ***CT****, Coffee* ***CF****, Espresso* ***ES****, Bordeaux* ***BO****, Black Wash* ***BW*** *and Bark* ***BK****.*

Optional locking casters:
2 locking casters (WF2)
4 locking casters (WF4)

Options

Casters



WF
$39 ea.

How to Order


	OS OSL OSZ OSZL	A B		BL SN **CHR (std)**	WF2 WF4
			THAT		
	series	dimensions	product	metal finish	locking casters
Example	OS	2460	**THAT**	CHR	

Prices

Dimensions A	B	OS	OSL	OSZ	OSZL
2430		814	996	969	1160
2436		821	1027	1009	1222
2442		830	1056	1050	1284
2448		839	1086	1091	1349
2454		849	1120	1133	1413
2460		860	1147	1172	1476
3036		834	1072	1071	1316
3042		843	1107	1118	1396
3048		858	1144	1170	1473
3054		866	1185	1220	1552
3060		880	1221	1271	1633

Elliptical Hatley Tables

ELHAT



Manufacturing Standards


- Delivered disassembled;
- Oval table on 4 metal tapered legs with wood insert;
- Stiffener (RSTF) included for tables 60" or longer;
- Height: 29".

Wood finishes: *Available colors: White Wash* ***WW****, Golden Wheat* ***GW****, Sand* ***SD****, Apricot* ***AT****, Pecan* ***PN****, Brandy* ***BR****, Chestnut* ***CT****, Coffee* ***CF****, Espresso* ***ES****, Bordeaux* ***BO****, Black Wash* ***BW*** *and Bark* ***BK****.*

Optional locking casters:
2 locking casters (WF2)
4 locking casters (WF4)

Options

Casters



WF
$39 ea.

How to Order


	OS OSL	A B		BL SN **CHR (std)**	WF2 WF4
			ELHAT		
	series	dimensions	product	metal finish	locking casters
Example	OS	2460	**ELHAT**	CHR	

Prices

Dimensions A	B	OS	OSL
2460		929	1226
2466		937	1257
2472		949	1284
3054		937	1260
3060		952	1302
3066		961	1339
3072		972	1373

Circular Hatley Tables

TRHAT



Manufacturing Standards


- Delivered disassembled;
- Round table on 4 metal tapered legs with wood insert;
- Height: 29".

Wood finishes: *Available colors: White Wash* ***WW****, Golden Wheat* ***GW****, Sand* ***SD****, Apricot* ***AT****, Pecan* ***PN****, Brandy* ***BR****, Chestnut* ***CT****, Coffee* ***CF****, Espresso* ***ES****, Bordeaux* ***BO****, Black Wash* ***BW*** *and Bark* ***BK****.*

Optional locking casters:
2 locking casters (WF2)
4 locking casters (WF4)

Options

Casters



WF
$39 ea.

How to Order


	OS OSL OSZ OSZL	A		BL SN **CHR (std)**	WF2 WF4
			TRHAT		
	series	dimensions	product	metal finish	locking casters
Example	OS	30	**TRHAT**	CHR	

Prices

Dimensions A	OS	OSL	OSZ	OSZL
30	894	1117	1091	1316
36	921	1192	1202	1491
42	948	1290	1331	1691

Square Hatley Tables

TCHAT



Manufacturing Standards


- Delivered disassembled;
- Square table on 4 metal tapered legs with wood insert;
- Height: 29".

Wood finishes: *Available colors: White Wash* ***WW****, Golden Wheat* ***GW****, Sand* ***SD****, Apricot* ***AT****, Pecan* ***PN****, Brandy* ***BR****, Chestnut* ***CT****, Coffee* ***CF****, Espresso* ***ES****, Bordeaux* ***BO****, Black Wash* ***BW*** *and Bark* ***BK****.*

Optional locking casters:
2 locking casters (WF2)
4 locking casters (WF4)

Options

Casters



WF
$39 ea.

How to Order


	OS OSL OSZ OSZL	A		BL SN **CHR (std)**	WF2 WF4
			TCHAT		
	series	dimensions	product	metal finish	locking casters
Example	OS	30	**TCHAT**	CHR	

Prices

Dimensions A	OS	OSL	OSZ	OSZL
30	818	1028	1016	1231
36	842	1112	1125	1407
42	868	1208	1255	1607

Table 19

T19



Manufacturing Standards

- 3" high laminate skirt;
- Height: 19"

Prices


Dimensions A B C	ML	MLL	MA	MAL
181819	359	409	363	450
202019	371	454	404	502
242419	384	506	448	559
303019	519	735	646	826

How to Order

	ML MLL MA MAL	AB		C
			T	
	series	dimensions	product	height
Example	ML	2020	**T**	19

Table 19

TTS19



Manufacturing Standards

- 3" high laminate skirt;
- 1 fixed shelf;
- Height: 19"

Prices


Dimensions A B C	ML	MLL	MA	MAL
181819	413	513	457	550
202019	448	571	507	619
242419	458	622	553	677
303019	630	852	752	945

How to Order

	ML MLL MA MAL	AB		C
			TTS	
	series	dimensions	product	height
Example	ML	2020	**TTS**	19

Square Magog Tables

TCMAG



Manufacturing Standards

- Delivered disassembled;
- Laminate surface;
- 2-1/2" round tubular leg;
- 24" circular base with metal glides, no levelers.

Metal finishes available in satin nickel (SN), white (WH), black (BL) and chrome (CHR).

How to Order


	OS OSL OSZ OSZL OG OGL	A			WH CHR BL **SN (std)**	B
	series	top dimension	top	product	metal finish	height
Example	OS	24	**TC**	**MAG**	SN	20

Prices

Dimensions A B	OS	OSL	OSZ	OSZL	OG	OGL
(SN) Satin nickel, white (**WH**) or **(BL)** black base						
2420	914	1088	1021	1197	989	1169
3020	931	1152	947	1290	1045	1279
3220	937	1176	1076	1321	1071	1317
2429	925	1095	1075	1257	996	1178
3029	937	1160	1129	1358	1054	1284
3229	947	1186	1144	1396	1076	1328
2436	930	1101	1115	1293	1002	1190
3036	945	1167	1179	1405	1065	1294
3236	953	1192	1202	1456	1083	1339
2442	937	1118	1160	1346	1012	1194
3042	955	1178	1231	1465	1072	1305
(CHR) Chrome base						
2420	1296	1505	1400	1618	1388	1607
3020	1315	1588	1449	1723	1462	1743
3220	1325	1618	1463	1763	1489	1791
2429	1306	1516	1457	1676	1398	1619
3029	1327	1595	1518	1792	1472	1753
3229	1333	1627	1532	1836	1499	1803
2436	1315	1526	1516	1737	1406	1628
3036	1337	1604	1586	1864	1478	1765
3236	1341	1638	1603	1914	1507	1813
2442	1325	1539	1708	1941	1417	1638
3042	1345	1619	1620	1906	1491	1778

Square Magog Tables

TCMAG20



Manufacturing Standards

- Delivered disassembled;
- Laminate surface;
- Round tubular leg 3" diameter;
- 20" circular base with metal glides and levelers.

Metal finishes available in satin nickel (SN), white (WH) and black (BL).

Prices


Dimensions A	B	OS	OSL	OSZ	OSZL
2429		827	1014	1134	1353
3029		857	1119	1182	1454
3629		924	1225	1214	1499
2436		849	1035	1156	1375
3036		879	1140	1204	1476
2440		869	1056	1176	1396
3040		899	1161	1225	1497

How to Order

	OS OSL OSZ OSZL	A			WH BL **SN (std)**	B
			TC	**MAG20**		
	series	top dimension	top	product	metal finish	height
Example	OS	24	**TC**	**MAG20**	SN	29

Square Magog Tables

TCMAG24



Manufacturing Standards

- Delivered disassembled;
- Laminate surface;
- Round tubular leg 3" diameter;
- 24" circular base with metal glides and levelers.

Metal finishes available in satin nickel (SN), white (WH) and black (BL).

Prices


Dimensions A	B	OS	OSL	OSZ	OSZL
2429		960	1146	1267	1486
3029		990	1251	1315	1587
3629		1057	1358	1347	1632
4229		1124	1440	1402	1755
4829		1178	1521	1456	1878
2436		987	1173	1294	1513
3036		1017	1278	1342	1614
3636		1084	1384	1374	1658
4236		1151	1467	1429	1782
2440		1002	1189	1309	1529
3040		1032	1294	1358	1629
3640		1099	1400	1389	1674
4240		1166	1482	1444	1797

How to Order

	OS OSL OSZ OSZL	A			WH BL **SN (std)**	B
			TC	**MAG24**		
	series	top dimension	top	product	metal finish	height
Example	OS	24	**TC**	**MAG24**	SN	29

Circular Magog Tables

TRMAG



Manufacturing Standards

- Delivered disassembled;
- Laminate surface;
- 2-1/2" round tubular leg;
- 24" circular base with metal glides, no levelers.

Metal finishes available in satin nickel (SN), white (WH), black (BL) and chrome (CHR).

How to Order

	OS OSL OSZ OSZL OG OGL	A			WH CHR BL **SN (std)**	B
			TR	**MAG**		
	series	top dimensions	top	product	metal finish	height
Example	OS	24	**TR**	**MAG**	SN	20


Prices

(SN) Satin nickel, white (**WH**) or **(BL)** black base

Dimensions A	B	OS	OSL	OSZ	OSZL	OG	OGL
2420		974	1153	1079	1264	1046	1235
3020		993	1220	1123	1355	1109	1347
3220		997	1242	1137	1388	1130	1384
3620		1011	1294	1167	1457	1175	1479
2429		983	1164	1136	1321	1057	1243
3029		997	1226	1187	1424	1114	1351
3229		1006	1252	1207	1460	1137	1395
3629		1019	1304	1246	1542	1183	1484
2436		993	1170	1191	1378	1068	1252
3036		1002	1231	1249	1495	1119	1358
3236		1015	1260	1277	1538	1143	1404
3636		1028	1314	1325	1623	1193	1494
2442		997	1179	1217	1409	1073	1260
3042		1017	1243	1291	1531	1131	1371
(CHR) Chrome base							
2420		1372	1589	1475	1697	1463	1689
3020		1391	1669	1522	1806	1535	1825
3220		1399	1696	1539	1842	1563	1877
3620		1415	1763	1573	1926	1622	1990
2429		1382	1598	1532	1759	1474	1700
3029		1400	1678	1592	1876	1547	1834
3229		1409	1712	1610	1921	1574	1883
3629		1427	1775	1650	2009	1636	2000
2436		1389	1608	1593	1817	1482	1715
3036		1409	1689	1658	1947	1556	1847
3236		1420	1722	1683	2000	1586	1894
3636		1434	1787	1729	2094	1643	2007
2442		1399	1620	1619	1849	1492	1720
3042		1424	1700	1698	1990	1566	1856

Circular Magog Tables

TRMAG20



Manufacturing Standards

- Delivered disassembled;
- Laminate surface;
- Round tubular leg 3" diameter;
- 20" circular base with metal glides and levelers.

Metal finishes available in satin nickel (SN), white (WH) and black (BL).

Prices


Dimensions A	B	OS	OSL	OSZ	OSZL
2429		975	1083	1147	1292
3029		993	1167	1189	1384
3629		1003	1208	1236	1498
2436		997	1104	1169	1313
3036		1015	1189	1210	1406
2440		1018	1125	1190	1334
3040		1035	1209	1231	1427

How to Order

	OS OSL OSZ OSZL	A			WH BL **SN (std)**	B
			TR	**MAG20**		
	series	top dimension	top	product	metal finish	height
Example	OS	24	**TR**	**MAG20**	SN	29

Circular Magog Tables

TRMAG24



Manufacturing Standards

- Delivered disassembled;
- Laminate surface;
- Round tubular leg 3" diameter;
- 24" circular base with metal glides and levelers.

Metal finishes available in satin nickel (SN), white (WH) and black (BL).

Prices


Dimensions A	B	OS	OSL	OSZ	OSZL
2429		1108	1215	1280	1424
3029		1126	1300	1321	1517
3629		1136	1341	1369	1630
4229		1187	1427	1428	1770
4829		1280	1652	1490	1923
2436		1135	1242	1307	1451
3036		1153	1327	1348	1544
3636		1163	1368	1396	1657
4236		1213	1453	1454	1796
2440		1151	1258	1323	1467
3040		1168	1342	1364	1559
3640		1178	1383	1411	1673
4240		1229	1469	1470	1812

How to Order

	OS OSL OSZ OSZL	A			WH BL **SN (std)**	B
			TR	**MAG24**		
	series	top dimension	top	product	metal finish	height
Example	OS	24	**TR**	**MAG24**	SN	29

Racetrack Magog Tables

RTMAG



Manufacturing Standards

- Delivered disassembled;
- Laminate surface;
- 2-1/2" round tubular leg;
- 24" circular base with metal glides, no levelers;
- Stiffener (RSTF) for tables 92" or longer;
- Height: 29".

Metal finishes available in satin nickel (SN), white (WH), black (BL) and chrome (CHR).

Prices


Dimensions A	B	OS	OSL	OG	OGL
(SN) Satin nickel, white (**WH**) or **(BL)** black base					
3672	1746	2288	2080	2651	
3684	1767	2370	-	-	
3696	1781	2426	-	-	
4272	1765	2369	-	-	
4284	1789	2467	-	-	
4296	1804	2530	-	-	
(CHR) Chrome base					
3672	2484	3150	2903	3601	
3684	2512	3250	-	-	
3696	2529	3321	-	-	
4272	2512	3250	-	-	
4284	2542	3373	-	-	
4296	2560	3451	-	-	

How to Order

	OS OSL OG OGL	AB			WH CHR BL **SN (std)**
			RT	**MAG**	
	series	dimensions	code	product	metal finish
Example	OS	3672	**RT**	**MAG**	SN

Square Magog Tables

RTMAG20



Manufacturing Standards

- Delivered disassembled;
- Laminate surface;
- Round tubular leg 3" diameter;
- 20" circular base with metal glides and levelers.
- Height: 29".

See Appendix H for maximum table dimensions.

Metal finishes available in satin nickel (SN), white (WH) and black (BL).

Prices


Dimensions A	B	OS	OSL
3060		1673	1961
3066		1715	2031
3072		1756	2102
3660		1756	2102
3666		1807	2187
3672		1856	2271

How to Order

	OS OSL	AB			WH BL **SN (std)**
			RT	**MAG20**	
	series	dimensions	top	product	metal finish
Example	OS	3060	**RT**	**MAG20**	SN

Square Magog Tables

RTMAG24



Manufacturing Standards

- Delivered disassembled;
- Laminate surface;
- Round tubular leg 3" diameter;
- 24" circular base with metal glides and levelers.
- Height: 29".

See Appendix H for maximum table dimensions.

Metal finishes available in satin nickel (SN), white (WH) and black (BL).

Prices


Dimensions A	B	OS	OSL
3672		2164	2666
3684		2208	2775
4272		2208	2775
4284		2323	2983

How to Order


	OS OSL	AB			WH BL **SN (std)**
			TR	**MAG20**	
	series	dimensions	top	product	metal finish
Example	OS	3060	**TR**	**MAG20**	SN

Manhattan

UTPM



UTWL



Manufacturing Standards

- Hospitality table on metal legs PM (brushed nickel finish) and WL (3" X 3" wooden legs);
- Without back panel: open on both sides.

Metal Legs: *Brushed nickel finish only.*

Wood Legs: *Available colors: White Wash **WW**, Golden Wheat **GW**, Sand **SD**, Apricot **AT**, Pecan **PN**, Brandy **BR**, Chestnut **CT**, Coffee **CF**, Espresso **ES**, Bordeaux **BO**, Black Wash **BW** and Bark **BK**.*

Prices


Dimensions A B C	MA	MAL
181421	1245	1404
242418	1152	1343
303018	1250	1492
306018	1428	1800
307218	1614	2049

How to Order

	MA MAL	A B C		WL PM
			UT	
	series	dimensions	product	legs
Example	MA	242418	**UT**	PM

Circular Orford Tables

TRORF4



Manufacturing Standards

- Delivered disassembled;
- Circular surface;
- 4-point aluminum base.

Metal finishes available in satin nickel (SN), black (BL) and chrome (CHR).

Prices


Dimensions A	B	OS	OSL	OSZ	OSZL
(SN) Satin nickel or Black **(BL)** base					
3020		1193	1441	1321	1576
3220		1199	1462	1339	1607
3029		1193	1441	1382	1639
(CHR) Chrome base					
3020		2362	2666	2494	2803
3220		2370	2689	2508	2837
3029		2362	2666	2551	2864

How to Order

	OS OSL OSZ OSZL	A		CHR BL **SN (std)**	B
			TRORF4		
	series	top dimension	product	metal finish	height
Example	OS	30	**TRORF4**	SN	20

Square Orford Tables

TCORF4



Manufacturing Standards

- Delivered disassembled;
- Square surface;
- 4-point aluminum base.

Metal finishes available in satin nickel (SN), black (BL) and chrome (CHR).

Prices


Dimensions A	B	OS	OSL	OSZ	OSZL
(SN) Satin nickel or Black **(BL)** base					
3020	1050	1298	1181	1434	
3220	1133	1372	1271	1518	
3029	1083	1337	1276	1532	
(CHR) Chrome base					
3020	2155	2449	2286	2587	
3220	2304	2599	2443	2276	
3029	2188	2492	2379	2688	

How to Order

	OS OSL OSZ OSZL	A		CHR BL **SN (std)**	B
			TCORF4		
	series	top dimension	product	metal finish	height
Example	OS	30	**TCORF4**	SN	20

Rectangular Orford Tables

TORF2



Manufacturing Standards

- Delivered disassembled;
- Rectangular surface;
- 2-point aluminum base;
- Height: 29".

Metal finishes available in satin nickel (SN), black (BL) and chrome (CHR).

Prices


Dimensions A	B	OS	OSL	OSZ	OSZL
(SN) Satin nickel, Black or **(BL)** base					
3242		1586	1923	1860	2211
3248		1595	1959	1910	2288
3254		1604	1995	1958	2363
3260		1692	2116	2084	2525
3266		1703	2154	2133	2604
(CHR) Chrome base					
3242		3235	3649	3511	3941
3248		3245	3686	3559	4015
3254		3252	3724	3606	4091
3260		3340	3843	3734	4253
3266		3352	3879	3784	4329

How to Order

	OS OSL OSZ OSZL	A B			CHR BL **SN (std)**
			T	**ORF2**	
	series	dimensions	top	product	metal finish
Example	OS	3266	**T**	**ORF2**	SN

Slim Small Coffee Table

SL1T



Manufacturing Standards

- 1" rectangular laminate top;
- Table frame base with four 18" high legs in 1" square welded steel profile.
- On white nylon levelers;
- Height: 19.5".

Metal finishes available in satin nickel (SN) and black (BL).

Prices


Code	
SL1T	615

How to Order

			BL **SN (std)**
	OS	**SL1T**	
	series	code	metal finish (Appx. A)
Example	**OS**	**SL1T**	SN

Slim Large Coffee Table

SL2T



Manufacturing Standards

- 1" rectangular laminate top;
- Table frame base with four 18" high legs in 1" square welded steel profile.
- On white nylon levelers;
- Height: 19.5".

Metal finishes available in satin nickel (SN) and black (BL).

Prices


Code	
SL2T	771

How to Order

			BL **SN (std)**
	OS	**SL2T**	
	series	code	metal finish (Appx. A)
Example	**OS**	**SL2T**	SN

Square Stanstead Tables

TCSTA424



Manufacturing Standards

- Delivered disassembled;
- Square laminate surface;
- 1-1/2" tubular metal leg with 4-point base.

Metal finishes available in satin nickel (SN), white (PB) and chrome (CHR).

Prices


Dimensions A	B	OS	OSL	OSZ	OSZL
(SN) Satin nickel or **(PB)** white base					
2420		671	818	776	929
2429		680	830	831	992
(CHR) Chrome base					
2420		993	1175	1097	1282
2429		1007	1190	1161	1349

How to Order

	OS OSL OSZ OSZL	A		CHR PB **SN (std)**	B
			TC	**STA424**		
	series	dimensions	top	product	metal finish	height
Example	OS	24	**TC**	**STA424**	SN	20

Circular Stanstead Tables

TRSTA424



Manufacturing Standards

- Delivered disassembled;
- Circular laminate surface;
- 1-1/2" tubular metal leg with 4-point base.

Metal finishes available in satin nickel (SN), white (PB) and chrome (CHR).

Prices


Dimensions A	B	OS	OSL	OSZ	OSZL
(SN) Satin nickel or **(PB)** white base					
2420		731	884	835	996
2429		741	897	891	1003
(CHR) Chrome base					
2420		1069	1259	1172	1369
2429		1082	1275	1235	1434

How to Order

	OS OSL OSZ OSZL	A			CHR PB **SN (std)**	B
			TR	**STA424**		
	series	dimensions	top	product	metal finish	height
Example	OS	24	**TR**	**STA424**	SN	20

Rectangular Stanstead Tables

TSTA224



Manufacturing Standards

- Delivered disassembled;
- Rectangular laminate surface;
- 1-1/2" tubular metal leg;
- Height: 29".

Metal finishes available in satin nickel (SN), white (PB) and chrome (CHR).

Prices


Dimensions A	B	OS	OSL	OSZ	OSZL
(SN) Satin nickel or **(PB)** white base					
2436		923	1134	1110	1334
2442		929	1165	1147	1395
2448		935	1192	1187	1454
2454		947	1222	1225	1518
2460		1029	1338	1343	1666
(CHR) Chrome base					
2436		1450	1720	1640	1917
2442		1458	1753	1680	1983
2448		1470	1788	1721	2052
2454		1479	1824	1763	2121
2460		1584	1966	1899	2299

How to Order

	OS OSL OSZ OSZL	AB		CHR PB **SN (std)**
			T	**STA224**	
	series	dimensions	top	product	metal finish
Example	OS	2436	**T**	**STA224**	SN

Square Lennox Tables

TCLEN



Manufacturing Standards

- Delivered disassembled;
- Laminate surface;
- 2-1/2" square tubular leg;
- 18" square base with metal glides, no levelers.

Metal finishes available in satin nickel (SN), white (WH), black (BL) and chrome (CHR).

Prices


Dimensions A	B	OS	OSL	OSZ	OSZL	OG	OGL
(SN) Satin nickel, white (**WH**) or **(BL)** black base							
1820		902	1023	974	1102	931	1060
2420		914	1088	1021	1197	989	1169
3020		931	1152	1067	1290	1045	1279
1829		908	1030	1023	1153	937	1073
2429		925	1095	1075	1257	996	1178
3029		937	1160	1129	1358	1054	1284
1836		918	1038	1058	1194	945	1074
2436		930	1101	1121	1303	1002	1190
3036		945	1167	1181	1418	1065	1294
1842		918	1051	1087	1222	953	1080
2442		937	1118	1160	1346	1012	1194
3042		955	1178	1231	1465	1072	1305
(CHR) Chrome base							
1820		1288	1437	1499	1601	1332	1482
2420		1306	1458	1520	1676	1398	1551
3020		1327	1504	1553	1708	1472	1628
1829		1297	1456	1539	1649	1349	1502
2429		1315	1482	1567	1726	1415	1572
3029		1340	1532	1613	1771	1489	1649
1836		1307	1480	1579	1696	1369	1520
2436		1329	1503	1615	1778	1433	1589
3036		1352	1563	1668	1833	1509	1672
1842		1313	1500	1621	1745	1388	1543
2442		1336	1525	1682	1846	1450	1607
3042		1360	1590	1751	1924	1525	1695

How to Order

	series	top dimension	top	product	metal finish	height
	OS OSL OSZ OSZL OG OGL	A	**TC**	**LEN**	WH CHR BL **SN (std)**	B
Example	OS	24	**TC**	**LEN**	SN	20

Square Lennox Tables

TCLEN20



Manufacturing Standards

- Delivered disassembled;
- Laminate surface;
- 3" square tubular leg;
- 20" square base with metal glides and levelers.

Metal finishes available in satin nickel (SN), white (WH) and black (BL).

Prices


Dimensions A	B	OS	OSL	OSZ	OSZL
2429		827	1014	1134	1353
3029		857	1119	1182	1454
3629		924	1225	1214	1499
2436		849	1035	1156	1375
3036		879	1140	1204	1476
2440		869	1056	1176	1396
3040		899	1161	1225	1497

How to Order

	OS OSL OSZ OSZL	A			WH BL **SN (std)**	B
			TC	**LEN20**		
	series	top dimension	top	product	metal finish	height
Example	OS	24	**TC**	**LEN20**	SN	29

Square Lennox Tables

TCLEN24



Manufacturing Standards

- Delivered disassembled;
- Laminate surface;
- 3" square tubular leg;
- 24" square base with metal glides and levelers.

Metal finishes available in satin nickel (SN), white (WH) and black (BL).

Prices


Dimensions A	B	OS	OSL	OSZ	OSZL
2429		960	1146	1267	1486
3029		990	1251	1315	1587
3629		1057	1358	1347	1632
4229		1124	1440	1402	1755
4829		1178	1521	1456	1878
2436		987	1173	1294	1513
3036		1017	1278	1342	1614
3636		1084	1384	1374	1658
4236		1151	1467	1429	1782
2440		1002	1189	1309	1529
3040		1032	1294	1358	1629
3640		1099	1400	1389	1674
4240		1166	1482	1444	1797

How to Order

	OS OSL OSZ OSZL	A			WH BL **SN (std)**	B
			TC	**LEN24**		
	series	top dimension	top	product	metal finish	height
Example	OS	24	**TC**	**LEN24**	SN	29

Circular Lennox Tables

TRLEN



Manufacturing Standards

- Delivered disassembled;
- Laminate surface;
- 2-1/2" square tubular leg;
- 18" square base with metal glides, no levelers.

Metal finishes available in satin nickel (SN), white (WH), black (BL) and chrome (CHR).

Prices


Dimensions A	B	OS	OSL	OSZ	OSZL	OG	OGL
(SN) Satin nickel, white (**WH**) or **(BL)** black base							
1820		957	1088	1034	1169	987	1128
2420		974	1153	1079	1264	1046	1235
3020		993	1220	1123	1355	1109	1347
1829		970	1098	1083	1218	1001	1135
2429		983	1164	1136	1321	1057	1243
3029		997	1226	1187	1424	1114	1351
1836		973	1110	1114	1254	1009	1144
2436		993	1170	1173	1366	1068	1252
3036		1002	1231	1234	1472	1119	1358
1842		977	1120	1144	1289	1015	1147
2442		997	1179	1217	1409	1073	1260
3042		1017	1243	1291	1531	1131	1371
(CHR) Chrome base							
1820		1352	1508	1427	1590	1389	1550
2420		1372	1589	1475	1697	1463	1689
3020		1391	1669	1522	1806	1535	1825
1829		1362	1519	1476	1641	1400	1566
2429		1382	1598	1532	1759	1474	1700
3029		1400	1678	1592	1876	1547	1834
1836		1375	1530	1507	1675	1411	1583
2436		1389	1608	1572	1803	1482	1715
3036		1409	1689	1638	1924	1556	1847
1842		1377	1539	1543	1708	1420	1584
2442		1399	1620	1619	1849	1492	1720
3042		1424	1700	1698	1990	1566	1856

How to Order

	OS OSL OSZ OSZL OG OGL	A			WH CHR BL **SN (std)**	B
			TR	**LEN**		
	series	top dimensions	top	product	metal finish	height
Example	OS	24	**TR**	**LEN**	SN	20

Circular Lennox Tables

TRLEN20



Manufacturing Standards

- Delivered disassembled;
- Laminate surface;
- 3" square tubular leg;
- 18" square base with metal glides and levelers.

Metal finishes available in satin nickel (SN), white (WH) and black (BL).

Prices


Dimensions A	B	OS	OSL	OSZ	OSZL
2429		975	1083	1147	1292
3029		993	1167	1189	1384
3629		1003	1208	1236	1498
2436		997	1104	1169	1313
3036		1015	1189	1210	1406
2440		1018	1125	1190	1334
3040		1035	1209	1231	1427

How to Order

	OS OSL OSZ OSZL	A			WH BL **SN (std)**	B
			TR	**LEN20**		
	series	top dimensions	top	product	metal finish	height
Example	OS	24	**TR**	**LEN20**	SN	29

Circular Lennox Tables

TRLEN24



Manufacturing Standards

- Delivered disassembled;
- Laminate surface;
- 3" square tubular leg;
- 24" square base with metal glides and levelers.

Metal finishes available in satin nickel (SN), white (WH) and black (BL).

Prices


Dimensions A	B	OS	OSL	OSZ	OSZL
2429		1108	1215	1280	1424
3029		1126	1300	1321	1517
3629		1136	1341	1369	1630
4229		1187	1427	1428	1770
4829		1280	1652	1490	1923
2436		1135	1242	1307	1451
3036		1153	1327	1348	1544
3636		1163	1368	1396	1657
4236		1213	1453	1454	1796
2440		1151	1258	1323	1467
3040		1168	1342	1364	1559
3640		1178	1383	1411	1673
4240		1229	1469	1470	1812

How to Order

	OS OSL OSZ OSZL	A			WH BL **SN (std)**	B
			TR	**LEN24**		
	series	top dimensions	top	product	metal finish	height
Example	OS	24	**TR**	**LEN24**	SN	20

Rectangular Lennox Tables

TLEN



Manufacturing Standards

- Delivered disassembled;
- Laminate surface;
- 2-1/2" square tubular leg;
- 18" square bases with metal glides, no levelers.
- Height: 29".

Metal finishes available in satin nickel (SN), white (WH), black (BL) and chrome (CHR).

Prices


Dimensions A	B	OS	OSL	OG	OGL
(SN) Satin nickel, white (**WH**) or **(BL)** black base					
3060		1666	2123	1926	2403
3066		1692	2221	2016	2574
3072		1716	2319	2105	2743
3084		1742	2417	2194	2915
3660		1715	2172	1976	2451
3666		1740	2273	2064	2624
3672		1765	2369	2153	2794
3684		1789	2467	-	-
(CHR) Chrome base					
3060		2409	2956	2725	3317
3066		2438	3080	2836	3523
3072		2465	3201	2948	3730
3084		2491	3323	3057	3936
3660		2459	3006	2774	3368
3666		2484	3130	2884	3573
3672		2512	3250	2996	3780
3684		2542	3373	-	-

How to Order

	OS OSL OG OGL	AB			WH CHR BL **SN (std)**
			T	**LEN**	
	series	dimensions	code	product	metal finish
Example	OS	3672	**T**	**LEN**	SN

Rectangular Lennox Tables

TLEN20



Manufacturing Standards

- Delivered disassembled;
- Laminate surface;
- 3" square tubular leg;
- 20" square bases with metal glides and levelers.
- Height: 29".

See Appendix H for maximum table dimensions.

Metal finishes available in satin nickel (SN), white (WH) and black (BL).

Prices


Dimensions A	B	OS	OSL
3060		1601	1931
3066		1618	1962
3072		1635	1993
3660		1639	1995
3666		1659	2033
3672		1678	2069

How to Order

	OS OSL	AB			WH BL **SN (std)**
			T	**LEN20**	
	series	dimensions	code	product	metal finish
Example	OS	3672	**T**	**LEN20**	SN

Rectangular Lennox Tables

TLEN24



Manufacturing Standards

- Delivered disassembled;
- Laminate surface;
- 3" square tubular leg;
- 24" square bases with metal glides and levelers.
- Height: 29".

See Appendix H for maximum table dimensions.

Metal finishes available in satin nickel (SN), white (WH) and black (BL).

Prices

Dimensions A	B	OS	OSL
3672		1944	2335
3684		2013	2436
4272		2013	2436
4284		2096	2629

How to Order


	OS OSL	AB			WH BL **SN (std)**
			T	**LEN24**	
	series	dimensions	code	product	metal finish
Example	OS	3672	**T**	**LEN24**	SN

Training Tables

Training Tables

Salto Flip-top Table

FTR



Manufacturing Standards


- Delivered disassembled;
- Rectangular laminate 1" surface;
- T-base on casters with brake;
- Flip-top mechanism with center-below-surface actuation handle and support bar;
- Metal inserts under the surface to connect the tables, ganging-clamp sold separately (GCA2);
- Height: 29-1/2"H;
- Maximum load: 300lbs/136kg.

Positioning Options *: The depth of the surface and the presence of a modesty impact the positioning of grommets and connections, see Appendix K.*


Connection Option*: BEL-1 and BEL-2 require a power cable and a junction cable, see Accessories.*

Refer to the Ganging Clamp to join two surfaces.

Options



Grommet




ELPF $0 | C_PF $28 ea.

Power Outlet Cutout

(plugs not included)

See BEL-1 | BEL-2



C-BEL-1 | C-BEL-2

How to Order

	SAL SA	AB		WH BL **SN (std)**	ELPF CAPF CBPF CCPF CDPF	GRC GRR GLR GRL **NGR (std)**	C-BEL-1 C-BEL-2 SANS	C R L LR
			FTR					
	serie	dimensions	product	metal finish	grommet	grommet position	power outlet cutout	cutout position
Example	SA	2454	**FTR**	SN	ELPF	GLR	C-BEL-1	LR


Prices


Dimensions A	B	SA	SAL
2448		1178	1308
2454		1202	1354
2460		1226	1401
2472		1260	1480
3048		1226	1401
3054		1256	1458
3060		1285	1633
3072		1330	1731

Training Tables


Salto Flip-top Table with Modesty

FTRM





Combination of Colors



Top Modesty

Manufacturing Standards


- Delivered disassembled;
- Rectangular laminate 1" surface;
- T-base on casters with brake;
- Modesty of 12" high laminate 5/8" with apparent metal fasteners;
- Flip-top mechanism with center-below-surface actuation handle and support bar;
- Metal inserts under the surface to connect the tables, ganging-clamp sold separately (GCA2);
- Height: 29-1/2"H;
- Maximum load: 300lbs/136kg.

Positioning Options *: The depth of the surface and the presence of a modesty impact the positioning of grommets and connections, see Appendix K.*

Connection Option*: BEL-1 and BEL-2 require a power cable and a junction cable, see Accessories.*

Refer to the Ganging Clamp to join two surfaces.

Options



Grommet




ELPF $0 | C_PF $28 ea.

Power Outlet Cutout

(plugs not included)

See BEL-1 | BEL-2



C-BEL-1 C-BEL-2

Prices

Dimensions A	B	SA	SAL
2448		1230	1360
2454		1254	1406
2460		1277	1452
2472		1311	1532
3048		1277	1452
3054		1307	1510
3060		1337	1684
3072		1381	1783


How to Order

	SAL SA	AB		WH BL **SN (std)**	ELPF CAPF CBPF CCPF CDPF	GRC GRR GLR GRL **NGR (std)**	C-BEL-1 C-BEL-2 SANS	C R L LR
			FTRM					
	serie	dimensions	product	metal finish	grommet	grommet position	power outlet cutout	cutout position
Example	SA	2454	**FTRM**	SN	ELPF	GLR	C-BEL-1	LR

Training Tables

Academic Tables on Levelers

RETF24N




Manufacturing Standards

- Delivered disassembled;
- Rectangular worksurface;
- 2 CAPF grommets;
- Fixed satin nickel "T" legs of 2-1/2" diameter with 24" spread;
- White nylon levelers;
- Stiffener (RSTF) included for tables 60" or longer;
- Height: 29"H

Refer to the Ganging Clamp to join two surfaces.

Options

Grommet Position



Grommet Style



CAPF $0 | CBPF $0

How to Order

	AC ACL	AB			BL **SN (std)**	NGR GRL GRR GRC **GLR (std)**	CBPF **CAPF (std)**
			RE	**TF24N**			
	series	dimensions	code	legs	metal finish	grommet position	grommet style
Exemple	AC	2448	**RE**	**TF24N**	SN	GLR	CAPF


Prices

Dimensions A	B	AC	ACL
2448		823	1066
2454		842	1112
2460		953	1235
2466		983	1303
2472		1019	1352
3048		877	1153
3054		901	1218
3060		1009	1355
3066		1052	1419
3072		1089	1495

Training Tables

Academic Tables on Levelers with Modesty

REMFMTF24N




Manufacturing Standards

- Delivered disassembled;
- Rectangular worksurface;
- 2 CAPF grommets;
- Fixed satin nickel "T" legs of 2-1/2" diameter;
- White nylon levelers;
- Fixed 12" laminate modesty panel;
- Stiffener (RSTF) included for tables 60" or longer;
- Height: 29"H

Refer to the Ganging Clamp to join two surfaces.

Options

Grommet Position



Grommet Style



CAPF $0 | CBPF $0

How to Order


	AC ACL	AB				BL **SN (std)**	NGR GRL GRR GRC **GLR (std)**	CBPF **CAPF (std)**
			RE	**MFM**	**TF24N**			
	series	dimensions	code	modesty	legs	metal finish	grommet position	grommet style
Example	AC	2448	**RE**	**MFM**	**TF24N**	SN	GLR	CAPF

Prices

Dimensions A	B	AC	ACL
2448		1046	1302
2454		1087	1367
2460		1125	1417
2466		1164	1494
2472		1202	1544
3048		1098	1389
3054		1143	1473
3060		1181	1538
3066		1233	1608
3072		1270	1684

Academic Tables on Casters

RETF24WF



Manufacturing Standards


- Delivered disassembled;
- Rectangular worksurface;
- 2 CAPF grommets;
- Fixed satin nickel "T" legs of 2-1/2" diameter;
- Locking casters;
- Stiffener (RSTF) included for tables 60" or longer;
- Height: 29"H

Handling of the mechanism: Handling of the flip-top surface must be done by 2 people.

Refer to the Ganging Clamp to join two surfaces.

Options

Grommet Position




Grommet Style



CAPF $0

CBPF $0

Flip-Top Mechanism



FT $882

How to Order

AC ACL	AB			BL **SN (std)**	FT	NGR GRL GRR GRC **GLR (std)**	CBPF **CAPF (std)**
		RE	**TF24WF**				
series	dimensions	code	legs	metal finish	flip-top	grommet position	grommet style
Example AC	2448	**RE**	**TF24WF**	SN		GLR	CAPF


Prices

Dimensions A	B	AC	ACL
2448		974	1226
2454		995	1271
2460		1104	1396
2466		1136	1460
2472		1171	1509
3048		1026	1312
3054		1052	1375
3060		1162	1515
3066		1205	1579
3072		1241	1651

Training Tables

Academic Tables on Casters with Modesty

REMFMTF24WF




Manufacturing Standards

- Delivered disassembled;
- Rectangular worksurface;
- 2 CAPF grommets;
- Fixed satin nickel "T" legs of 2-1/2" diameter;
- Locking casters;
- Fixed 12" laminate modesty panel;
- Stiffener (RSTF) included for tables 60" or longer;
- Height: 29"H

Refer to the Ganging Clamp to join two surfaces.

Options

Grommet Position



Grommet Style



CAPF $0 | CBPF $0

How to Order

	AC ACL	AB				BL **SN (std)**	NGR GRL GRR GRC **GLR (std)**	CBPF **CAPF (std)**
			RE	**MFM**	**TF24WF**			
	series	dimensions	code	modesty	legs	metal finish	grommet position	grommet style
Example	AC	2448	**RE**		**TF24WF**	SN	GLR	CAPF

Prices

Dimensions A	B	AC	ACL
2448		1201	1458
2454		1239	1526
2460		1278	1576
2466		1314	1650
2472		1353	1702
3048		1249	1548
3054		1296	1633
3060		1335	1695
3066		1384	1769
3072		1424	1845


Complimentary Furniture

Wall Units

General Information


Logiflex wall units are a versatile combination of laminate frames and panels mounted to existing building walls that helps to create clean and harmonious spaces. Offered with or without shelves, the wall units are also available in in one of the 10 colors available in 1-5/8", indicated in the Logiflex Color and Finishes Guide. A wide variety of potential configurations are possible: from the single mounted unit to a combination of several units covering an entire wall.

	CODE	DESCRIPTION
A	WU3636F	Wall units (2x)
B	WU3672	Wall unit
C	WU2436F	Wall units (2x)
D	WU2472F	Wall unit
E	CSZ60168TWELCHR	Table
F	2036WELCHRCRAR20	Credenzas (2x)
G	2072WELCHRARBBAR20	Credenza




Wall Unit Options


Logiflex's wall units come in five options offerning you maximum versatility.




WU
Wall Unit




F
Wall Unit
Full Shelf




L
Wall Unit
Left Shelf



R
Wall Unit
Right Shelf



FF
Wall Unit
2 Full Shelves




- Shelves are 1-5/8" thick laminate;
- Shelves are 8" deep;
- The width of the full shelf is equivelent to the width of the unit less 4";
- The width of the left or right shelf is equivelent to half the width of the unit less 2".
- The maximum capacity of a shelf is 40lbs.

Installation Recommendations

Only metal anchors must be used for the wall mounting. The purchaser and installer are responsible to ensure application of appropriate attachment methods and hardware for safe installation that meet the applicable local building codes and laws.


	COMPONENTS
A	1" laminate crossbar with universal metal corners
B	1" laminate upright
C	5/8" laminate panel with 1" laminate frame
D	Shelf: 1-5/8" laminate panel




Exploded View

Wall Units

WU 24



WU 30



Manufacturing Standards


- Horizontal wood grain;
- Grommets on the perimeter of the frame.

Note: *Half shelves are not available for 24" wide wall units.*


Maximum load capacity of a shelf: 40 lbs.
Maximum load capacity of wall units: 100 lbs.

Attention: *Logiflex is not responsible for the installation of wall hutches. This responsibility belongs entirely to the distributor or the client.*


Options



Full Shelf
F



Left Shelf
L



Right Shelf
R

How to Order

	A B	F L R
WU		
series	dimensions	option
Example WU	2430	F

Prices

WU24


Dimensions A B	WU	WUF	WUL	WUR
2424	753	1130	1107	1107
2430	763	1155	1123	1123
2436	776	1223	1142	1142
2442	787	1248	1164	1164
2448	801	1277	1181	1181
2454	813	1342	1201	1201
2460	823	1368	1218	1218
2466	835	1435	1281	1281
2472	848	1463	1301	1301

WU30


Dimensions A B	WU	WUF	WUL	WUR
3024	763	1140	1117	1117
3030	777	1167	1137	1137
3036	791	1239	1161	1161
3042	806	1267	1179	1179
3048	818	1293	1201	1201
3054	830	1362	1220	1220
3060	843	1388	1241	1241
3066	860	1458	1303	1303
3072	872	1488	1325	1325

Wall Units

WU 36



WU 42



Manufacturing Standards


- Horizontal wood grain;
- Grommets on the perimeter of the frame.

Note: *Half shelves are not available for 24" wide wall units.*


Maximum load capacity of a shelf: 40 lbs.
Maximum load capacity of wall units: 100 lbs.

Attention: *Logiflex is not responsible for the installation of wall hutches. This responsibility belongs entirely to the distributor or the client.*


Options




Full Shelf
F



Left Shelf
L



Right Shelf
R



2 Full Shelves
FF

How to Order

	A B	F L R FF
WU		
series	dimensions	option
Example **WU**	3630	F

Prices

WU36


Dimensions A B	WU	WUF	WUL	WUR	WUFF
3624	776	1153	1130	1130	1529
3630	791	1181	1152	1152	1573
3636	808	1252	1173	1173	1702
3642	821	1284	1198	1198	1745
3648	835	1311	1217	1217	1787
3654	852	1382	1241	1241	1912
3660	865	1412	1261	1261	1955
3666	883	1483	1326	1326	2088
3672	898	1513	1348	1348	2127

WU42


Dimensions A B	WU	WUF	WUL	WUR	WUFF
4224	787	1058	1141	1141	1543
4230	806	1087	1165	1165	1586
4236	821	1153	1188	1188	1715
4242	838	1179	1215	1215	1763
4248	857	1210	1235	1235	1804
4254	868	1277	1259	1259	1932
4260	887	1303	1284	1284	1978
4266	904	1371	1348	1348	2107
4272	923	1398	1376	1376	2153

Wall Units

WU 48



WU 54



Manufacturing Standards


- Horizontal wood grain;
- Grommets on the perimeter of the frame.

Note: *Half shelves are not available for 24" wide wall units.*


Maximum load capacity of a shelf: 40 lbs.
Maximum load capacity of wall units: 100 lbs.

Attention: *Logiflex is not responsible for the installation of wall hutches. This responsibility belongs entirely to the distributor or the client.*


Options




Full Shelf
F



Left Shelf
L



Right Shelf
R



2 Full Shelves
FF

How to Order

	A B	F L R FF
WU		
series	dimensions	option
Example WU	4830	F

Prices

WU48


Dimensions A B	WU	WUF	WUL	WUR	WUFF
4824	801	1175	1155	1155	1554
4830	818	1210	1176	1176	1600
4836	835	1284	1203	1203	1731
4842	857	1314	1230	1230	1778
4848	872	1347	1252	1252	1824
4854	890	1424	1281	1281	1953
4860	908	1454	1304	1304	1998
4866	928	1529	1375	1375	2131
4872	948	1560	1398	1398	2176

WU54

Dimensions A B	WU	WUF	WUL	WUR	WUFF
5424	813	1187	1165	1165	1565
5430	830	1221	1189	1189	1613
5436	852	1297	1218	1218	1746
5442	868	1333	1246	1246	1792
5448	890	1367	1273	1273	1841
5454	911	1440	1301	1301	1971
5460	931	1477	1327	1327	2023
5466	953	1554	1396	1396	2156
5472	972	1588	1427	1427	2203

Wall Units

WU 60



Manufacturing Standards


- Horizontal wood grain;
- Grommets on the perimeter of the frame.

Note: *Half shelves are not available for 24" wide wall units.*


Maximum load capacity of a shelf: 40 lbs.
Maximum load capacity of wall units: 100 lbs.

Attention: *Logiflex is not responsible for the installation of wall hutches. This responsibility belongs entirely to the distributor or the client.*


Options




Full Shelf
F



Left Shelf
L



Right Shelf
R



2 Full Shelves
FF

How to Order

	A B	F L R FF
WU		
series	dimensions	option
Example **WU**	6030	F


Prices

WU60


Dimensions A B	WU	WUF	WUL	WUR	WUFF
6024	823	1201	1175	1175	1576
6030	843	1235	1205	1205	1625
6036	865	1313	1234	1234	1763
6042	887	1348	1263	1263	1812
6048	908	1384	1291	1291	1859
6054	931	1463	1320	1320	1953
6060	954	1499	1348	1348	2042
6066	974	1576	1423	1423	2177
6072	996	1613	1449	1449	2228

Credenzas

WELARBBAR20



Base Detail



Manufacturing Standards

- Horizontal wood grain on sides and legs;
- Door with pressure latch;
- Base with metal inserts;
- 2 door credenza with open shelving middle;
- No shelves.

Inserts: *Available in satin nickel (SN), white (PB) and chrome (CHR) metal finishes.*

Specify if handle desired ($15 each, see p. 153).

Options

Lock



LK
$47 ea.

Prices


Dimensions A	B	C	CS	CSL	CG	CGL
Decorative base with **(SN)** satin nickel or **(PB)** white inserts						
207220			1539	1898	1724	2097
Decorative base with **(CHR)** chrome inserts						
207220			1576	1850	1763	2140


How to Order

	CS CSL CG CGL	A B		SN PB CHR		C	LKBL LKSN	⊕
			WEL		**ARBBAR**	**20**		
	series	dimensions	base	metal finish	cabinet section	height	lock p. 157	handle p. 153
Example	CS	2072	**WEL**	CHR	**ARBBAR**	**20**	LKSN	

Credenzas

WELARBBAR29





Manufacturing Standards

- Horizontal wood grain on sides and legs;
- Door with pressure latch;
- Base with metal inserts;
- 2 door credenza with open shelving middle;
- 1 adjustable shelf.

Inserts: *Available in satin nickel (SN), white (PB) and chrome (CHR) metal finishes.*

Specify if handle desired ($15 each, see p. 153).

Options

Lock



LK
$47 ea.

How to Order


	CS CSL CG CGL	A B		SN PB CHR		C	LKBL LKSN	
			WEL		**ARBBAR**	**29**		
	series	dimensions	base	metal finish	cabinet section	height	lock p. 157	handle p. 153
Example	CS	2072	**WEL**	CHR	**ARBBAR**	**29**	LKSN	

Prices


Dimensions A B C	CS	CSL	CG	CGL
Decorative base with **(SN)** satin nickel or **(PB)** white inserts				
207229	1616	1980	1797	2184
Decorative base with **(CHR)** chrome inserts				
207229	1651	1930	1839	2227

Credenzas

WELARBBAR36



Base Detail



Manufacturing Standards

- Horizontal wood grain on sides and legs;
- Door with pressure latch;
- Base with metal inserts;
- 2 door credenza with open shelving middle;
- 1 fixed shelf;
- 2 adjustable shelves.

Inserts: *Available in satin nickel (SN), white (PB) and chrome (CHR) metal finishes.*

Specify if handle desired ($15 each, see p. 153).

Options

Lock



LK
$47 ea.

How to Order


	CS CSL CG CGL	A B		SN PB CHR		C	LKBL LKSN	
			WEL		**ARBBAR**	**36**		
	series	dimensions	base	metal finish	cabinet section	height	lock p. 157	handle p. 153
Example	CS	2072	**WEL**	CHR	**ARBBAR**	**36**	LKSN	

Prices

Dimensions A B C	CS	CSL	CG	CGL
Decorative base with **(SN)** satin nickel or **(PB)** white inserts				
207236	1693	2065	1878	2267
Decorative base with **(CHR)** chrome inserts				
207236	1731	2009	1915	2309

Credenzas

WELCRAR



Base Detail

Manufacturing Standards

- Horizontal wood grain on sides and legs;
- Door with pressure latch;
- Base with metal inserts;
- 2 door credenza.

20": 0 adjustable shelf
29": 1 adjustable shelf
36": 2 adjustable shelves

Inserts: *Available in satin nickel (SN), white (PB) and chrome (CHR) metal finishes.*

Specify if handle desired ($15 each, see p. 153).

Options

Lock



LK
$47 ea.

Prices


Dimensions A B C	CS	CSL	CG	CGL
Decorative base with **(SN)** satin nickel or **(PB)** white inserts				
203620	1167	1384	1259	1488
203629	1250	1480	1344	1581
203636	1315	1550	1409	1650
Decorative base with **(CHR)** chrome inserts				
203620	1215	1438	1306	1539
203629	1296	1529	1388	1632
203636	1364	1599	1455	1702


How to Order

	CS CSL CG CGL	A B		SN PB CHR		C	LKBL LKSN	⊕
			WEL		**CRAR**			
	series	dimensions	base	metal finish	cabinet section	dimension	lock p. 157	handle p. 153
Example	CS	2036	**WEL**	CHR	**CRAR**	**36**	LKSN	

Credenzas

WELARAR20





Manufacturing Standards

- Horizontal wood grain on sides and legs;
- Door with pressure latch;
- Base with metal inserts;
- 4 door credenza;
- No shelves.

Inserts: *Available in satin nickel (SN), white (PB) and chrome (CHR) metal finishes.*

Specify if handle desired ($15 each, see p. 153).

Options

Lock



LK
$47 ea.

How to Order


	CS CSL CG CGL	A B		SN PB CHR		C	LKBL LKSN	
			WEL		**ARAR**	**20**		
	series	dimensions	base	metal finish	cabinet section	dimension	lock p. 157	handle p. 153
Example	CS	2072	**WEL**	CHR	**ARAR**	**20**	LKSN	


Prices

Dimensions A B C	CS	CSL	CG	CGL
Decorative base with **(SN)** satin nickel or **(PB)** white inserts				
207220	1576	1937	1763	2140
Decorative base with **(CHR)** chrome inserts				
207220	1616	1980	1797	2184

Credenzas

WELARAR29





Manufacturing Standards

- Horizontal wood grain on sides and legs;
- Door with pressure latch;
- Base with metal inserts;
- 4 door credenza;
- 1 adjustable shelf.

Inserts: *Available in satin nickel (SN), white (PB) and chrome (CHR) metal finishes.*

Specify if handle desired ($15 each, see p. 153).

Options

Lock



LK
$47 ea.

How to Order


	CS CSL CG CGL	A B		SN PB CHR		C	LKBL LKSN	
			WEL		**ARAR**	**29**		
	series	dimensions	base	metal finish	cabinet section	dimension	lock p. 157	handle p. 153
Example	CS	2072	**WEL**	CHR	**ARAR**	**29**	LKSN	

Prices


Dimensions A B C	CS	CSL	CG	CGL
Decorative base with **(SN)** satin nickel or **(PB)** white inserts				
207229	1651	2023	1839	2227
Decorative base with **(CHR)** chrome inserts				
207229	1693	2065	1878	2267

Credenzas

WELARAR36



Base Detail



Manufacturing Standards

- Horizontal wood grain on sides and legs;
- Door with pressure latch;
- Base with metal inserts;
- 4 door credenza;
- 2 adjustable shelves.

Inserts: *Available in satin nickel (SN), white (PB) and chrome (CHR) metal finishes.*

Specify if handle desired ($15 each, see p. 153).

Options

Lock



LK
$47 ea.

How to Order


	CS CSL CG CGL	A B		SN PB CHR		C	LKBL LKSN	
			WEL		**ARAR**	**36**		
	series	dimensions	base	metal finish	cabinet section	dimension	lock p. 157	handle p. 153
Example	CS	2072	**WEL**	CHR	**ARAR**	**36**	LKSN	

Prices

Dimensions A B C	CS	CSL	CG	CGL
Decorative base with **(SN)** satin nickel or **(PB)** white inserts				
207236	1731	2104	1915	2309
Decorative base with **(CHR)** chrome inserts				
207236	1771	2149	1954	2354

Cabinets

WELAR42



Manufacturing Standards

- 2 spring-loaded latch doors;
- Horizontal wood grain on doors and legs;
- Base with metal inserts;
- 5/8" laminate back;
- 2 adjustable shelves.

Inserts: *Available in satin nickel (SN), white (PB) and chrome (CHR) metal finishes.*

Specify if handle desired ($15 each, see p. 153).

Adjustable shelves (SH): *see Appendix H for prices, p. 17.*

Options

Lock



LK
$47 ea.

How to Order


	CS CG	A B		SN PB CHR		C	LKBL LKSN		SH
			WEL		**AR**	**42**			
	series	dimensions	product	metal finish	cabinet section	dimension	lock p. 157	handle p. 153	shelves
Example	CS	2036	**WEL**	CHR	**AR**	**42**	LKSN		SH

Prices

Dimensions A B C	CS	CG
Decorative base with **(SN)** satin nickel or **(PB)** white inserts		
203642	1218	1311
Decorative base with **(CHR)** chrome inserts		
203642	1263	1354

Cabinets

WELAR78



Manufacturing Standards

- 4 spring-loaded latch doors;
- Horizontal wood grain on doors and vertical wood grain on legs;
- Base with metal inserts;
- 5/8" laminate back;
- 4 adjustable shelves and 1 fixed shelf.

Inserts: *Available in satin nickel (SN), white (PB) and chrome (CHR) metal finishes.*

Specify if handle desired ($15 each, see p. 153).

Adjustable shelves (SH): *see Appendix H for prices, p. 17.*

Options

Lock



LK
$47 ea.

How to Order


	CS CG	A B		SN PB CHR		C	LKBL LKSN		SH
			WEL		**AR**	**78**			
	series	dimensions	product	metal finish	cabinet section	dimension	lock p. 157	handle p. 153	shelves
Example	CS	2036	**WEL**	CHR	**AR**	**78**	LKSN	H011	SH


Prices

Dimensions A B C	CS	CG
Decorative base with **(SN)** satin nickel or **(PB)** white inserts		
203678	1707	1797
Decorative base with **(CHR)** chrome inserts		
203678	1731	1824


Mobile Service Carts

WELCART20





Inside View



Push Bar Detail

Manufacturing Standards

- 1 door with spring-loaded latch;
- Horizontal wood grain on doors and sides;
- Locking casters;
- 1 adjustable shelf with clearance for wiring;
- Push bar for moving cart, in wood that match the surface finish, with metal inserts;
- Ventilation opening and grommet at bottom.

Available in satin nickel (SN), white (PB) and chrome (CHR) metal finishes.

Specify if handle desired ($15 each, see p. 153).

Wood finishes: *Available colors: White Wash **WW**, Golden Wheat **GW**, Sand **SD**, Apricot **AT**, Pecan **PN**, Brandy **BR**, Chestnut **CT**, Coffee **CF**, Espresso **ES**, Bordeaux **BO**, Black Wash **BW** and Bark **BK**.*

Options

Lock



LK
$47 ea.

How to Order


	CS CSL CG CGL		SN PB CHR		A	LKBL LKSN	
		WEL		**CART**	**20**		
	series	product	metal finish	code	dimension	lock p. 157	handle p. 153
Example	CS	**WEL**	SN	**CART**	**20**	LKSN	H011


Prices

Dimensions A	CS	CSL	CG	CGL
Push bar with **(SN)** satin nickel or **(PB)** white finish				
20	1258	1443	1311	1499
Push bar with **(CHR)** chrome finish				
20	1403	1598	1454	1654


Mobile Service Carts

WELCART36





Inside View



Push Bar Detail

Manufacturing Standards

- Doors with spring-loaded latch;
- Horizontal wood grain on doors and sides;
- Locking casters;
- 1 adjustable shelf with clearance for wiring;
- Push bar for moving cart, in wood that match the surface finish, with metal inserts;
- Ventilation opening and grommet at bottom.

Available in satin nickel (SN), white (PB) and chrome (CHR) metal finishes.

Specify if handle desired ($15 each, see p. 153).

Wood finishes: *Available colors: White Wash **WW**, Golden Wheat **GW**, Sand **SD**, Apricot **AT**, Pecan **PN**, Brandy **BR**, Chestnut **CT**, Coffee **CF**, Espresso **ES**, Bordeaux **BO**, Black Wash **BW** and Bark **BK**.*

Options

Lock



LK
$47 ea.

How to Order


	CS CSL CG CGL		SN PB CHR		A	LKBL LKSN	
		WEL		**CART**	**36**		
	series	product	metal finish	code	dimension	lock p. 157	handle p. 153
Example	CS	**WEL**	SN	**CART**	**36**	LKSN	H011

Prices

Dimensions A	CS	CSL	CG	CGL
Push bar with **(SN)** satin nickel or **(PB)** white finish				
36	1355	1594	1449	1696
Push bar with **(CHR)** chrome finish				
36	1501	1752	1594	1855

Mobile Service Carts

WCART36



Locking Wheel

Manufacturing Standards

- 2 doors;
- 2 drawers and 1 sub-surface sliding shelf;
- Vertical wood grain on doors and sides;
- 1 adjustable shelf in cabinet section;
- HJAB handles;
- Lock, cabinet section;
- Unit on wheels (front-locking).

Handle: *For a handle other than* HJAB *standard, please choose from the Logiflex list at no extra charge.,see p. 153).*

Prices


Dimensions A	ML	MLL	MA	MAL
36	1673	1925	1729	1995

How to Order


	ML MLL MA MAL		A	⊕
		WCART	**36**	
	series	code	dimension	handle p. 153
Example	ML	**WCART**	**36**	

Conference Boards

WC - White Board (with doors)



WCSD - White Board (sliding doors)



Manufacturing Standards


- For wall mounting (with Z-bar in back);
- 5" laminate frame;
- For models with doors,
  left door with writing pad, right door with cork;
- Model with sliding doors;
- Handle (HJAB).

Handle: *For a handle other than* HJAB *standard, please choose from the Logiflex list at no extra charge.,see p. 153).*

Attention: *Logiflex is in no way responsible for the installation of conference boards. This responsibility belongs entirely to the distributor or to the client.*


Options

Projector Screens
(Factory installed)



SCREEN36 $431 | SCREEN48 $521

Eraser & Crayon Kit



EBC $70

How to Order

	ML MA	AB	WC WCSD	SCREEN36 SCREEN48	EBC	
	series	dimension	product	screen	eraser/crayon p. 157	handle p. 153
Example	ML	3642	WC	SCREEN36	EBC	

Prices

WC - White Board (with doors)


Dimensions A	B	ML	MA
3636		1556	1582
3642		1685	1720
3648		1815	1852
3654		1946	1986
4848		2102	2141
4854		2269	2311
4860		2377	2422

WCSD - White Board with sliding doors


Dimensions A	B	ML
4848		3299
4860		3521

Lectern

LTN



Color Combinations



Top **Frame** **Front** **Shelves**

Manufacturing Standards

- Top 20"D x 24"W, 23° incline with satin nickel finished aluminum edge stopper;
- Open storage space with grommet;
- Cabinet with 1 push to open door and 1 adjustable shelf;
- Grommet at the bottom;
- Lock;
- White nylon levelers.


Tips & Tricks

For the mobile version, see next page.


Note: *No modification to the dimensions is possible for the lectern.*

Options

Electric Plug



SQE
$146



Prices


Dimensions A	B	C	
19	24	47	1145

How to Order


				SQE-120-C SQE-120-JM SQE-120-JL SQE-120-JK
	ML	ABC	**LTN**	
	series	dimensions	product	electric plug
Example	**ML**	192447	**LTN**	SQE-120-C

Mobile Lectern

LTNM



Color Combinations



Top | Frame | Front | Shelves

Manufacturing Standards

- Top 20"D x 24"W, 23° incline with satin nickel finished aluminum edge stopper;
- Open storage space with grommet;
- Section with removable panel and 1 adjustable shelf;
- Grommet at the bottom;
- 2 wheels on user's side and 2 white nylon levelers.


Note: *No modification to the dimensions is possible for the lectern.*

Options

Electric Plug



SQE
$146



Prices

Dimensions A	B	C
19	24	47	1291


How to Order

			SQE-120-C SQE-120-JM SQE-120-JL SQE-120-JK
ML	ABC	**LTNM**	
series	dimensions	product	electric plug
Example	**ML**	192447	**LTNM**	SQE-120-C


Collaborative Furniture

Multimedias Tables

MP



Combination of Colors



Manufacturing Standards

- Delivered disassembled;
- Rectangular top with knife edge;
- 2 chrome-finish metal legs, 29" H;
- Surface cutout for wire management;
- Storage cabinet under the top with 1 adjustable shelf and chrome finish H052 handles;
- Built-in 1" laminate vertical panel to mount a screen;
- Grommet hole in the base of the unit to manage screen cables;
- Vertical wood grain on front.

Dimension "B" includes the 1" vertical panel.

Screen and screen mounting hardware not included. Maximum recommended screen size 60".

Handle: *For a handle other than* H052 *standard, please choose from the Logiflex list at no extra charge.,see p. 153).*

Options

Lock

LK
$47 ea.

Connectivity

C

MH3
A $434 | B/C $434 | D $434

Specify connectivity on p. 159

MH1
$740

Wireless charger

CQIBL $128 | CQIWH $128

Prices


Dimensions A B C	CHR
305559	1529
306159	1574
306759	1619
307359	1663
365559	1643
366159	1698
366759	1749
367359	1803

How to Order


	A B C		WH BL SN **CHR (std)**	MH3 B/C/D	CQIBL CQIWH	LKBL LKSN	
LV		**MP**						
series	dimensions	product	metal finish	connectivity	CCQi p. 141	lock p. 157	handle p. 153
Example	**LV**	366159	**MP**	CHR	MH3B	QIBL	LKSN	

Multimedias Tables

MT



Combination of Colors



Top Base Front

Manufacturing Standards

- Delivered disassembled;
- Rectangular top with knife edge and square satin nickel finish Lennox metal base, 29" H;
- Surface cutout for wire management;
- Storage cabinet under the top with 1 adjustable shelf and satin nickel finish H052 handles;
- Built-in 1" laminate vertical panel to mount a screen;
- Grommet hole in the base of the unit to manage screen cables;
- Vertical wood grain on front and on vertical panel.

Dimension "B" includes the 1" vertical panel.

Screen and screen mounting hardware not included. Maximum recommended screen size 60".

Handle: *For a handle other than* H052 *standard, please choose from the Logiflex list at no extra charge.,see p. 153).*

Options


Lock



LK
$47 ea.

Connectivity

C





Specify connectivity on p. 159

MH3

A $434 | B/C $434 | D $434



MH1
$740

Wireless charger





CQIBL $128 | CQIWH $128

Prices


Dimensions A B C	SN/BL/WH	CHR
305559	1848	2724
306159	1891	2771
306759	1936	2814
307359	1982	2859
365559	1961	2839
366159	2014	2890
366759	2068	2946
367359	2121	2997

How to Order


	A B C		WH BL CHR **SN (std)**	MH3 B/C/D	CQIBL CQIWH	LKBL LKSN	
LV		**MT**						
series	dimensions	product	metal finish	connectivity	CQi p. 142	lock p. 157	handle p. 153
Example	**LV**	366159	**MT**	SN	MH3B	QIBL	LKSN	

Multimedias Tables

MB



Combination of Colors



Manufacturing Standards

- Delivered disassembled;
- Rectangular top with knife edge and square satin nickel finish Lennox metal base, 36" H;
- Surface cutout for wire management;
- Storage cabinet under the top with 2 adjustable shelves and satin nickel finish H052 handles;
- Built-in 1" laminate vertical panel to mount a screen;
- Grommet hole in the base of the unit to manage screen cables;
- Vertical wood grain on front and on vertical panel.

Dimension "B" includes the 1" vertical panel.

Screen and screen mounting hardware not included. Maximum recommended screen size 60".

Handle: *For a handle other than* H052 *standard, please choose from the Logiflex list at no extra charge.,see p. 153).*


Options

Lock



LK
$47 ea.

Connectivity





Specify connectivity on p. 159

MH3

A $434 | B/C $434 | D $434



MH1
$740

Wireless charger





CQIBL $128 | CQIWH $128

Prices


Dimensions A B C	SN/BL/WH	CHR
305566	1882	2809
306166	1926	2854
306766	1971	2898
307366	2019	2944
365566	1998	2925
366166	2052	2982
366766	2106	3032
367366	2161	3085

How to Order


	A B C		WH BL CHR **SN (std)**	MH3 B/C/D	CQIBL CQIWH	LKBL LKSN	
LV		**MB**					
series	dimensions	product	metal finish	connectivity	CQi p. 143	lock p. 157	handle p. 153
Example **LV**	367366	**MB**	SN	MH3B	QIBL	LKSN	

Multimedias Tables

MG



Combination of Colors



Manufacturing Standards

- Delivered disassembled;
- Rectangular top with knife edge and square satin nickel finish Lennox metal base, 42" H;
- Surface cutout for wire management;
- Built-in 1" laminate vertical panel to mount a screen;
- Storage cabinet under the top with 2 adjustable shelves and satin nickel finish H052 handles;
- Grommet hole in the base of the unit to manage screen cables;
- Vertical wood grain on front and on vertical panel.

Dimension "B" includes the 1" vertical panel.

Screen and screen mounting hardware not included. Maximum recommended screen size 60".

Handle: *For a handle other than* H052 *standard, please choose from the Logiflex list at no extra charge.,see p. 153).*


Options

Lock



LK
$47 ea.

Connectivity





MH3

A $434 | B/C $434 | D $434

Specify connectivity on p. 159



MH1
$740

Wireless charger





CQIBL $128 | CQIWH $128

Prices


Dimensions A B C	SN/BL/WH	CHR
305572	1912	2871
306172	1958	2916
306772	2001	2960
307372	2048	3007
365572	2031	2993
366172	2088	3048
366772	2139	3098
367372	2193	3155

How to Order


	A B C		WH BL CHR **SN (std)**	MH3 B/C/D	CQIBL CQIWH	LKBL LKSN	
LV		**MG**						
series	dimensions	product	metal finish	connectivity	CQi p. 144	lock p. 157	handle p. 153
Example	**LV**	307372	**MG**	SN	MH3B	QIBL	LKSN	

Multimedias Tables with trapezoidal surface - 29"H

TMM-TZ




Bases



SDB RDB

Combination of Colors



Top Base Front

Manufacturing Standards

- Delivered disassembled;
- Trapezoidal surface at 29" height on a metal base with a diameter of 20";
- Multimedia panel width :
  42"L top : 36"L
  48"L top : 42"L
- Dimension B is the total length of the surface and media unit;
- The smallest side of the surface is always 30";
- Total height of the cabinet: 59"H;
- 2-1/2" round grommet television wiring, Black (BL);
- 2 supports (CNTSH) matching with the base color.

POR and HDMI wire not included.

Screen and screen mounting hardware not included. The furniture is suitable for screens up to 60", with a maximum weight of 45 lbs / 20 kg.


Stiffeners installed under the sufaces of 102"L multimedias unit only.

The back of the markerboad has a different finish than the rest of the frame, see Appendix L.

For additional lengths to the connectivity kit, add jumper cables available on p. 160.


Options

Connectivity Kit



BEL-2-18-WH-PI
BEL-2-18-BL-PI
$1 182

Ventilation Grill




GRILLB
$62

Markerboard



MB
$857

Grommet Style



GRRND
$28 ea.

C_PF
$28 ea.

Prices


Dimensions A B	ML	MLL
4266	2590	2950
4278	2696	3130
4290	2804	3310
42102	2912	3491
4866	2666	3080
4878	2789	3286
4890	2913	3492
48102	3035	3692

How to Order


	ML MLL	A B		RDB SDB	WH BL **SN (std)**	BEL-2-18-WH-PI BEL-2-18-BL-PI **NBEL (std)**	GB **NGB (std)**	MB **NMB (std)**	GRRND C_PF **NGR (std)**
			TMM-TZ						
	serie	dimensions	product	base	base finish	connectivity	ventilation	back panel	grommet
Example	**ML**	4266	**TMM-TZ**	SDB	SN	NBEL	NGB	NMB	NGR

Multimedias Tables with boat surface - 29"H

TMM-WG




Bases



SDB RDB

Combination of Colors



Top Base Front

Manufacturing Standards

- Delivered disassembled;
- Boat surface at 29" height on a metal base with a diameter of 20";
- Multimedia panel width :
  42"L top : 36"L
  48"L top : 42"L
- Dimension B is the total length of the surface and media unit;
- The smallest side of the surface is always 30";
- Total height of the cabinet: 59"H;
- 2-1/2" round grommet television wiring, Black (BL);
- 2 supports (CNTSH) matching with the base color.

POR and HDMI wire not included.

Screen and screen mounting hardware not included. The furniture is suitable for screens up to 60", with a maximum weight of 45 lbs / 20 kg.


Stiffeners installed under the sufaces of 102"L multimedias unit only.

The back of the markerboad has a different finish than the rest of the frame, see Appendix L.

For additional lengths to the connectivity kit, add jumper cables available on p. 160.


Options

Connectivity Kit



BEL-2-18-WH-PI
BEL-2-18-BL-PI
$1 182

Ventilation Grill




GRILLB
$62

Markerboard



MB
$857

Grommet Style



GRRND
$28 ea.

C_PF

Prices


Dimensions A B	ML	MLL
4266	2590	2950
4278	2696	3130
4290	2804	3310
42102	2912	3491
4866	2666	3080
4878	2789	3286
4890	2913	3492
48102	3035	3692

How to Order


	ML MLL	A B		RDB SDB	WH BL **SN (std)**	BEL-2-18-WH-PI BEL-2-18-BL-PI **NBEL (std)**	GB **NGB (std)**	MB **NMB (std)**	GRRND **NGR (std)**
			TMM-WG						
	serie	dimensions	product	base	base finish	connectivity	ventilation	back panel	grommet
Example	**ML**	4266	**TMM-WG**	SDB	SN	NBEL	NGB	NMB	NGR

Multimedias Tables with trapezoidal surface - 40"H

BMM-TZ




Bases



SDB RDB

Combination of Colors



Top Base Front

Manufacturing Standards

- Delivered disassembled;
- Trapezoidal surface at 40" height on a metal base with a diameter of 20";
- Multimedia panel width :
  42"L top : 36"L
  48"L top : 42"L
- Dimension B is the total length of the surface and media unit;
- The smallest side of the surface is always 30";
- Total height of the cabinet: 72"H;
- 2-1/2" round grommet television wiring, Black (BL);
- 2 supports (CNTSH) matching with the base color.

POR and HDMI wire not included.

Screen and screen mounting hardware not included. The furniture is suitable for screens up to 60", with a maximum weight of 45 lbs / 20 kg.


Stiffeners installed under the sufaces of 102"L multimedias unit only.

The back of the markerboad has a different finish than the rest of the frame, see Appendix L.

For additional lengths to the connectivity kit, add jumper cables available on p. 160.


Options

Connectivity Kit



BEL-2-18-WH-PI
BEL-2-18-BL-PI
$1 182

Ventilation Grill




GRILLB
$62

Markerboard



MB
$857

Grommet Style



GRRND
$28 ea.

C_PF

Prices


Dimensions A	B	ML	MLL
4266		2701	3063
4278		2809	3243
4290		2917	3424
42102		3025	3604
4866		2779	3193
4878		2903	3399
4890		3026	3605
48102		3149	3805

How to Order


ML MLL	A B		RDB SDB	WH BL **SN (std)**	BEL-2-18-WH-PI BEL-2-18-BL-PI **NBEL (std)**	GB **NGB (std)**	MB **NMB (std)**	GRRND **NGR (std)**
		BMM-TZ						
serie	dimensions	product	base	base finish	connectivity	ventilation	back panel	grommet
Example **ML**	4266	**BMM-TZ**	SDB	SN	NBEL	NGB	NMB	NGR

Multimedias Tables with boat surface - 40"H

BMM-WG




Bases



SDB RDB

Combination of Colors



Top Base Front

Manufacturing Standards

- Delivered disassembled;
- Boat surface at 40" height on a metal base with a diameter of 20";
- Multimedia panel width :
  42"L top : 36"L
  48"L top : 42"L
- Dimension B is the total length of the surface and media unit;
- The smallest side of the surface is always 30";
- Total height of the cabinet: 72"H;
- 2-1/2" round grommet television wiring, Black (BL);
- 2 supports (CNTSH) matching with the base color.

POR and HDMI wire not included.

Screen and screen mounting hardware not included. The furniture is suitable for screens up to 60", with a maximum weight of 45 lbs / 20 kg.


Stiffeners installed under the sufaces of 102"L multimedias unit only.

The back of the markerboad has a different finish than the rest of the frame, see Appendix L.

For additional lengths to the connectivity kit, add jumper cables available on p. 160.


Options

Connectivity Kit



BEL-2-18-WH-PI
BEL-2-18-BL-PI
$1 182

Ventilation Grill



GRILLB
$62

Markerboard



MB
$857

Grommet Style



GRRND
$28 ea.

C_PF

Prices


Dimensions A	B	ML	MLL
4266		2701	3063
4278		2809	3243
4290		2917	3424
42102		3025	3604
4866		2779	3193
4878		2903	3399
4890		3026	3605
48102		3149	3805

How to Order


ML MLL	A B		RDB SDB	WH BL **SN (std)**	BEL-2-18-WH-PI BEL-2-18-BL-PI **NBEL (std)**	GB **NGB (std)**	MB **NMB (std)**	GRRND **NGR (std)**
		BMM-WG						
serie	dimensions	product	base	base finish	connectivity	ventilation	back panel	grommet
Example **ML**	4266	**BMM-WG**	SDB	SN	NBEL	NGB	NMB	NGR

29" Collaboration Tables

TAC29



Interior space



Combination of Colors



Top & Legs
Color available for 1-5/8" only

Modesty & Removable Panel
5/8" panel

Manufacturing Standards

- Delivered disassembled;
- Top and legs in laminate;
  LL: 1";
  LK: 1-5/8";
- Modesty in 5/8" laminate with removable panel to ease wire management;
- White nylon levelers;
- 29" high.

Leg Grommet: *2-1/2" black plastic grommet.*


Top Connectivity: *Connectivity units are offered only in the horizontal position and cannot be ordered in the same position (ex: MH3A and QIBL in the centre position).*

Note: *Both grommet and connectivity options cannot be ordered together on the same side. (ex. PGR).*

Combination of Colors: *High gloss finish is only available on modesties and removable panels.*


Options

Leg Grommet



PGR
$0

Top Connectivity




MH3
A $434 | B/C $434 | D $434



MH1
$740

Wireless Charger





CQIBL $128 | CQIWH $128

Prices


Dimensions A B C	LL	LK
364829	1428	1428
366029	1522	1522
367229	1620	1620
368429	1718	1718
369629	1830	
424829	1522	1522
426029	1620	1620
427229	1718	1718
428429	1816	
429629	1926	

How to Order


				PGRL PGRR PGLR **PNGR (std)**	MH1 MH3A MH3B MH3C MH3D	L C R LR	CQIBL CQIWH	A C B AB
LK	AB	**TAC**	**29**					
series	dimensions	code	height	leg grommet	connectivity: top connectivity + position		wireless charger Qi + position	
Example	**LK**	3648	**TAC**	**29**	PNGR			

36" Collaboration Tables


TAC36




Interior space



Combination of Colors



Top & Legs
Color available for 1-5/8" only



Modesty & Removable Panel
5/8" panel

Manufacturing Standards

- Delivered disassembled;
- Top and legs in laminate;
  LL: 1";
  LK: 1-5/8";
- Modesty in 5/8" laminate with removable panel to ease wire management;
- White nylon levelers;
- 36" high.

Leg Grommet: *2-1/2" black plastic grommet.*


Top Connectivity: *Connectivity units are offered only in the horizontal position and cannot be ordered in the same position (ex: MH3A and QIBL in the centre position).*

Note: *Both grommet and connectivity options cannot be ordered together on the same side. (ex. PGR).*

Combination of Colors: *High gloss finish is only available on modesties and removable panels.*


Options

Leg Grommet



PGR
$0

Top Connectivity






MH3

A $434 | B/C $434 | D $434



MH1
$740

Wireless Charger





CQIBL $128 | CQIWH $128

Prices


Dimensions A B C	LL	LK
364836	1592	1592
366036	1696	1696
367236	1797	1797
368436	1918	1918
369636	2039	
424836	1688	1688
426036	1791	1791
427236	1898	1898
428436	2019	
429636	2136	

How to Order


				PGRL PGRR PGLR **PNGR (std)**	MH1 MH3A MH3B MH3C MH3D	L C R LR	CQIBL CQIWH	A C B AB
	AB							
LK		**TAC**	**36**					
series	dimensions	code	height	leg grommet	connectivity: top connectivity + position		wireless charger Qi + position	
Example	**LK**	3648	**TAC**	**36**	PNGR			

42" Collaboration Tables


TAC42



Interior space



Combination of Colors



Top & Legs
Color available for 1-5/8" only

Modesty & Removable Panel
5/8" panel

Manufacturing Standards

- Delivered disassembled;
- Top and legs in laminate;
  LL: 1";
  LK: 1-5/8";
- Modesty in 5/8" laminate with removable panel to ease wire management;
- White nylon levelers;
- 42" high.

Leg Grommet: *2-1/2" black plastic grommet.*


Top Connectivity: *Connectivity units are offered only in the horizontal position and cannot be ordered in the same position (ex: MH3A and QIBL in the centre position).*

Note: *Both grommet and connectivity options cannot be ordered together on the same side. (ex. PGR).*

Combination of Colors: *High gloss finish is only available on modesties and removable panels.*


Options

Leg Grommet



PGR
$0

Top Connectivity




MH3
A $434 | B/C $434 | D $434



MH1
$740

Wireless Charger





CQIBL $128 | CQIWH $128

How to Order

				PGRL PGRR PGLR **PNGR (std)**	MH1 MH3A MH3B MH3C MH3D	L C R LR	CQIBL CQIWH	A C B AB
LK	AB	**TAC**	**42**					
series	dimensions	code	height	leg grommet	connectivity: top connectivity + position		wireless charger Qi + position	
Example	**LK**	3648	**TAC**	**42**	PNGR			

Prices


Dimensions A B C	LL	LK
364842	1764	1764
366042	1882	1882
367242	2001	2001
368442	2128	2128
369642	2264	
424842	1926	1926
426042	2048	2048
427242	2166	2166
428442	2293	
429642	2426	

Accessories

Handles

HJA

Handle




- 6" metal handle;
- 5-1/32" (128mm) center to center.

Code	$	Description
HJA	15	*Satin Nickel*
HJAB	15	*Black*

H011

Handle




- 9-1/8" metal handle;
- 8-13/16" (224mm) center to center.

Code	$	Description
H011	15	*Satin Nickel*

H051

Handle




- 3-5/32" metal handle;
- 2-17/32" (64mm) center to center.

Code	$	Description
H051CHR	15	*Chrome*
H051SN	15	*Satin Nickel*
H051BL	15	*Black*
H051WH	15	*White*

H052

Handle




- 7-1/32" metal handle;
- 6-9/32" (160mm) center to center.

Code	$	Description
H052CHR	15	*Chrome*
H052SN	15	*Satin Nickel*
H052BL	15	*Black*
H052WH	15	*White*

H060

Handle




- 9-1/4" metal handle;
- 8-3/4" (222.25mm) center to center.

Code	$	Description
H060BN	15	*Brushed Nickel*
H060CHR	15	*Chrome*

H070

Handle




- 8-3/16" metal handle;
- 7-1/2" (190.5mm) center to center.

Code	$	Description
H070BN	15	*Brushed Nickel*
H070CHR	15	*Chrome*

H071

Handle




- 7-9/32" metal handle;
- 6-5/16" (160.338mm) center to center.

Code	$	Description
H071CHR	15	*Chrome*
H071BN	15	*Brushed Nickel*
H071BL	15	*Black*
H071WH	15	*White*

H072

Handle




- 6-3/8" metal handle;
- 5-1/32" (127.8mm) center to center.

Code	$	Description
H072CHR	15	*Chrome*
H072BL	15	*Black*
H072WH	15	*White*

SXP002

Handle




- 9-1/2" metal handle;
- 7-9/16" (191,5mm) center to center.

Code	$	Description
SXP002	15	*Satin Nickel*

SXP003

Handle




- 5-1/8" metal handle;
- 3-25/32" (96mm) center to center.

Code	$	Description
SXP003	15	*Satin Nickel*

Legs

4.5

Round Leg




- Fixed round metal leg / on leveler;
- 4-1/2" diameter;
- 6" x 6" end plate;
- Finish: Black (BL) and Satin Nickel (SN);
- Height: 27-1/2".

Code	$	Description
4.5BL	275	*Black*
4.5SN	275	*Satin Nickel*

IFN

Round Leg




- Fixed round metal leg / on leveler;
- 2-1/2" diameter;
- 3-3/4" x 3-3/4" end plate screwed to the leg;
- Finish: Black (BL) and Satin Nickel (SN);
- Height: 27-1/2".

Code	$	Description
IFNBL	96	*Black*
IFNSN	96	*Satin Nickel*

IFW

Round Leg




- Fixed round metal leg;
- 2-1/2" diameter;
- Locking wheel;
- 3-3/4" x 3-3/4" end plate;
- Finish: Black (BL) and Satin Nickel (SN);
- Height: 28".

Code	$	Description
IFWBL	169	*Black*
IFWSN	169	*Satin Nickel*

MT

T Leg




- Fixed metal T leg;
- Base: 22" (CHR), 26", 30" or 36" (BL) and (CHR);
- 8" x 8" end plate;
- Finish: Black (BL) and Chrome (CHR);
- Height: 27-1/2".

Code	$	Description
MT26BL	253	*26" base, Black*
MT30BL	253	*30" base, Black*
MT36BL	253	*36" base, Black*
MT22CHR	253	*22" base, Chrome*
MT26CHR	253	*26" base, Chrome*
MT30CHR	253	*30" base, Chrome*
MT36CHR	253	*36" base, Chrome*

MY

V Leg




- Fixed metal V leg;
- Base: 26", 30" or 36";
- 8" x 8" end plate;
- Finish: Black (BL) and Chrome (CHR);
- Height: 27-1/2".

Code	$	Description
MY26BL	253	*26" base, Black*
MY30BL	253	*30" base, Black*
MY36BL	253	*36" base, Black*
MY26CHR	253	*26" base, Chrome*
MY30CHR	253	*30" base, Chrome*
MY36CHR	253	*36" base, Chrome*

MXH44

Heavy Duty Cross Leg




- Fixed Heavy Duty metal cross leg / on leveler;
- Base: 44"
- 12" x 12" end plate;
- Finish: Black (BL);
- Height: 27-1/2".

Code	$	Description
MXH44BL	514	*Black*

Legs

TF

Deluxe T Leg




- Fixed Deluxe metal T leg / on levelers;
- Base: 24";
- 5" x 12" end plate;
- Finish: Black (BL) and Satin Nickel (SN);
- Height: 27-1/2".

Code	$	Description
TF24NBL	285	*24" base, Black*
TF24NSN	285	*24" base, Satin Nickel*

MXLX

Deluxe Cross Leg




- Fixed Deluxe metal cross leg / on leveler;
- Base: 24", 30" or 36";
- 8" x 8" end plate;
- Finish: Black (BL) and Satin Nickel (SN);
- Height: 27-1/2".

Code	$	Description
MXLX24BL	697	*24" base, Black*
MXLX30BL	697	*30" base, Black*
MXLX36BL	697	*36" base, Black*
MXLX24SN	697	*24" base, Satin Nickel*
MXLX30SN	697	*30" base, Satin Nickel*
MXLX36SN	697	*36" base, Satin Nickel*

MX

Cross Leg



- Fixed metal cross leg;
- Base: 26", 30"or 36";
- 8" x 8" end plate;
- Finish: Black (BL) and Chrome (CHR);
- Height: 27-1/2".

Code	$	Description
MX26BL	279	*26" base, Black*
MX30BL	328	*30" base, Black*
MX36BL	328	*36" base, Black*
MX26CHR	328	*26" base, Chrome*
MX30CHR	328	*30" base, Chrome*
MX36CHR	328	*36" base, Chrome*

HATLEY

Fixed Leg



- Set of two 28" tapered legs with wood insert;
- 4" x 4" end plate;
- Finish: Satin Nickel (SN) and Chrome (CHR);
- Height: 28".

Code	$	Description
HATSN	355	*Satin Nickel*
HATCHR	355	*Chrome*
HATBL	355	*Black*


Varnish and Stain Colors of Wooden Insert

GW	Golden Wheat	**PN**	Pecan
WW	White Wash	**CF**	Coffee
CT	Chestnut	**BR**	Brandy
ES	Espresso	**BK**	Bark
AT	Apricot	**SD**	Sand
BW	Black Wash	**BO**	Bordeaux

For stability reasons, please check with your account manager the dimensions of your furniture when ordering these legs separately from the surface.

RA2

Angled Rectangular Leg



- Set of 2 angled rectangular metal legs;
- Dimensions: 2" x 1";
- Finish: Satin Nickel (SN) and Black (BL);
- Height: 28".


Code	$	Description
RA2SN	203	*Satin Nickel*
RA2BL	203	*Black*
RA2WH	203	*White*

For stability reasons, please check with your account manager the dimensions of your furniture when ordering this leg separately from the surface.

Legs

MAGOG

Fixed Leg




- Fixed Magog leg;
- Base: 18";
- 8" x 8" end plate;
- Finish: Satin Nickel (SN), Black (BL) and Chrome (CHR);
- Height: 28".

Code	$	Description
MAGSN	618	*Satin Nickel*
MAGBL	618	*Black*
MAGCHR	1261	*Chrome*
MAGWH	618	*White*

For stability reasons, please check with your account manager the dimensions of your furniture when ordering this leg separately from the surface.

LENNOX

Fixed Leg




- Fixed Lennox leg;
- Base: 18";
- 8" x 8" end plate;
- Finish: Satin Nickel (SN), Black (BL) and Chrome (CHR);
- Height: 28".

Code	$	Description
LENSN	618	*Satin Nickel*
LENBL	618	*Black*
LENCHR	1261	*Chrome*
LENWH	618	*White*

For stability reasons, please check with your account manager the dimensions of your furniture when ordering this leg separately from the surface.

RDB

Round disk base



- Fixed round disk base;
- Base: 20" or 24";
- 18 1/8" end plate;
- Round tubular leg 3" diameter;
- Finish: Satin Nickel (SN), Black (BL) and White (WH);
- Height: 28", 35" and 39".


Code	$	Description
20RDB28SN	628	*Satin Nickel*
20RDB35SN	650	*Satin Nickel*
20RDB39SN	671	*Satin Nickel*
24RDB28SN	761	*Satin Nickel*
24RDB35SN	788	*Satin Nickel*
24RDB39SN	803	*Satin Nickel*
20RDB28BL	628	*Black*
20RDB35BL	650	*Black*
20RDB39BL	671	*Black*
24RDB28BL	761	*Black*
24RDB35BL	788	*Black*
24RDB39BL	803	*Black*
20RDB28WH	628	*White*
20RDB35WH	650	*White*
20RDB39WH	671	*White*
24RDB28WH	761	*White*
24RDB35WH	788	*White*
24RDB39WH	803	*White*

For stability reasons, please check with your account manager the dimensions of your furniture when ordering this leg separately from the surface.

Refer to the specification guide for tops and bases apart at Appendix H.

SDB

Square base



- Fixed square base;
- Base: 20" or 24";
- 18 1/8" end plate;
- Square tubular leg 3";
- Finish: Satin Nickel (SN), Black (BL) and White (WH);
- Height: 28", 35" and 39".

Code	$	Description
20SDB28SN	628	*Satin Nickel*
20SDB35SN	650	*Satin Nickel*
20SDB39SN	671	*Satin Nickel*
24SDB28SN	761	*Satin Nickel*
24SDB35SN	788	*Satin Nickel*
24SDB39SN	803	*Satin Nickel*
20SDB28BL	628	*Black*
20SDB35BL	650	*Black*
20SDB39BL	671	*Black*
24SDB28BL	761	*Black*
24SDB35BL	788	*Black*
24SDB39BL	803	*Black*
20SDB28WH	628	*White*
20SDB35WH	650	*White*
20SDB39WH	671	*White*
24SDB28WH	761	*White*
24SDB35WH	788	*White*
24SDB39WH	803	*White*


For stability reasons, please check with your account manager the dimensions of your furniture when ordering this leg separately from the surface.

Refer to the specification guide for tops and bases apart at Appendix H.

Miscellaneous Accessories

LK

Lock/key



- Locks with keys
- Finish: Satin nickel or black finish;
- Additional locks, sold separately or factory installed;
- Please specify the type of furniture on which the will be installed.


Code	$	Description
LKSN	47	*Satin Nickel lock (factory installed)*
LKBL	47	*Black lock (factory installed)*
LKSNF	31	*Satin Nickel front lock*
LKBLF	31	*Black front lock*
LKSNP	31	*Satin Nickel door lock*
LKBLP	31	*Black door lock*
KEY	26	*Set of 2 keys - #501 - 600*
SERR 010	26	*1 master key*





EBC

Eraser and Crayon Kit



- Eraser and crayon kit for white boards.

Code	$	Description
EBC	70	

GCA2

Ganging Clamp




- Ganging clamp used to join 2 surfaces side by side;
- For use with training tables
- With thumb screw
- Kit of 2 plates and 4 fasteners. Order 1 per junction.

Code	$	Description
GCA2	42	

MCPU50

Miniature CPU Holder




- Height adjustable: 8" - 14";
- Width adjustable: 2" - 4";
- Maximum capacity: 10 kg (22 lbs);
- Need a minimum 5" deep clearance.

Code	$	Description
MCPU50	185	

MCPU90

CPU Holder




- Black metal CPU holder;
- Easy manipulation;
- Vertical adjustment:
  - Height: 15.5" x 20"
  - Width: 5.5" x 9.8"
- Horizontal adjustment:
  - Height: 17.5" x 22"
  - Width: 9.25" x 13.5"

Code	$	Description
MCPU90	234	*per unit*

CPUIND

CPU Holder




- 5/8" thick laminate CPU holder;
- 10" x 20" interior

Code	$	Description
CPUIND	199	*per unit*

CRLI

Hooks




- Pair of Salto table hooks

Code	$	Description
CRLI 014	22	*White*
CRLI 015	22	*Black*
CRLI 016	22	*Satin nickel*

Electrical Accessories

BCSS1BL

Communication Box




- Communication box to be installed under surface;
- 2 empty telecommunication outlets (outlets not included);
- 15A/125V;
- 1 set of universal adapters.

Code	$	Description
BCSS1BL	186	*Available in black only*

BCSS2BL

Communication Box




- Communication box to be installed under surface;
- 1 electrical outlet and 1 empty telecommunication outlet (outlet not included);
- 72" power cable with electric plug;
- 15A/125V;
- 1 set of universal adapters.

Code	$	Description
BCSS2BL	186	*Available in black only*

BCSS3BL

Communication Box




- Communication box to be installed under surface;
- 2 electrical outlets;
- 72" power cable with electric plug;
- 15A/125V;
- 1 set of universal adapters.

Code	$	Description
BCSS3BL	186	*Available in black only*

Electrical Accessories

MH1

Power/Data Centre




- Power/data centre with retractable door;
- 2 electrical outlets and 2 empty telecommunication outlets (outlets not included);
- 72" power cable with electric plug;
- 15A/125V. 1 set of universal adapters.

Code	$	Description
MH1SN	740	*Satin Nickel, 72" power cable*
MH1SN120	753	*Satin Nickel, 120" power cable*
MH1WH	740	*White, 72" power cable*
MH1WH120	753	*White, 120" power cable*
MH1BL	740	*Black, 72" power cable*
MH1BL120	753	*Black, 120" power cable*

MH1B

Power/Data Centre




- Power/data centre with retractable door;
- 2 electrical outlets, 1 dual charger USB-a+c and 1 empty telecommunication outlet (outlet not included);
- 72" or 120" power cable with electric plug;
- 1 set of universal adapters.

Code	$	Description
MH1BSN	829	*Satin Nickel, 72" power cable*
MH1BSN120	843	*Satin Nickel, 120" power cable*

MH3A

Connectivity unit




- Retractable connectivity unit with 1 electrical outlet and 1 empty telecommunication outlet (outlet not included);
- 72" or 120" power cable with electric plug;
- Finish: Satin Nickel.

Code	$	Description
MH3A	434	*Satin Nickel, 72" power cable*
MH3A120	449	*Satin Nickel, 120" power cable*

MH3B

Connectivity unit




- Retractable connectivity unit with 1 audio jack and 1 electrical outlet;
- 72" or 120" power cable with electric plug;
- Finish: Satin Nickel.

Code	$	Description
MH3B	434	*Satin Nickel, 72" power cable*
MH3B120	449	*Satin Nickel, 120" power cable*

MH3C

Connectivity unit




- Retractable connectivity unit with 2 electrical outlets;
- 72" or 120" power cable with electric plug;
- Finish: Satin Nickel.

Code	$	Description
MH3C	434	*Satin Nickel, 72" power cable*
MH3C120	449	*Satin Nickel, 120" power cable*

MH3D

Connectivity unit




- Retractable connectivity unit with 1 electrical outlet and 1 dual charger USB-a+c;
- 72" or 120" power cable with electric plug;
- Finish: Satin Nickel.

Code	$	Description
MH3DSN	434	*Satin Nickel, 72" power cable*
MH3DSN120	449	*Satin Nickel, 120" power cable*
MH3DBL	434	*Black, 72" power cable*
MH3DBL120	449	*Black, 72" power cable*
MH3DWH	434	*White, 72" power cable*
MH3DWH120	449	*White, 120" power cable*

Electrical Accessories

BE1-DMB

Duplex Receptacle with Mounting Bracket




- Duplex receptacle 15 Amps;
- Metal mounting kit included;
- M/M;
- For system 1 circuit 15 Amps;
- Maximum of 8 duplex per circuit.

Code	$	Description
BE1-DMB	80	

BE1-DC

Connector F/F between Duplex




- Used to connect duplex to duplex;
- F/F;
- For system 1 circuit 15 Amps.

Code	$	Description
BE1-DC	18	

BE1-PI

Corded Power Infeed 15 Amps



- Corded power infeed with 15 Amps plug (in 2 section);
- Female end;
- For system 1 circuit 15 Amps;
- Minimum 72" - Maximum 120".

Code	$	Description
BE1-PI72	607	
BE1-PI120	665	

BE1-J

Jumper F-F




- F/F jumper cable;
- Not adjustable;
- For system 1 circuit 15 Amps;
- Minimum 60" - Maximum 120".

Code	$	Description
BE1-J18	85	Cable - 18"L
BE1-J36	104	Cable - 36"L
BE1-J48	122	Cable - 48"L
BE1-J60	131	Cable - 60"L
BE1-J72	148	Cable - 72"L
BE1-J120	197	Cable - 120"L

BE1-HC

H-Connector M/M




- H-connector M/M;
- Used to connect jumper cables F/F;
- For system 1 circuit 15 Amps.

Code	$	Description
BE1-HC	29	

Electrical Accessories

POR 01

RJ45, CAT 6 connectivity port




- RJ45, CAT6 connector;
- RJ45 M/F cable - 72" ;
- Finish: Black.

Code	$	Description
POR 01	156	

POR 02

RJ11 connectivity port




- RJ11 connector, 4 pin
- RJ11 M/F cable - 84";
- Finish: Black.

Code	$	Description
POR 02	45	

POR 03

USB connectivity port




- 1 USB (data/passive);
- USB M/F cable - 72";
- Finish: Black.

Code	$	Description
POR 03	96	

POR 04

HDMI connectivity port




- HDMI connector;
- HDMI F/F cable - 18";
- Finish: Black.

Code	$	Description
POR 04	142	

POR 05

Mini Stereo Jack



- 3.5 mm Mini Stereo Jack, M/F;
- Audio M/F cable -120";
- Finish: Black.

Code	$	Description
POR 05	50	

POR 06

VGA Connector




CHI

- VGA connector, 15 pin;
- VGA M/F cable -120";
- Finish: Black.

Code	$	Description
POR 06	180	

QIIP

Transmitter for iPhone




- Receiver for phones without Qi technology;
- For wireless charge devices;
- Adapter for Apple lightning port.

Code	$	Description
QIIP	122	

Electrical Accessories

BR1

Branch unit




- 1 power outlet / 1 dual charger USB-a+c;
- Table top with braided storm 120 IN power cord.

Code	$	Description
BR1BL	564	*Black*
BR1WH	564	*White*

BR2

Branch unit



- 3 power outlet / 1 dual charger USB-a+c;
- Table top with braided storm 120 IN power cord.

Code	$	Description
BR2BL	726	*Black*
BR2WH	726	*White*

DSG

Double-sided grommet




Double-sided grommet

- Hole diameter: 2.5"
- Use for electrical cable management with division panels. Drilling to be done by the installer.
- Grommet to cut on site for desired thickness to cover;
- Can not be cut with a simple utility knife, use a sharper and safer tool.

Code	$	Description
DSG BL	31	*Black*
DSG WH	31	*White*

SQC

Ports USB A+C




- Dual charger USB A+C;
- 72" cable;
- Finish: Black, Dusk, Navy, Storm

Code	$	Description
SQC-72-C	303	*Black*
SQC-72-JM	303	*Dusk*
SQC-72-JL	303	*Navy*
SQC-72-JK	303	*Storm*

SQU

USB port




- 1 USB (data/passive);
- USB M/F cable - 72";
- Finish: Black, Dusk, Navy, Storm.

Code	$	Description
SQU-72-C	240	*Black*
SQU-72-JM	240	*Dusk*
SQU-72-JL	240	*Navy*
SQU-72-JK	240	*Storm*

SQE

Electric plug




- Electric plug;
- Cable - 120";
- Finish: Black, Dusk, Navy, Storm.

Code	$	Description
SQE-120-C	146	*Black*
SQE-120-JM	146	*Dusk*
SQE-120-JL	146	*Navy*
SQE-120-JK	146	*Storm*

Electrical Accessories

BEL-1

Interlink Unit




- Unit in surface with 2 power and dual port USB A+C;
- For Interlink system;
- Includes 1 variable length F/M jumper cable;
- 14" cable that connects the unit to the F/M jumper cable;
- Maximum of 8 connections per circuit. Refer to Appendix K;
- Finishes : Black and white.

Code	$	Description
BEL-1-18-BL	614	*Black*
BEL-1-24-BL	614	*Black*
BEL-1-36-BL	614	*Black*
BEL-1-48-BL	614	*Black*
BEL-1-60-BL	614	*Black*
BEL-1-18-WH	614	*White*
BEL-1-24-WH	614	*White*
BEL-1-36-WH	614	*White*
BEL-1-48-WH	614	*White*
BEL-1-60-WH	614	*White*

BEL-2

Interlink Unit




- Unit in surface with 2 power, dual port USB A+C and 1 space;
- For Interlink system;
- Includes 1 variable length F/M jumper cable;
- 14" cable that connects the unit to the F/M jumper cable;
- Maximum of 8 connections per circuit. Refer to Appendix K;
- Finishes : Black and white.

Code	$	Description
BEL-2-18-BL	614	*Black*
BEL-2-24-BL	614	*Black*
BEL-2-36-BL	614	*Black*
BEL-2-48-BL	614	*Black*
BEL-2-60-BL	614	*Black*
BEL-2-18-WH	614	*White*
BEL-2-24-WH	614	*White*
BEL-2-36-WH	614	*White*
BEL-2-48-WH	614	*White*
BEL-2-60-WH	614	*White*

BEL-PI72

Corded power infeed with plug



- Corded power infeed of 72" with 15a plug;
- For Interlink system;
- Female end.

Code	$	Description
BEL-PI72	568	

BEL-JFM

Interlink Jumper F/M




- Jumper F/M;
- For Interlink system;
- Minimum 18" - maximum 60".

Code	$	Description
BEL-JFM-18	145	
BEL-JFM-24	145	
BEL-JFM-36	145	
BEL-JFM-48	145	
BEL-JFM-60	145	

Electrical Accessories

BCSS-IL

Communication Box




- Communication box to be installed under surface. The cable connecting the unit is 14";
- Includes variable length F/M junction cable (18" to 60" including connectors);
- Maximum of 8 connections per circuit. Refer to appendix J;
- Dimension 4"W X 3.5"D X 1.5"H;
- 1 electrical outlet;
- 1 outlet with USB A + USB C;
- 15A/125V;
- Finish : Black or White.

Code	$	Description
BCSS-IL-18-BL	402	
BCSS-IL-24-BL	402	
BCSS-IL-36-BL	402	
BCSS-IL-48-BL	402	
BCSS-IL-60-BL	402	
BCSS-IL-18-WH	402	
BCSS-IL-24-WH	402	
BCSS-IL-36-WH	402	
BCSS-IL-48-WH	402	
BCSS-IL-60-WH	402	

BEL-UM-1

Communication Box




- Communication box to be installed under surface. The cable connecting the unit is 14";
- Includes variable length F/M junction cable (18" to 60" including connectors);
- Dimension 5.5"W X 2.5"D X 1.875"H;
- 1 electrical outlet;
- 1 outlet with USB A + USB C;
- Maximum of 8 connecitons per circuit. Refer to appendix J;
- Finish: Black or white.

Code	$	Description
BEL-UM-1-18-BL	585	
BEL-UM-1-24-BL	585	
BEL-UM-1-36-BL	585	
BEL-UM-1-48-BL	585	
BEL-UM-1-60-BL	585	
BEL-UM-1-18-WH	585	
BEL-UM-1-24-WH	585	
BEL-UM-1-36-WH	585	
BEL-UM-1-48-WH	585	
BEL-UM-1-60-WH	585	

SPINE

Wire Management Spine



- 2" diameter;
- Gray plastic.

Code	$	Description
SPINE	182	

WS36-WS54

Fabric sleeve for wires




- Flexible fabric wire organizer (Cornerblock Black - Black and Charcoal - Gray of Ennis Fabrics);
- 3" diameter;
- With zipper.

Code	$	Description
WS36B	186	*Black*
WS36G	186	*Gray*
WS54B	209	*Black*
WS54G	209	*Gray*

Electrical Accessories

PBL

Power bar




- Power bar with 6 electric outlets;
- 120" power cable with electric plug.

Code	$	Description
PBL	70	

CQI

Wireless Charger




- Wireless air charger;
- Works with QI compatible devices;
- 59" USB cable with USB wall charger;
- Finish: Black, White.

Code	$	Description
CQIBL	128	Black
CQIWH	128	White

ELPF

Black Plastic Grommet




- Standard black plastic grommet with the Logiflex logo engraved;
- 2-1/2" diameter cutout.

Code	$	Description
ELPF	6	*Unit price*

C_PF

Grommet




- Square metal grommet with the Logiflex logo engraved;
- Finish: Satin NIckel, Black and Chrome;
- 2-1/2" diameter cutout.

Code	$	Description
CAPF	28	*Unit price - Satin Nickel*
CBPF	28	*Unit price - Black*
CCPF	28	*Unit price - Chrome*
CDPF	28	*Unit price - White*

GRRND

Grommet



- Round plastic grommet;
- Finish: Black;
- 2-1/2" diameter cutout.

Code	$	Description
GRRND	28	

WM

Velcro Tie




- Velcro tie for electrical cable;
- The non-metallic buckle is safe to use around electrical devices;
- Dimensions: ¾" x 10";
- Color: black.

Code	$	Description
WM	14	*Unit price*
WMS	15	*with #8, 9/16" Robertson screw, per unit*

EL1

Retractable Connectivity unit




- Retractable connectivity unit with 3 electrical outlets, 1 dual charger USB-a+c and 2 empty telecommunication outlets (outlets not included);
- 72" or 120" power cable with electric plug;
- Finish: Satin Nickel.

Code	$	Description
EL1-72 SN	900	*Satin Nickel, 72" power cable*
EL1-120 SN	921	*Satin Nickel, 120" power cable*

EL2

Retractable Connectivity unit



- Retractable connectivity unit with 3 electrical outlets and 3 empty telecommunication outlets (outlets not included);
- 72" or 120" power cable with electric plug;
- Finish: Satin Nickel.

Code	$	Description
EL2-72 SN	734	*Satin Nickel, 72" power cable*
EL2-120 SN	755	*Satin Nickel, 120" power cable*

As our product line is constantly evolving and expanding, we recommend that you visit logiflex.ca for updates.

logiflex

1235 St-Roch N., Sherbrooke QC J1N 0H2 Canada
T : 1.877.864.9323 | F : 1.800.474.7830 | logiflex.ca