

Product Specifications

SIT: BENCH - SIT B

CONSTRUCTION

- All pieces are assembled using glue and screws. Corners are reinforced with blocks of hardwood, glued and screwed.
- 1" laminate and hardwood frame, glued and screwed, covered with ½" medium-compression Celcor foam.
- Seat with elastic webbing covered with 3" medium-compression Velva foam.
- Russian plywood kick plate, glued and screwed, finished with 20% shine catalyzed lacquer. Kick plates are machine-cut on all four sides for feeding cables from one module to the next. Metal corner braces with non-marking levellers.
- Bench with fasteners under the frame for connecting to other modules.
- All foam is glued with non-toxic water-based glue.

FINISHES

- Customers can choose an upholstery from the supplier of their choice.
- Kickplate: Selection of 5 solid colors.

DIMENSIONS

Overall dim.: 26¼" w x 26¼" d x 18"h

COM YARDAGE REQUIRED

Total yardage : 2½

OPTIONS

- Retractable connection unit with 2 electrical outlets and a 72" power cord. This can be installed on the left or right side of the bench.
- Filler piece to join kick plates.
- Flammability technical bulletin CAL133.

WARRANTY AND CERTIFICATIONS

- The Celcor and Velva foam used meets or exceeds the California Technical Bulletin 117 requirements.
- 5-year warranty.
- Products are manufactured in North America.



Product Specifications

SIT: BENCH WITH MEDIUM BACK - SIT BM

CONSTRUCTION

- All pieces are assembled using glue and screws. Corners are reinforced with blocks of hardwood, glued and screwed.
- 1" laminate and hardwood frame, glued and screwed, covered with ½" medium-compression Celcor foam.
- Seat with elastic webbing covered with 3" medium-compression Velva foam.
- Medium back made of plywood and hardwood, glued and screwed, covered with 2" low-compression Velva foam and ½" polyester. Assembly: Built-in back (6" recessed) attached to the bench with bolts and T-nuts.
- Russian plywood kick plate, glued and screwed, finished with 20% shine catalyzed lacquer. Kick plates are machine-cut on all four sides for feeding cables from one module to the next. Metal corner braces with non-marking levellers.
- Bench with fasteners under the frame for connecting to other modules.
- All foam is glued with non-toxic water-based glue.

FINISHES

- Customers can choose an upholstery from the supplier of their choice. Combination upholstery available.
- Kickplate: Selection of 5 solid colors.

DIMENSIONS

Overall dim.: 26¼" w x 26¼" d x 36" h

Seat dim.: 26¼" w x 20¼" d x 18" h

Back height: 36" h

COM YARDAGE REQUIRED

Total yardage : 5

Bench yardage: 2½

Back yardage: 2½

OPTIONS

- Retractable connection unit with 2 electrical outlets and a 72" power cord. This can be installed on the left or right side of the bench.
- Filler piece to join kick plates.
- Flammability technical bulletin CAL133.

WARRANTY AND CERTIFICATIONS

- The Celcor and Velva foam used meets or exceeds the California Technical Bulletin 117 requirements.
- 5-year warranty.
- Products are manufactured in North America.



Product Specifications

SIT: BENCH WITH HIGH BACK - SIT BH

CONSTRUCTION

- All pieces are assembled using glue and screws. Corners are reinforced with blocks of hardwood, glued and screwed.
- 1" laminate and hardwood frame, glued and screwed, covered with ½" medium-compression Celcor foam.
- Seat with elastic webbing covered with 3" medium-compression Velva foam.
- High back made of plywood and hardwood, glued and screwed, covered with 2" low-compression Velva foam and ½" polyester. Assembly: Built-in back (6" recessed) attached to the bench with bolts and T-nuts.
- Russian plywood kick plate, glued and screwed, finished with 20% shine catalyzed lacquer. Kick plates are machine-cut on all four sides for feeding cables from one module to the next. Metal corner braces with non-marking levellers.
- Bench with fasteners under the frame for connecting to other modules.
- All foam is glued with non-toxic water-based glue.

FINISHES

- Customers can choose an upholstery from the supplier of their choice. Combination upholstery available.
- Kickplate: Selection of 5 solid colors.

DIMENSIONS

Overall dim.: 26¼" w x 26¼" d x 48" h

Seat dim.: 26¼" w x 20¼" d x 18" h

Back height: 48" h

COM YARDAGE REQUIRED

Total yardage : 6

Bench yardage: 2½

Back yardage: 3½

OPTIONS

- Retractable connection unit with 2 electrical outlets and a 72" power cord. This can be installed on the left or right side of the bench.
- Filler piece to join kick plates.
- Flammability technical bulletin CAL133.

WARRANTY AND CERTIFICATIONS

- The Celcor and Velva foam used meets or exceeds the California Technical Bulletin 117 requirements.
- 5-year warranty.
- Products are manufactured in North America.



Product Specifications

SIT: CORNER BENCH WITH MEDIUM BACK - SIT CBM

CONSTRUCTION

- All pieces are assembled using glue and screws. Corners are reinforced with blocks of hardwood, glued and screwed.
- 1" laminate and hardwood frame, glued and screwed, covered with ½" medium-compression Celcor foam.
- Seat with elastic webbing covered with 3" medium-compression Velva foam.
- Corner medium back made of plywood and hardwood, glued and screwed, covered with 2" low-compression Velva foam and ½" polyester. Assembly: Built-in back (6" recessed) attached to the bench with bolts and T-nuts.
- Russian plywood kick plate, glued and screwed, finished with 20% shine catalyzed lacquer. Kick plates are machine-cut on all four sides for feeding cables from one module to the next. Metal corner braces with non-marking levellers.
- Bench with fasteners under the frame for connecting to other modules.
- All foam is glued with non-toxic water-based glue.

FINISHES

- Customers can choose an upholstery from the supplier of their choice. Combination upholstery available.
- Kickplate: Selection of 5 solid colors.

DIMENSIONS

Overall dim.: 26¼" w x 26¼" d x 36" h

Seat dim.: 20¼" w x 20¼" d x 18" h

Back height: 36" h

COM YARDAGE REQUIRED

Total yardage : 7½

Bench yardage: 2½

Back yardage: 5

OPTIONS

- Retractable connection unit with 2 electrical outlets and a 72" power cord. This can be installed on the left or right side of the bench.
- Filler piece to join kick plates.
- Flammability technical bulletin CAL133.

WARRANTY AND CERTIFICATIONS

- The Celcor and Velva foam used meets or exceeds the California Technical Bulletin 117 requirements.
- 5-year warranty.
- Products are manufactured in North America.



Product Specifications

SIT: CORNER BENCH WITH HIGH BACK - SIT CBH

CONSTRUCTION

- All pieces are assembled using glue and screws. Corners are reinforced with blocks of hardwood, glued and screwed.
- 1" laminate and hardwood frame, glued and screwed, covered with ½" medium-compression Celcor foam.
- Seat with elastic webbing covered with 3" medium-compression Velva foam.
- Corner high back made of plywood and hardwood, glued and screwed, covered with 2" low-compression Velva foam and ½" polyester. Assembly: Built-in back (6" recessed) attached to the bench with bolts and T-nuts.
- Russian plywood kick plate, glued and screwed, finished with 20% shine catalyzed lacquer. Kick plates are machine-cut on all four sides for feeding cables from one module to the next. Metal corner braces with non-marking levellers.
- Bench with fasteners under the frame for connecting to other modules.
- All foam is glued with non-toxic water-based glue.

FINISHES

- Customers can choose an upholstery from the supplier of their choice. Combination upholstery available.
- Kickplate: Selection of 5 solid colors.

DIMENSIONS

Overall dim.: 26¼" w x 26¼" d x 48" h

Seat dim.: 20¼" w x 20¼" d x 18" h

Back height: 48" h

COM YARDAGE REQUIRED

Total yardage : 9½

Bench yardage: 2½

Back yardage: 7

OPTIONS

- Retractable connection unit with 2 electrical outlets and a 72" power cord. This can be installed on the left or right side of the bench.
- Filler piece to join kick plates.
- Flammability technical bulletin CAL133.

WARRANTY AND CERTIFICATIONS

- The Celcor and Velva foam used meets or exceeds the California Technical Bulletin 117 requirements.
- 5-year warranty.
- Products are manufactured in North America.



Product Specifications

SIT: BENCHES WITH BUILT-IN TABLE - SIT BT

CONSTRUCTION

- All pieces are assembled using glue and screws. Corners are reinforced with blocks of hardwood, glued and screwed.
- Benches: 1" laminate and hardwood frames, glued and screwed, covered with ½" medium-compression Celcor foam.
- 2 seats with elastic webbing covered with 3" medium-compression Velva foam.
- Table: 1" laminate frame. Built-in table (6" recessed) attached to the benches with bolts and T-nuts. Junction between table and benches are machine-cut for feeding cables from one module to the next.
- Russian plywood kick plate, glued and screwed, finished with 20% shine catalyzed lacquer. Kick plates are machine-cut on all four sides for feeding cables from one module to the next. Metal corner braces with non-marking levellers.
- Benches with fasteners under the frame for connecting to other modules.
- All foam is glued with non-toxic water-based glue.

FINISHES

- Customers can choose an upholstery from the supplier of their choice. Combination upholstery available.
- Table: Selection of 26 laminate colors.
- Kickplate: Selection of 5 solid colors.

DIMENSIONS

Overall dim.: 66½" w x 26¼" d x 18" h (table: 26¼" w)
78½" w x 26¼" d x 18" h (table: 38¼" w)
Dim. seats: 20¼" w x 26¼" d x 18" h

COM YARDAGE REQUIRED


Benches yardage : 5

OPTIONS

- Upholstered table frame covered with ½" medium-compression Celcor foam. 26¼" table yardage: 2.
38¼" table yardage: 2½.
- Retractable connection unit with 2 electrical outlets and a 72" power cord. This can be installed on the left or right side of the benches, or on the table surface.
- Filler piece to join kick plates.
- Flammability technical bulletin CAL133.

WARRANTY AND CERTIFICATIONS

- The Celcor and Velva foam used meets or exceeds the California Technical Bulletin 117 requirements.
- 5-year warranty.
- Products are manufactured in North America.



*Meuble représenté avec les options suivantes:
bâti de la table en tissu et branchement rétractable centré sur la table*

Product Specifications

SIT: OCCASIONAL TABLE - SIT T

CONSTRUCTION

- Metal to metal cam-lock and wood dowel construction.
- 1" laminate frame.
- Russian plywood kick plate, glued and screwed, finished with 20% shine catalyzed lacquer. Kick plates are machine-cut on all four sides for feeding cables from one module to the next. Metal corner braces with non-marking levellers.
- Table with fasteners under the frame for connecting to other modules.
- All foam, when the table frame is upholstered, is glued with non-toxic water-based glue.

FINISHES

- Table: Selection of 26 laminate colors.
- Kickplate: Selection of 5 solid colors.
- Customers can choose an upholstery from the supplier of their choice (when the table frame is upholstered).

DIMENSIONS

Overall dim.: 26¼" w x 26¼" d x 18" h

OPTIONS

- Upholstered table frame covered with ½" medium-compression Celcor foam. Table yardage: 2½.
- Retractable connection unit with 2 electrical outlets and a 72" power cord. This can be installed on the left or right side of the table, or on the surface.
- Filler piece to join kick plates.
- Flammability technical bulletin CAL133 (when the table frame is upholstered).

WARRANTY AND CERTIFICATIONS

- The Celcor foam used meets or exceeds the California Technical Bulletin 117 requirements (when the table frame is upholstered).
- 5-year warranty.
- Products are manufactured in North America.



Product Specifications

SIT: BOOKSHELF TABLE (1 SIDE) - SIT TB1

CONSTRUCTION

- Metal to metal cam-lock and wood dowel construction.
- 1" laminate frame. Bookshelf on 1 side with 1 fixed shelf.
- Russian plywood kick plate, glued and screwed, finished with 20% shine catalyzed lacquer. Kick plates are machine-cut on all four sides for feeding cables from one module to the next. Metal corner braces with non-marking levellers.
- Table with fasteners under the frame for connecting to other modules.

FINISHES

- Table: Selection of 26 laminate colors.
- Kickplate: Selection of 5 solid colors.

DIMENSIONS

Overall dim.: 26¼" w x 26¼" d x 18" h

Storage dim.: 24" x 12½" d X 5¾" h

OPTIONS

- Filler piece to join kick plates.

WARRANTY AND CERTIFICATIONS

- 5-year warranty.
- Products are manufactured in North America.



Product Specifications

SIT: BOOKSHELF TABLE (2 SIDES) - SIT TB2

CONSTRUCTION

- Metal to metal cam-lock and wood dowel construction.
- 1" laminate frame. Bookshelf on 2 sides with 1 fixed shelf in each.
- Russian plywood kick plate, glued and screwed, finished with 20% shine catalyzed lacquer. Kick plates are machine-cut on all four sides for feeding cables from one module to the next. Metal corner braces with non-marking levellers.
- Table with fasteners under the frame for connecting to other modules.

FINISHES

- Table: Selection of 26 laminate colors.
- Kickplate: Selection of 5 solid colors.

DIMENSIONS

Overall dim.: 26¼" w x 26¼" d x 18" h

Storage dim.: 24" x 12½" d X 5¾" h

OPTIONS

- Filler piece to join kick plates.

WARRANTY AND CERTIFICATIONS

- 5-year warranty.
- Products are manufactured in North America.

