


logiflex

Table of Contents

3
4
7
7
8
9
10
12
13
14
15
17
19
21
29
31
33
34
35
37
39
41
49
51

Tables Series	53
Manufacturing Standards	54
All Purpose Tables	55
Flex Tables	
Occasional Tables	62
Overbed Table	
Seating	71
Hosta	72
Manufacturing Standards	73
Hosta - Patient Armchairs	74
Hosta - Guest and Bariatric Armchairs	75
Hosta - Tandem Seating	76
Hosta - General Purpose Chairs	77
Hosta - Slip-on Head Cover	78
Mika	79
Manufacturing Standards	80
Mika - Patient Armchairs	8
Mika - Guest and Bariatric Armchairs	82
Mika - Tandem Seating	83
Mika - General Purpose Chairs	84
Mika - Slip-on Head Cover	85
Stackable Chair	86
Stack6 - Visitor chair	86

Lounge Seating	87
Flint	88
Flint Armchair - levelers	88
Flint Loveseat - levelers	89
Flint Sofa - levelers	
Flint Armchair - oval legs	91
Flint Loveseat - oval legs	
Flint Sofa - oval legs	93
Taylor	94
Taylor Armchair	94
Taylor Loveseat	95
Taylor Sofa	0/
Classic - Day Bed	97
Day Bed	97
Freestanding Screens	98
Freestanding Screens	98
Accessories	99
Handles	100
_egs	101
Miscellaneous Accessories	103



Update Summary

The Logilife price list presents these principal modifications:

DATE	SECTION	MODIFICATIONS
March 3, 2025	All the Price List	All prices have been increased by approximately 3%.
	Armchairs	Modification of Hosta and Mika product pages.

Previous date:

DATE	SECTION	MODIFICATIONS		
January 14, 2025 Armchairs		 Removal of Dean armchairs. Addition of Flint armchairs on levelers and Flint armchairs on oval metal legs. 		
June 19, 2024 Armchairs		 Modification of Taylor product codes. Modification of color combination options for Taylor. 		
March 1, 2024 All the Price List		 All prices have been increased by approximately 5% except products with HPL surface. The Logilife LFL series has been increased by 10%. 		
November 22, 2023 Appendix A		Removal of high gloss finish.		
July 24, 2023 All the Price List		 Removal of series with thermoplastic Tradition, Shaker and Artisan. Removal of some oversize wardrobes. 		
February 1, 2023 All the Price List		 All prices have been increased by approximately 5%. Transition from 6 to 14 grades of fabric. New certification Indoor Advantage Gold (replace Greenguard). Removal of the coaster option for LFT, LFC & LFS. 		

Introduction **Product Map** LFC - Classic Series Dressers p. 17 Hutches Bedside Cabinets p. 15 p. 19 p. 21 Storage Towers Wardrobes Headboards and Footboards p. 29 p. 31 Freestanding Screens p. 98 LFM - Modern Series p. 35 Hutches p. 39 Bedside Cabinets Dressers Wardrobes p. 41 Storage Towers p. 49 Headboards and Footboards p. 51

Introduction **Product Map** Tables All-Purpose Tables p. 55 Flex Tables p. 61 Occasional Tables p. 62 Overbed Table Seating LFH - Hosta LFK - Mika p. 86 Visitor Chair Day Bed p. 86 p. 89 p. 97 Flint Taylor

Our social responsability

At Logiflex, we have chosen to be a responsible North American manufacturer by implementing initiatives for sustainable development. As much as possible, we source local materials and partner with suppliers who prioritize clean manufacturing processes. We also consolidate goods during transport to reduce ou fuel consumption and we continually make changes that help reduce our waste production.

The company is ISO 9001 certified.

You can consult our eco-responsible approach as well as all our certifications in the Certifications section of our website. Find out how our products can help you obtain LEED credits and the Logiflex products that are Indoor Advantage Gold certified.

Conditions of Sale

Prices

The amounts listed in this document are suggested retail prices and may be changed without notice. Applicable taxes are not included. If you have an open and active account with Logiflex, merchandise will be invoiced at the prices prevailing at the time of shipment. A deposit may be requested if the opening of your account has not been completed or if your account has become inactive

Terms of Payment

Net 30 days F.O.B. Sherbrooke, Quebec. The invoice will be assigned the shipping date and is payable 30 days from that date. Logiflex remains the owner of the merchandise until the invoice is paid in full.

Customized Products (Special Items)

Price requests for customized products or special items can be submitted via the "Member Zone" section of our website, at www. logiflex.ca. Our quotations department will study your request and send you a quotation and a technical drawing for approval as soon as possible. Modifications to quotations or technical drawings can be requested the same way. The approved quotation(s) and technical drawing(s) can then be attached to your purchase order.

Orders

An official purchase order must be issued for all purchases. Your purchase order must contain the following information:

- Your company letterhead
- Your reference number
- The delivery address (with contact name, email and phone number)
- The complete product codes
- Furniture colour(s)
- **Ouantities**
- Descriptions
- Retail prices and net prices
- Project registration number (if applicable), and your approved quotation and technical drawing (for special items).

Please note that a quotation cannot serve as a purchase order.

Returns

All returns must first be approved by Logiflex. If the return is accepted, a Logiflex customer service representative will send you an official return authorization form in order to facilitate procedures between you, the carrier, and the Logiflex merchandise reception clerk. Additional costs for shipping or other expenses may be applied following any merchandise returns.

Modifications and/or Cancellations

You have 48 hours from the time we acknowledge receipt of your order to make any requests for corrections or modifications. You may cancel your order during this same 48-hour period. If you would like to modify or cancel your order after this 48hour verification period, please check with a Logiflex customer service representative. Orders cannot be changed or cancelled if production has already begun or if Logiflex has already received the raw materials

Liability

Logiflex's liability ends once the carrier has delivered all items in good condition. A delivery receipt signed by the customer acknowledges that the shipment is complete and has been received in good condition.

Claims

Logiflex recommends inspecting the shipment before signing the carrier's delivery receipt. You must notify Logiflex of any incomplete shipments or damaged furniture within 30 days after delivery. Requests to replace damaged products can be made via the "Member Zone" section of our website, at www.logiflex.ca. Our after-sales service department will examine your request and help you correct the situation.

Changes

Logiflex reserves the right to make changes to the materials, accessories, components, specifications and designs, and to discontinue collections and/or models, at any time and without prior notice.

Storage and/or Shipping Fees

According to the terms Logiflex set forth in the transport policy The transport policy can be consulted online in the Private Space.

Items Delivered Disassembled



Some items are delivered disassembled, such as empty desks, empty returns, bridges, arched tables, D, P or Q tables, lateral tables, end tables, hook tables, corner tables and extended-corner tables


Warrantv

Logiflex guarantees to the original purchaser that Logiflex products are free from defects in design, materials and workmanship for the product's lifetime, with certain exceptions.

You may consult the full warranty on the website: Logiflex Warranty

7

How to Use the Price List



Appendix A: Colors and Finishes


12 Wood Stains

Logiflex offers varnish and stain selection among the following 12 colors on all wood applications.

Knots and color variation can occur between different wood components of the same piece of furniture, or between different pieces of furniture. This variation is due to the natural characteristics of the wood, and is more contrasting for pale wood colors like Golden Wheat.



Laminate Colors for Bedroom Furniture



Laminate Colors for Tables

			SURFACES	PANVAL
FINI FINISH	CODE	COLOR COULEUR	1"	CODE
OMNIA	DOO	Dosha	•	K77
OMNIA	coo	Cosmos	•	K78
	GIA	Ginger Root Gingembre	•	H72
	HAA	Haze Brume	•	H57
AURA	OHA	Ohm	•	K69
	STA	Storm Tempête	•	H58
	TUA	Tundra	•	H75
	ASY	Asha	•	K47
LYRA	CIY	Chiffon Mousseline	•	K60
	KAY	Kali	•	K46
SUPERMAT	IGS	Ingot grey Gris lingot	•	828
SUPERMAI	WGS	Willow grey Gris saule	•	802
	AU	Audacity Audace	•	241
	В	Jet Black Noir intense *	•	888 S405-CA
	BC	Brown cherry Cerisier brun	•	207
	С	Slate Ardoise *	•	801
	DR	Driftwood Bois de rive	•	744
DOLOMITE	G	Mink Grey Gris vison	•	805 OU-927
DOLOMITE	NM	Natural Maple <i>Érable naturel</i>	•	206
	PO	Porto	•	913 OU-648
	SW	Smoked Walnut Noyer fumé	•	G21
	то	Tobacco	•	205
	W	Polar White Blanc polaire	•	555 459-CA
	WK	Whisky	•	245

^{*} Non recommended color for work surfaces. New Colors may vary from 2% to 5% between tfl and hpl laminates due to different technical applications.

See our complete Colors & Finishes Guide

Appendix B: COM Fabric

Upholstery Specification

Logiflex offers two options for upholstery specification:

Option 1 :	Customers may specify an upholstery from any supplier. Logiflex will then confirm upholstery grade and seat cost.
Option 2:	Customers may select and purchase upholstery of their choice and ship upholstery to Logiflex (COM)

Option 1: Specified Upholstery

Customers may consult the websites of our principal suppliers to visualize their complete product range. It is then possible to consult the graded-in list available on Logiflex.ca to be informed of the appropriate Logiflex grade.

Website of the upholstery supplier gives essential information to the maintenance, availability, quality and performance of the selected upholstery. In all cases, the upholstery supplier's warranty will apply.

Information to provide with the order:

Customer name
Purchase order number
Upholstery supplier name
Pattern name/number
Color name/number
Number of yards to order

Principal suppliers:

Momentum Textilesthemomgroup.comEnnis Fabricsennisfabrics.comMaharammaharam.comDesigntexdesigntexMayer Fabricsmayerfabrics.com

See our Graded-In Program at:

logiflex.ca/medias/documents/logiflex-graded-in.pdf

Option 2: Customer's Own Material (COM)

Logiflex offers the option of providing your own upholstery. The price will be based on the cushion grade 2.

Orders with a COM fabric must be written clearly and indicate the color, pattern, width of the fabric and the manufacturer or distributor. The customer is responsible for providing a 12" x 12" sample to Logiflex for approval of the upholstery and the COM Fabric Sample - Approval Form. Furthermore, Logiflex reserves the right to refuse any upholstery that does not meet Logiflex selection criteria.

COM fabrics must be delivered to the Logiflex factory with freight and duties paid. For COM orders, the order's delivery date is set once Logiflex has received all fabric rolls required for production, following sample approval. All charges to COM acquisition on the customer's behalf will be passed onto the customer.

Logiflex does not assume responsibility for upholstery availability, quality, performance or appearance. In addition, the Logiflex warranty excludes customer's own materials.

COM upholstery delivery:

The following information must be included with the COM upholstery delivery and be communicated to the account manager along with the purchase order:

Customer name
Purchase order number
Upholstery supplier name
Pattern name/number
Color name/number
Number of yards delivered

COM Fabric Sample - Approval Form

Shipping address:

Logiflex Attn: Receiver 1235 St-Roch North Road Sherbrooke Quebec Canada J1N 0H2

Note: A late reception of fabric may cause delivery delays.

Appendix B: COM Fabric (continued)

Fabric Quantities

The quantities of fabric yardage to order for each piece of furniture is indicated in the "Manufacturing Standard" section on the product page indicating the amount of yards required.

Where this option is available, you will see the following table in the "Manufacturing Standard" section on the product page indicating the amount of yards required:

Example:

COM Fabric:

Fabric combination possible. Number of yards required:

Code	Total	Bench	Back	Panel
BDFP	7	2.5	2	2.5
BMFP	7.5	2.5	2.5	2.5
BHFP	8.5	2.5	3.5	2.5

Note: It is recommend that you include a layout with all orders.

Graded-In List

Seat cost depends of selected upholstery. Grade is not established according to upholstery quality or performance, but to its purchase cost. In order to help customers researches, a graded-in list presenting the entire collections od Logiflex's principal suppliers has been prepared. It is possible to consult Logiflex graded-in list by visiting logiflex.ca

Note: The graded-in list is based on information at time of the publication of this document. As upholstery suppliers can discontinue products or increase their prices at their discretion, this list communicated for information purposes only and can not be considered as a sale commitment by Logiflex.

Application of Upholstery

Application of upholstery will follow the directional orientation of its pattern. Explicit instructions must be given to the customer's account manager if a specific direction is desired. Logiflex will not be responsible of problems related to upholstery direction or positioning unless formal instructions has been given along with the purchase order.

Instruction references:







Railroaded (across the roll)

Leather

All leathers used are "cowhide".

Please note that the warranty does not apply on leather's natural imperfections, such as: scars, marks, and difference in stain within a leather skin or different skins. This specification also applies for standard leather GR5 and Italian leather GR7 and up.

Polyurethane foam

The polyurethane foam used in the manufacturing of our armchairs is antibacterial.

Different densities exist and will vary from one armchair model to the other. Medium-density foam is used for back and seating parts, while the firmer-density foam is used for armrest parts.

Flammability standards

The foam used meets or exceeds the flammability standards of the California Technical Bulletin 117 norms.

Appendix C: Customized Products

The models presented here are suggestions: they can all be modified according to your needs.

In addition to designing and manufacturing entirely customized furniture, Logiflex offers the option of simply modifying the dimensions of the models presented. A sketch of the desired unit and all pertinent details must be submitted to our quotations department, which will study your request and send you a quotation and a drawing for approval as soon as possible.

Custom Manufacturing


The following custom manufacturing suggestions are available through quotation:

High-Pressure Laminate Tops

Unit tops can be finished with high-pressure laminate, a material recognized for its resilient properties. This option must be specified when ordering. The laminate sheet is glued to the surface and then heat-sealed with a 1.5 mm PVC edge.

Unless otherwise specified in the order, the laminate finish will be coordinated to match the unit's thermally fused laminate color.


Locks



Satin nickel locks can be installed on all Logilife units. This option must be specified in the order. They are randomly keyed, and two keys are provided per lock. To specify keyed alike locks, a list of the units that have identical keys must be provided with the order.


Some lock numbers may be repeated in orders of 50 units or more.

Hinged Back on Hutches



To provide easy access to wiring, the backs of hutches can be cut out and concealed by a hinged panel. This option must be specified when ordering.

Cutout Dresser Top



Dressers intended to accommodate televisions can have a cutout top to provide easy access to wiring. This option must be specified when ordering.

180° or 270° Hinges

Wardrobe doors can be installed on hinges that open 180° or up to 270°, to be specified when ordering.

Master Key

A master key can be provided for units that have locks. This option must be specified when ordering.

12



Classic Series

Patient Room Furniture

Manufacturing Standards: Classic Series

Product Dimensions

For display purposes, the furniture dimensions represented in the price tables on each product page are rounded to the nearest whole number

Customized Products

The models presented here are suggestions: they can all be modified according to your needs. In addition to designing and manufacturing entirely customized furniture, Logiflex offers the option of simply modifying the dimensions of the models presented.

Please see page Appendix B for more information and suggestions about custom manufacturing.

Construction

Frames are made of 3/4" thermally fused laminate. Non-exposed edges are covered with a 0.5 mm PVC strip, while exposed edges are covered with a 1.5 mm strip. This type of thicker and heat-sealed edge increases the unit's durability while preventing infiltration of bacteria and moisture

All bedside cabinets, dressers and wardrobe cabinets have air vents to ensure air circulation.

Tops

Tops of the Classic series are featureless, in 3/4" thermally fused laminate with 1.5 mm heat-sealed PVC edges.

Drawers and Cabinets

Robust and easy to clean, the drawers are made of black 7/16" particleboard back, bottom and sides. The full extension slides are black and have a capacity of 100lbs.

Drawer and cabinet fronts in the Classic Series are made of 3/4" thermally fused laminate with 1.5 mm heat-sealed PVC edges.

Base

The sides of furniture items in the Classic Series go right to the ground and are equipped with height adjustable, non-marking glides. The front features a full kick plate in 3/4" thermally fused laminate with 1.5 mm heat-sealed PVC edges.

Dressers

Unless otherwise specified when ordering, the dresser back is recessed 2 1/4" so that the unit can be placed against a wall with electrical outlets.

Wardrobes and Cabinets

Adjustable shelves in wardrobes and cabinets are fixed to shelf supports in order to prevent tipping. For greater safety, wardrobes are equipped with a safety garment rail that will support a maximum weight of 75 pounds.

Handles

The standard handle for the Classic Series is the H161, satin nickel finish. However, any Logilife handle may be chosen instead of this standard; simply specify the choice when placing the order.

Handles have been selected for their ergonomic characteristics.

Finishes

5 wood grain finishes and 1 solid color are offered in the Classic Series:

- BC Brown Cherry
- · CC Classic chocolate
- DR Driftwood
- EC Classic Maple
- TO Tobacco
- W Polar White

Unless otherwise specified when ordering, all finishes are coordinated to ensure matching thermally fused laminates and PVC edges.

Fronts and doors can be of different colors to make it easier for visually impaired individuals to identify the units.

Edges can be of different colors to make it easier for visually impaired individuals to identify the units.

Wood Grain

Wood grain is always vertical on cabinet doors, and horizontal on drawer fronts and the kick plate.

Safety

For greater safety, Logiflex recommends using anchoring systems like its anti-tipping kits to prevent units from tipping forward. Wall anchoring is recommended for wardrobes and is required for dressers and hutches.

Options


Plastic Drawer Liner: The white plastic drawer liner is designed specifically for easy cleaning of the top drawer of bedside cabinets: it is removable, stands up to cleaning products, and has rounded corners. Its moulded handle makes it easy to take out and put back into the drawer.

Anti-Tipping Kit: The anti-tipping kit, made from steel and galvanized steel cable, prevents units from tipping forward. For increased safety, it is recommended that dressers and wardrobes be anchored to the wall. Two kits are required for hutches.


Additional Adjustable Shelves: An additional adjustable shelf, with shelf supports included, may be ordered for hutches and wardrobes.

Bedside Cabinet


LFC TC1



LFC TC2L



LFC TC2R



(a) Manufacturing Standards

TC1:


- 1 drawer with H161 handle;
- 1 open section with 1 adjustable shelf;
- 1 air vent.


TC2:

- 1 drawer with H161 handle;
- 1 door cabinet with H161 handle and 1 adjustable shelf;
- 1 air vent.

Handles: For handles other than H161 standard, please choose from the Logilife list at no extra charge.








TC2


Dimensions A B C	LFC	
201832	839	
241832	864	

Bedside Cabinet

LFC TC3



LFC TC4




Manufacturing Standards


- 3 or 4 drawers with H161 handles;
- 1 air vent.

Note: The height of the top drawer on TC3 is different from the bottom drawers.

Handles: For handles other than H161 standard, please choose from the Logilife list at no extra charge.









Dimensions A B C LFC 201832 1285 241832 1320

Dressers


LFC COM2



LFC COM3



LFC COM4




Manufacturing Standards


- · 2, 3 or 4 drawers with H161 handles;
- 1 air vent;
- · 2" recessed back.

Note: See p. 12 for series materials, finishes and manufacturing standard.

Handles: For handles other than H161 standard, please choose from the Logilife list at no extra charge.








COIVIS - 3 UIAWEIS				
Dimensions				
ABC	LFC			
203032	1176			
203632	1225			
243032	1217			
243632	1270			

COM4 - 4 drawers				
Dimensions				
ABC	LFC			
203044	1521			
203644	1586			
243044	1574			
243644	1644			

Dressers

LFC COM6







- · 6 drawers with H161 handles;
- 2 air vents;
- 2-1/4" recessed back.

Handles: For handles other than H161 standard, please choose from the Logilife list at no extra charge.








Hutches

LFC HL28







- · 2 door hutch with H161 handles;
- 1 black flexible grommet at the bottom of the back.


Cabinet inside space: 13" H.

Handles: For handles other than H161 standard, please choose from the Logilife list at no extra charge.

Anti-tipping kit: 2 kits are required for hutches.









Hutches

LFC HLA40



LFC HLA52



Anti-Tipping Kit Additional Shelves SH



Manufacturing Standards

- · 2 door hutch with H161 handles;
- 1 or 2 adjustable shelves;
- 1 black flexible grommet at the bottom of the back.

Cabinet inside space: 13" H.

Handles: For handles other than H161 standard, please choose from the Logilife list at no extra charge.

Anti-tipping kit: 2 kits are required for hutches.

Adjustable shelves (SH): $30^{\circ}L = $64, 36^{\circ}L = 78 per additional shelf, supports included.

\$ Prices

HLA40 - 1 adjustable shelf


Dimensions		
ABC	LFC	
163040	985	
163640	1023	

HLA52 - 2 adjustable shelves


	-
Dimensions	
ABC	LFC
163052	1091
163652	1137

Wardrobes

LFC PEN1L



LFC PEN1R



Hinges on right side: R


Manufacturing Standards


- 1 door wardrobe with H161 handle;
- 1 safety garment rail under adjustable shelf;
- 1 air vent.

Handles: For handles other than H161 standard, please choose from the Logilife list at no extra charge.

Adjustable shelves (SH): 20" L = \$64 per additional shelf, supports included.









Wardrobes

LFC PEN2L



LFC PEN2R



Handles: For handles other than H161 standard, please choose from the Logilife list at no extra charge.


Manufacturing Standards
1 door wardrobe with H161 handle;
1 drawer with H161 handle;


1 air vent.

· 1 safety garment rail under adjustable shelf;

Adjustable shelves (SH): 20" L = \$64 per additional shelf, supports included










Wardrobes

LFC PEN3












- · 2 door wardrobe with H161 handles;
- 1 safety garment rail under adjustable shelf;
- 2 air vents.


Handles: For handles other than H161 standard, please choose from the Logilife list at no extra charge.

Adjustable shelves (SH): for units of $30^\circ L = \$99$, $36^\circ L = \$122$, $42^\circ W = \$143$ per additional shelf, supports included.




Wardrobes

LFC PEN4








Manufacturing Standards

- · 2 door wardrobe with H161 handles;
- 1 safety garment rail under adjustable shelf on left;
- 1 central division;
- · 4 adjustable shelves on right;
- 2 air vents.

Handles: For handles other than H161 standard, please choose from the Logilife list at no extra charge.

Adjustable shelves (SH): for units of 30 "L = \$33, 36 "L = \$43, 42 "W = \$50 per additional shelf, supports included.




24




Wardrobes

LFC PEN5










- · 2 door wardrobe with H161 handles;
- 1 safety garment rail under adjustable shelf;
- 1 drawer with H161 handle;
- · 2 air vents.


Handles: For handles other than H161 standard, please choose from the Logilife list at no extra charge.

Adjustable shelves (SH): for units of 30" L = \$99, 36" L = \$122, 42" W = \$143 per additional shelf, supports included.





Wardrobes

LFC PEN6










- 2 door wardrobe with H161 handles;
- 1 safety garment rail under adjustable shelf on left;
- 1 drawer with H161 handle;
- · 1 central division;
- 5 adjustable shelves on right;
- 2 air vents.

Handles: For handles other than H161 standard, please choose from the Logilife list at no extra charge.


Adjustable shelves (SH): for units of 30" L = \$33, 36" L = \$43, 42" W = \$50 per additional shelf, supports included.






Wardrobes

LFC PEN7











- · 2 door wardrobe with H161 handles;
- · 2 drawers with H161 handles;
- 1 safety garment rail under adjustable shelf;
- · 2 air vents.

Handles: For handles other than H161 standard, please choose from the Logilife list at no extra charge.


Adjustable shelves (SH): for units of 30" L = \$99, 36" L = \$122, 42" W = \$143 per additional shelf, supports included.






Wardrobes

LFC PEN8










- · 2 door wardrobe with H161 handles;
- 1 safety garment rail under adjustable shelf on left;
- · 2 drawers with H161 handles;
- · 1 central division;
- · 4 adjustable shelves on right;
- 2 air vents.

Handles: For handles other than H161 standard, please choose from the Logilife list at no extra charge.


Adjustable shelves (SH): for units of 30" L = \$33, 36" L = \$43, 42" W = \$50 per additional shelf, supports included.







Storage Towers

LFC RAN1









- 1 open space with 2 adjustable shelves;
- 3 drawers with H161 handles.


Handles: For handles other than H161 standard, please choose from the Logilife list at no extra charge.

Adjustable shelves (SH): for units of 30" L = \$99, 36" L = \$122, 42" W = \$143per additional shelf, supports included.




Storage Towers

LFC RAN2







Manufacturing Standards


- · 2 door cabinet with H161 handles;
- · 2 adjustable shelves;
- · 3 drawers with H161 handles;
- 1 air vent.

Handles: For handles other than H161 standard, please choose from the Logilife list at no extra charge.

Adjustable shelves (SH): for units of $30^{\circ}L = \$99$, $36^{\circ}L = \$122$, $42^{\circ}W = \$143$ per additional shelf, supports included.




Dimensions		
ABC	LFC	
243084	2562	




Rectangular Headboard and Footboard

LFC TLRT







Manufacturing Standards

• 3/4" laminate headboard and footboard.


\$ Prices

TLRT - Rectangular headboard

Dimensions АВ LFC 3442 233


PLRT - Rectangular footboard

DIFFICIONS	
АВ	LFC
2742	185




Curved Headboard and Footboard

LFC TLCX









Manufacturing Standards

• 3/4" laminate headboard and footboard.




TLCX - Curved headboard

Difficusions	
A B C	LFC
343742	254

PLCX - Curved footboard

Dimensions	
A B C	LFC
273042	207





Modern Series

Patient Room Furniture

Manufacturing Standards: Modern Series

Customized Products

The models presented here are suggestions: they can all be modified according to your needs. In addition to designing and manufacturing entirely customized furniture, Logiflex offers the option of simply modifying the dimensions of the models presented.

Please see page Appendix B for more information and suggestions about custom manufacturing.

Construction

Frames are made of 3/4" thermally fused laminate. Non-exposed edges are covered with a 0.5 mm PVC strip, while exposed edges are covered with a 1.5 mm strip. This type of thicker and heat-sealed edge increases the unit's durability while preventing infiltration of bacteria and moisture.

All bedside cabinets, dressers and wardrobe cabinets have air vents to ensure air circulation.

Tops

Tops of the Modern Series are featureless, in 3/4" thermally fused laminate with 1.5 mm heat-sealed PVC edges.

Drawers and Cabinets

Robust and easy to clean, the drawers are made of black 7/16" particleboard back, bottom and sides. The full extension slides are black and have a capacity of 100lbs.

Drawer and cabinet fronts in the Classic Series are made of 3/4" thermally fused laminate with 1.5 mm heat-sealed PVC edges.

Legs

For an easier room maintenance, Modern Series is offered with 6" H tubular metal legs, satin nickel finish, with height adjustable, non-marking glides.

6" H oval metal legs, with satin nickel finish, are available as an option. This must be specified in the order.

Dressers

Unless otherwise specified when ordering, the dresser back is recessed 2 1/4" so that the unit can be placed against a wall with electrical outlets.

Wardrobes and Cabinets

Adjustable shelves in wardrobes and cabinets are fixed to shelf supports in order to prevent tipping. For greater safety, wardrobes are equipped with a safety garment rail that will support a maximum weight of 75 pounds.

Handles

The standard handle for the Modern Series is the H162, satin nickel finish. However, any Logilife handle may be chosen instead of this standard; simply specify the choice when placing the order.

Handles have been selected for their ergonomic characteristics.

Finishes

5 wood grain finishes and 1 solid color are offered in the Modern Series:

- BC Brown Cherry
- CC Classic Chocolate
- DR Driftwood
- EC Classic Maple
- TO Tobacco
- W Polar White

Unless otherwise specified when ordering, all finishes are coordinated to ensure matching thermally fused laminates and PVC edges.

Fronts and doors can be of different colors to make it easier for visually impaired individuals to identify the units.

Edges can be of different colors to make it easier for visually impaired individuals to identify the units.

Wood Grain

Wood grain is always vertical on cabinet doors, and horizontal on drawer fronts and the kick plate.

Safety

For greater safety, Logiflex recommends using anchoring systems like its anti-tipping kits to prevent units from tipping forward. Wall anchoring is recommended for wardrobes and is required for dressers and hutches.

Options

Plastic Drawer Liner: The white plastic drawer liner is designed specifically for easy cleaning of the top drawer of bedside cabinets: it is removable, stands up to cleaning products, and has rounded corners. Its moulded handle makes it easy to take out and put back into the drawer.

Anti-Tipping Kit: The anti-tipping kit, made from steel and galvanized steel cable, prevents units from tipping forward. For increased safety, it is recommended that dressers and wardrobes be anchored to the wall. Two kits are required for hutches.


Additional Adjustable Shelves: An additional adjustable shelf, with shelf supports included, may be ordered for hutches and wardrobes.

Locking Casters: 4 locking, swivel polyurethane casters can be installed on bedside cabinets. Logiflex will then remove the kick plate and adjust the unit to the desired height.


34

Bedside Cabinet

LFM TC1




LFM TC2L



Hinges on left side: L

LFM TC2R



Hinges on right side: R

(1) Manufacturing Standards




TC1:


- 1 drawer with H162 handle;
- · 1 open section with 1 adjustable shelf;
- 6" tubular metal legs (TU6SN);
- 1 air vent.

TC2:

- · 1 drawer with H162 handle;
- 1 door cabinet with H162 handle and 1 adjustable shelf;
- 6" tubular metal legs (TU6SN);
- 1 air vent.

Handles: For handles other than H162 standard, please choose from the Logilife list at no extra charge.






TC2 Dimensions A B C LFM 201832 923 241832 948


35

Bedside Cabinet

LFM TC3



LFM TC4






Manufacturing Standards





- · The legs are delivered not installed;
- · 3 or 4 drawers with H162 handles;
- 6" tubular metal legs (TU6SN);
- 1 air vent.

Note: The height of the top drawer on TC3 is different from the bottom drawers.

Handles: For handles other than H162 standard, please choose from the Logilife list at no extra charge.









Dimensions LFM A B C 201832 1377 241832 1413

Dressers


LFM COM2



LFM COM3



LFM COM4



Manufacturing Standards





- The legs are delivered not installed;
- · 2, 3 or 4 drawers with H162 handles;
- 6" tubular metal legs (TU6SN);
- 1 air vent;
- · 2-1/4" recessed back.

Note: See p. 12 for series materials, finishes and manufacturing standard.

Handles: For handles other than H162 standard, please choose from the Logilife list at no extra charge.








Dime	ensions			
A B	С	LFM		
2030	032	1266		
2036	532	1311		
2430	032	1304		
2436	532	1357		

COM4 - 4 drawers					
Dimensions					
ABC	LFM				
203044	1615				
203644	1679				
243044	1667				
243644	1736				

Dressers

LFM COM6







- · The legs are delivered not installed;
- · 6 drawers with H162 handles;
- 6" tubular metal legs (TU6SN);
- · 2 air vents;
- 2-1/4" recessed back.

Handles: For handles other than H162 standard, please choose from the Logilife list at no extra charge.








Hutches

LFM HL28






- · 2 door hutch with H162 handles;
- 1 black flexible grommet at the bottom of the back.


Cabinet inside space: 13" H.

Handles: For handles other than H162 standard, please choose from the Logilife list at no extra charge.

Anti-tipping kit: 2 kits are required for hutches.









Hutches


LFM HLA40



LFM HLA52



Anti-Tipping Kit Additional Shelves SH



(a) Manufacturing Standards

- · 2 door hutch with H162 handles;
- 1 or 2 adjustable shelves;
- 1 black flexible grommet at the bottom of the back.

Cabinet inside space: 13" H.

Handles: For handles other than H162 standard, please choose from the Logilife list at no extra charge.

Anti-tipping kit: 2 kits are required for hutches.

Adjustable shelves (SH): $30^{\circ}L = $64, 36^{\circ}L = 78 per additional shelf, supports included.

\$ Prices

HLA40 - 1 adjustable shelf


Dimensions		
ABC	LFM	
163040	985	
163640	1023	

HLA52 - 2 adjustable shelves


Dimensions		
ABC	LFM	
163052	1091	
163652	1137	

Wardrobes

LFM PEN1L



LFM PEN1R




Hinges on right side: R




- · The legs are delivered not installed;
- · 1 door wardrobe with H162 handle;
- 1 safety garment rail under adjustable shelf;
- · 6" tubular metal legs (TU6SN);
- 1 air vent.

Handles: For handles other than H162 standard, please choose from the Logilife list at no extra charge.

Adjustable shelves (SH): 20" L = \$64 per additional shelf, supports included









Wardrobes

LFM PEN2L





LFM PEN2R



Handles: For handles other than H162 standard, please choose from the Logilife list at no extra charge.

Adjustable shelves (SH): 20" L = \$64 per additional shelf, supports included


Manufacturing Standards

The legs are delivered not installed;
1 door wardrobe with H162 handle;
1 drawer with H161 handle;


6" tubular metal legs (TU6SN);

• 1 air vent.

• 1 safety garment rail under adjustable shelf;








Wardrobes

LFM PEN3












- · 2 door wardrobe with H162 handles;
- 1 safety garment rail under adjustable shelf;
- · 6" tubular metal legs (TU6SN);
- 2 air vents.

Handles: For handles other than H162 standard, please choose from the Logilife list at no extra charge.

Adjustable shelves (SH): for units of 30" L = \$99, 36" L = \$122, 42" W = \$143per additional shelf, supports included.










Wardrobes

LFM PEN4









- · The legs are delivered not installed;
- 2 door wardrobe with H162 handles;
- 1 safety garment rail under adjustable shelf on left;
- 1 central division;
- · 4 adjustable shelves on right;
- 6" tubular metal legs (TU6SN);
- · 2 air vents.

Handles: For handles other than H162 standard, please choose from the Logilife list at no extra charge.


Adjustable shelves (SH): for units of 30" L = \$46, 36" L = \$62, 42" W = \$71 per additional shelf, supports included.



Dimensions A B C	LFM
243072	2188
243672	2286

Wardrobes

LFM PEN5









- · The legs are delivered not installed;
- · 2 door wardrobe with H162 handles;
- 1 safety garment rail under adjustable shelf;
- · 1 drawer with H162 handle;
- · 6" tubular metal legs (TU6SN);
- · 2 air vents.

Handles: For handles other than H162 standard, please choose from the Logilife list at no extra charge.

Adjustable shelves (SH): for units of 30" L = \$99, 36" L = \$122, 42" W = \$143per additional shelf, supports included.










Wardrobes

LFM PEN6












- · The legs are delivered not installed;
- · 2 door wardrobe with H162 handles;
- 1 safety garment rail under adjustable shelf on left;
- 1 drawer with H162 handle;
- 1 central division;
- 5 adjustable shelves on right;
- 6" tubular metal legs (TU6SN);
- · 2 air vents.


Handles: For handles other than H162 standard, please choose from the Logilife list at no extra charge.


Adjustable shelves (SH): for units of 30" L = \$33, 36" L = \$43, 42" W = \$50 per additional shelf, supports included.





Wardrobes

LFM PEN7















- · 2 door wardrobe with H162 handles;
- 1 safety garment rail under adjustable shelf;
- · 2 drawers with H162 handles;
- · 6" tubular metal legs (TU6SN);
- · 2 air vents.

Handles: For handles other than H162 standard, please choose from the Logilife list at no extra charge.


Adjustable shelves (SH): for units of 30" L = \$99, 36" L = \$122 42" W = \$143per additional shelf, supports included.







Wardrobes

LFM PEN8













- · 2 door wardrobe with H162 handles;
- 1 safety garment rail under adjustable shelf on left;
- · 2 drawers with H162 handles;
- 1 central division;
- · 4 adjustable shelves on right;
- · 6" tubular metal legs (TU6SN);
- · 2 air vents.

Handles: For handles other than H162 standard, please choose from the Logilife list at no extra charge.


Adjustable shelves (SH): for units of 30" L = \$33, 36" L = \$43, 42" W = \$50 per additional shelf, supports included.





Storage Towers


LFM RAN1






Handles: For handles other than H162 standard, please choose from the Logilife list at no extra charge.

Adjustable shelves (SH): for units of 30"L = \$99, 36"L = \$122, 42"W = \$143per additional shelf, supports included.









Storage Towers

LFM RAN2










- · 2 door cabinet with H162 handles;
- · 2 adjustable shelves;
- · 3 drawers with H162 handles;
- · 6" tubular metal legs (TU6SN);
- 1 air vent.

Handles: For handles other than H162 standard, please choose from the Logilife list at no extra charge.


Adjustable shelves (SH): for units of 30"L = \$99, 36"L = \$122, 42" W = \$143per additional shelf, supports included.






Rectangular Headboard and Footboard

LFM TLRT



LFM PLRT



Manufacturing Standards

• 3/4" laminate headboard and footboard.


\$ Prices

TLRT - Rectangular headboard

Dimensions	
АВ	LFM
3442	233


PLRT - Rectangular footboard

DIFFICIONS		
АВ	LFM	
2742	185	




Curved Headboard and Footboard

LFM TLCX



LFM PLCX





Manufacturing Standards

• 3/4" laminate headboard and footboard.




Dimensions

TLCX - Curved headboard

Dimensions ABC LFM 343742 254

PLCX - Curved footboard

Α	В	С	LFM
27	30	42	207





Tables Series

Flex, All-Purpose & Occasional Tables

Manufacturing Standards: Tables Series

Tops

All Logilife Tables are made of 1" thermally fused laminate or high pressure laminate tops with 2mm heat-sealed PVC edges.

Flex Tables



Flex tables offer independent height adjustment of each surface. Surfaces are adjustable from 27" to 37". Bases are designed to allow maximum clearance to facilitate medical assistant duties. Tables are equipped with height adjustable glides.

Tables with Height Adjustable Mechanism

Tables provided with a pneumatic mechanism base can be adjust in height from 28" to 38".

Limited Lifetime Warranty

All Logilife furniture manufactured after August 1, 2012 is provided with a limited lifetime warranty.

Finishes

 $5\ \text{wood}$ grain finishes and 1 solid color are offered in the Tables Series:

- BC Brown Cherry
- CC Classic Chocolate
- DR Driftwood
- EC Classic Maple
- TO Tobacco
- W Polar White

Customized Products

The models presented here are suggestions: they can all be modified according to your needs.

Please see page Appendix B for more information and suggestions about custom manufacturing.

Options

Flip-top Mechanism | Tables with BPX Bases:



Tables with pneumatic mechanism can be ordered with a flip-top mechanism to reduce the storage footprint.

Lazy Susan | Flex Tables:



Flex tables can receive a central swivel circular tray.

Curved Fronts | Flex Tables:



Flex table surfaces may have a concave shape for the user comfort.


Sliding Action | Flex Tables:




Each top of Flex tables can be provided with independent mechanism for adjustabily in depth in order to move tops forward. 1 mechanism per top is needed.

All Purpose Tables

TCAIFN



TCAOVA



Manufacturing Standards



- · Delivered disassembled; · Square surface with rounded corners;
- Metal legs, satin nickel finish.




TCAIFN - 2-1/2" metal tubular legs

Dimensions	LF	LFL	
Α	tfl	hpl	
36	676	937	
42	719	1032	


TCAOVA - Metal oval legs

Dimensions	LF	LFL	
Α	tfl	hpl	
36	999	1330	
42	1041	1426	




All Purpose Tables

TAIFN



TAOVA



Manufacturing Standards



- · Delivered disassembled;
- · Rectangular surface with rounded corners;
- · Metal legs, satin nickel finish.




TAIFN - 2-1/2" metal tubular legs

Dimensions A B	LF tfl	LFL hpl	
2430	628	869	
3036	662	904	
3648	719	969	
3654	750	1001	

TAOVA - Metal oval legs


Dimensions A B	LF tfl	LFL hpl	
2430	968	1239	
3036	1076	1363	
3648	1099	1384	
3654	1131	1419	






All Purpose Tables

TRIFN



TROVA



Manufacturing Standards



- · Delivered disassembled;
- · Circular surface;
- · Metal legs, satin nickel finish.


\$ Prices

TRIFN - 2-1/2" metal tubular legs

Dimensions	LF	LFL
A	tfl	hpl
36	676	937
42	719	1032


TROVA - Metal oval legs

	Dimensions	LF	LFL
ı	Α	tfl	hpl
	36	999	1330
	42	1041	1426




All Purpose Tables

TCASTA4



TRSTA4





Manufacturing Standards

- · Delivered disassembled;
- 1-1/2" metal tubular base.

\$ Prices

TCASTA4 - Square surface with rounded corners

Dimensions	LF	LFL
Α	tfl	hpl
24	901	1088

TRSTA4 - Circular surface


Dimensions	LF	LFL
Α	tfl	hpl
24	882	1066



	LF LFL	А	TCA TR		
		24		STA424	SN
	series	dimensions	top	legs	metal finish
Example	LF	24	TCA	STA424	SN


All Purpose Tables

TASTA2






Manufacturing Standards




- · Rectangular surface with rounded corners;
- 1-1/2" metal tubular legs.

_	_			
	(\$) Prices			
	Dimensions	LF	LFL	
	A B	tfl	hpl	
	2436	1187	1451	
	2442	1201	1491	
	2448	1208	1520	
	2454	1216	1555	
	2460	1315	1690	




All Purpose Tables


TCABPX



TRBPX



ARCBPX




Manufacturing Standards



- · Delivered disassembled;
- Tubular metal base with pneumatic adjustable height mechanism from 28" to 36"H.







TCABPX - Square surface with rounded corners

Dimensions	LF	LFL	
Α	tfl	hpl	
38	1888	2253	
42	1934	2351	

TRBPX - Circular surface

Di	imensions	LF	LFL
Α		tfl	hpl
38	8	1894	2262
42	2	1943	2357

ARCBPX - Square surface with concave corners

Dimensions	LF	LFL	
Α	tfl	hpl	
42	2024	2447	


Flex Tables





FLEX4T






Manufacturing Standards


- 2 or 4 tops with curved tops;
- Independent adjustable height mechanism from 27" to 37"H.

Note: Sliding Tray (AP) option adds a 6-1/2" adjustment towards the user.

Dimensions:

Code	Total Width	Total Depth	Surface Wldth	Surface Depth	Lazy Susan
FLEX2	26"	48.75"	26"	24"	12"
FLEX4T	52.75	48.75"	26"	24"	14"
FLEX4X	49.75	48.75"	24.5"	24.5"	14"







FLEX2 - 2 adjustable tops with rounded corners

Code	hpl
FLEX2	Price on reques

FLEX4T - 4 adjustable tops with rounded corners


	LFL	
Code	hpl	
FLEX4T	Price on request	

FLEX4X - 4 adjustable tops with rounded corners

	LFL	
Code	hpl	
FLEX4X	Price on request	

Occasional Tables

TCWL






- · Square surface;
- Wooden apron and 2-1/4" x 2-1/4" tapered legs.

Wood finishes: Available colors: White Wash **WW**, Golden Wheat **GW**, Sand **SD**, Apricot **AT**, Pecan **PN**, Brandy **BR**, Chestnut **CT**, Coffee **CF**, Espresso **ES**, Bordeaux **BO**, Black Wash **BW** and Bark **BK**.

\$ Prices

TCWL - Side table

Dimensions	LFW	LFWL
A B	tfl	hpl
2022	698	864
2422	721	928





Occasional Tables


TWL 16











Manufacturing Standards

- · Rectangular surface;
- Wooden apron and 2-1/4" x 2-1/4" tapered legs.

Wood finishes: Available colors: White Wash **WW**, Golden Wheat **GW**, Sand **SD**, Apricot **AT**, Pecan **PN**, Brandy **BR**, Chestnut **CT**, Coffee **CF**, Espresso **ES**, Bordeaux **BO**, Black Wash **BW** and Bark **BK**.

\$ Prices

TWL16 - Coffee table


	imensions B C	LFW tfl	LFWL hpl
-	в с 3616	992	
_	43010	992	1105
2	44816	799	1140

TWL22 - Side table

Dimensions	LFW	LFWL
ABC	tfl	hpl
162022	687	825
202422	710	882


TWL30 - Sofa table

Dimensions A B C	LFW tfl	LFWL hpl
143630	774	962
144830	816	1041
146030	842	1108




Occasional Tables

TRWL 16



TRWL 22



Manufacturing Standards

- · Circular surface;
- Wooden apron and 2-1/4" x 2-1/4" tapered legs.

Wood finishes: Available colors: White Wash **WW**, Golden Wheat **GW**, Sand **SD**, Apricot **AT**, Pecan **PN**, Brandy **BR**, Chestnut **CT**, Coffee **CF**, Espresso **ES**, Bordeaux **BO**, Black Wash **BW** and Bark **BK**.


\$ Prices

TRWL16 - Coffee table

Dimensions A B	LFW tfl	LFWL hpl	
2416	919	1086	
3016	977	1221	
3616	1021	1352	


TRWL22 - Side table

Dimensions	LFW	LFWL		
АВ	tfl	hpl		
2422	992	1165		



Occasional Tables

ELWL 16






- · Elliptical surface;
- Wooden apron and 2-1/4" x 2-1/4" tapered legs.

Wood finishes: Available colors: White Wash **WW**, Golden Wheat **GW**, Sand **SD**, Apricot **AT**, Pecan **PN**, Brandy **BR**, Chestnut **CT**, Coffee **CF**, Espresso **ES**, Bordeaux **BO**, Black Wash **BW** and Bark **BK**.


\$ Prices

ELWL16 - Coffee table



Occasional Tables

TCWLG






- · Square surface;
- Wooden apron and 2-1/4" x 2-1/4" curved legs.

Wood finishes: Available colors: White Wash **WW**, Golden Wheat **GW**, Sand **SD**, Apricot **AT**, Pecan **PN**, Brandy **BR**, Chestnut **CT**, Coffee **CF**, Espresso **ES**, Bordeaux **BO**, Black Wash **BW** and Bark **BK**.


\$ Prices

TCWLG - Side table




Occasional Tables


TWLG 16



TWLG 22



TWLG 30



(1) Manufacturing Standards

- · Rectangular surface;
- Wooden apron and 2-1/4" x 2-1/4" curved legs.

Wood finishes: Available colors: White Wash **WW**, Golden Wheat **GW**, Sand **SD**, Apricot **AT**, Pecan **PN**, Brandy **BR**, Chestnut **CT**, Coffee **CF**, Espresso **ES**, Bordeaux **BO**, Black Wash **BW** and Bark **BK**.

\$ Prices


TWLG16 - Coffee table

TWLG22 - Side table

LFW	LFWL	
tfl	hpl	
793	940	
816	999	
	tfl 793	tfl hpl 793 940


TWLG30 - Sofa table

Dimensions A B C	LFW tfl	LFWL hpl
143630	922	1122
144830	959	1199
146030	989	1270




Occasional Tables

TRWLG 16



TRWLG 22



Manufacturing Standards

- · Circular surface;
- Wooden apron and 2-1/4" x 2-1/4" curved legs.

Wood finishes: Available colors: White Wash **WW**, Golden Wheat **GW**, Sand **SD**, Apricot **AT**, Pecan **PN**, Brandy **BR**, Chestnut **CT**, Coffee **CF**, Espresso **ES**, Bordeaux **BO**, Black Wash **BW** and Bark **BK**.


\$ Prices

TRWLG16 - Coffee table

Dimensions A B	LFW tfl	LFWL hpl	
2416	878	1086	
3016	933	1221	
3616	974	1352	


TRWLG22 - Side table

Dimensions	s LFW	LFWL
АВ	tfl	hpl
2422	947	1165



Occasional Tables

ELWLG 16






- · Elliptical surface;
- Wooden apron and 2-1/4" x 2-1/4" curved legs.

Wood finishes: Available colors: White Wash **WW**, Golden Wheat **GW**, Sand **SD**, Apricot **AT**, Pecan **PN**, Brandy **BR**, Chestnut **CT**, Coffee **CF**, Espresso **ES**, Bordeaux **BO**, Black Wash **BW** and Bark **BK**.


\$ Prices

ELWLG16 - Coffee table



Overbed Table

LF OBT






Manufacturing Standards

- ABS plastic surface;
 11" adjustment surface can be positioned from 27-7/8"H to 38-7/8"H;
- White base with robust steel structure;
- · C-base with swivel casters, 2 with locking casters;
- 100 lbs weight capacity.
 Top dimensions: 35 1/2" x 17 3/4".



Code OBT





Seating



Hosta

Wooden Seats

Manufacturing Standards: Hosta Series

Construction | Armchairs*



The structural seat frame is made of welded steel for an increased strength and durability. Its assembly allows 3 levels of adjustments in height and 2 in deepness while the metal to metal connections allows individual components to be replaced without having to replace the entire chair.

*Feature not available for the general purpose chair.

Easy Cleaning



All Logilife chairs feature a vinyl moisture barrier with aerators that covers the underside of the seat. All models are also designed with a clearance space between the back and the cushion, facilitating maintenance and cleaning.

Wall Saver



Logilife chairs are specifically designed to prevent premature wear and damages by avoiding contacts between the back, the armrests and the surrounding walls.

Safe and Easy Ingress and Egress



The wooden frame is assembled with mortise and tenon construction for optimal strength. Logilife chairs are designed with molded backs and spring seat construction for optimal comfort and ergonomic support. Chair backs and seats utilize multi-density foam and legs are equipped with non-marking glides.

Frame | Armchairs

The wooden frame is assembled with mortise and tenon construction for optimal strength. Logilife chairs are designed with molded backs and spring seat construction for optimal comfort and ergonomic support. Chair backs and seats utilize multi-density foam and legs are equipped with non-marking glides.

Weight Capacity | Bariatric Armchairs

Bariatric armchairs have a weight capacity of 750lbs.

California Technical Bulletin 117

The Celcor foam used meets or exceeds the California Technical Bulletin 117 norms.

Limited Lifetime Warranty

All Logilife furniture manufactured after August 1, 2012 is provided with a limited lifetime warranty.

Laminate

5 laminate colors are offered in the Logilife Series:

- BC Brown Cherry
- · CC Classic Chocolate
- DR Driftwood
- EC Classic Maple
- TO Tobacco
- W Polar White

Upholstery Specification

Logiflex offers its customers several methods of specifying the fabrics from different suppliers. Terms and conditions for approval and order are listed on p. 10. It is also possible to combine more than one fabric for the same seat, at no additional cost. The price of the seat will be determined according to the highest grade of fabric.

Customized Products

The models presented here are suggestions: they can all be customized to meet individual requirements. In addition to designing and manufacturing entirely customized furniture, Logiflex offers to simply modifying the dimensions of the models presented or to use non-standard colors.

Options

CAL 133

Logilife seats may receive a non-flammable lining compliant with California Technical Bulletin 133. Please take note the non-flammable lining does not alone ensure the product certification. Consult p. 10 for more information.

Polyurethane Arm Cap



The optional arm cap increases durability for the armrests. It is replaceable if it becomes damaged.

Removable Head Cover



A removable slipcover for head area is available in order to reduce excessive wear of the back and facilitate cleaning.

Hosta - Patient Armchairs

LFH RES









Front view



Combination of Colors





Manufacturing Standards

- · RES: fixed molded high back;
- · RESR: reclining molded high back;
- · Seat with springs;
- · Wooden frame and armrests.

Wood finishes: Available colors: White Wash WW, Golden Wheat GW, Sand SD, Apricot AT, Pecan PN, Brandy BR, Chestnut CT, Coffee CF, Espresso ES, Bordeaux BO, Black Wash BW and Bark BK.

Combination of fabrics: For two-tone upholstery, please use the higher grade pricing.


COM Fabrics: COM Fabrics are provided by the customer. For pricing please refer GR2 grade price.


See Appendix B COM Fabric:

Fabric combination possible. Number of yards required:

Code	Total (1 fabric)		Backrest
RES	2	1	2
RESR	2	1	2

CAL 133: Application of a non-flammable lining compliant with California Technical Bulletin 133 | See p. 10. (The non-flammable lining does not alone ensure the product certification).







Hosta - Guest and Bariatric Armchairs

LFH VIS1


















Manufacturing Standards

- · Molded middle back;
- · Seat with springs;
- · Wooden frame and armrests.

Weight capacity (BAR): 750lbs

Wood finishes: Available colors: White Wash WW, Golden Wheat GW, Sand SD, Apricot AT, Pecan PN, Brandy BR, Chestnut CT, Coffee CF, Espresso ES, Bordeaux BO, Black Wash BW and Bark BK.

Combination of fabrics: For two-tone upholstery, please use the higher grade pricing.

COM Fabrics: COM Fabrics are provided by the customer. For pricing please refer GR2 grade price.

COM Fabric: See Appendix B

Fabric combination possible. Number of yards required:




CAL 133: Application of a non-flammable lining compliant with California Technical Bulletin 133 | See p. 10. (The non-flammable lining does not alone ensure the product certification).

Combination of Colors













Hosta - Tandem Seating


LFH VIS2A





LFH VIS3A







Manufacturing Standards

- · Molded middle back;
- · Seat with springs;
- · Wooden frame and armrests.

Wood finishes: Available colors: White Wash WW, Golden Wheat GW, Sand SD, Apricot AT, Pecan PN, Brandy BR, Chestnut CT, Coffee CF, Espresso ES, Bordeaux BO, Black Wash BW and Bark BK.

Combination of fabrics: For two-tone upholstery, please use the higher grade pricing.

COM Fabrics: COM Fabrics are provided by the customer. For pricing please refer GR2 grade price.


COM Fabric: See Appendix B

Fabric combination possible. Number of yards required:


Code	Total (1 fabric)		Backrest
VIS2A	4	2	3,5
VIS3A	6	3	5,25

CAL 133: Application of a non-flammable lining compliant with California Technical Bulletin 133 | See p. 10. (The non-flammable lining does not alone ensure the product certification).

Combination of Colors










Hosta - General Purpose Chairs

LFH SAM











Combination of Colors

Seat

Manufacturing Standards

- · Low molded backrest;
- · Molded seat;
- · Wooden frame and armrests.

Combination of fabrics: For two-tone upholstery, please use the higher grade pricing.

COM Fabrics: COM Fabrics are provided by the customer. For pricing please refer GR2 grade price.

COM Fabric: See Appendix B

Fabric combination possible. Number of yards required:

Code	Total (1 fabric)		Backrest
SAM	1,25	1	0,75

Wood finishes: Available colors: White Wash WW, Golden Wheat GW, Sand SD, Apricot AT, Pecan PN, Brandy BR, Chestnut CT, Coffee CF, Espresso ES, Bordeaux BO, Black Wash BW and Bark BK.

Prices Cuir Code Leather SAM 982 1000 1024 1048 1078 1107 1138 1167 1197 1227 1257 1316 1376 1326

Backrest



Hosta - Slip-on Head Cover

HT





- · Removable slip-on head cover;
- · For patient armchairs only;
- 11" height.


COM Fabrics: COM Fabrics are provided by the customer. For pricing please refer GR2 grade price.

COM Fabric:

See Appendix B

Fabric combination possible. Number of yards required:

Head Head Head O,5







Mika Metal Armchairs

Manufacturing Standards: Mika Series

Construction | Armchairs*



The structural seat frame is made of welded steel for an increased strength and durability. Its assembly allows 3 levels of adjustments in height and 2 in deepness while the metal to metal connections allows individual components to be replaced without having to replace the entire chair.

*Feature not available for the general purpose chair.

Easy Cleaning



All Logilife chairs feature a vinyl moisture barrier with aerators that covers the underside of the seat. All models are also designed with a clearance space between the back and the cushion, facilitating maintenance and cleaning.

Wall Saver



Logilife chairs are specifically designed to prevent premature wear and damages by avoiding contacts between the back, the armrests and the surrounding walls.

Safe and Easy Ingress and Egress



The extended and rounded polyurethane armrests of Mika seats give the user optimal support for safe and easy ingress and egress.

Frame | Armchairs

The metal frame is in Satin Nickel welded steel. Logilife chairs are designed with molded backs and spring seat construction for optimal comfort and ergonomic support. Chair backs and seats utilize multi-density foam and legs are equipped with non-marking glides.

Weight Capacity | Bariatric Armchairs

Bariatric armchairs have a weight capacity of 750lbs.

California Technical Bulletin 117

The Celcor foam used meets or exceeds the California Technical Bulletin 117 norms

Limited Lifetime Warranty

All Logilife furniture manufactured after August 1, 2012 is provided with a limited lifetime warranty.

Metal Finish

Metal finish for all Mika seats is Satin Nickel (SN)

Upholstery Specification

Please see section A-4 for upholstery specification.

Upholstery Specification

Logiflex offers its customers several methods of specifying the fabrics from different suppliers. Terms and conditions for approval and order are listed on p. 10. It is also possible to combine more than one fabric for the same seat, at no additional cost. The price of the seat will be determined according to the highest grade of fabric.

Customized Products

The models presented here are suggestions: they can all be customized to meet individual requirements. In addition to designing and manufacturing entirely customized furniture, Logiflex offers to simply modifying the dimensions of the models presented or to use non-standard colors.

Options

CAL 133

Logilife seats may receive a non-flammable lining compliant with California Technical Bulletin 133. Please take note the non-flammable lining does not alone ensure the product certification. Consult p. 10 for more information.

Removable Head Cover



A removable slipcover for head area is available in order to reduce excessive wear of the back and facilitate cleaning.

Mika - Patient Armchairs

LFK RES



LFK RESR



Combination of Colors





Manufacturing Standards

- RES: fixed molded high back;
- RESR: reclining molded high back (Angle of incline ± 23°);
- · Seat with springs;
- · Metal frame and polyurethane armrests;
- · White nylon levelers on front legs.

Combination of fabrics: For two-tone upholstery, please use the higher grade pricing.


COM Fabrics: COM Fabrics are provided by the customer. For pricing please refer GR2 grade price.

COM Fabric: See Appendix B

Fabric combination possible. Number of yards required:

Code	Total (1 fabric)		Backrest
RES	2	1	2
RESR	2	1	2

CAL 133: Application of a non-flammable lining compliant with California Technical Bulletin 133 | See p. 10. (The non-flammable lining does not alone ensure the product certification).



\$ Prices														
RES														
Code	GRA	GR1	GR2	GR3	GR4	GR5	GR6	GR7	GR8	GR9	GR10	GR11	GR12	Cuir Leather
RES	1773	1821	1887	1952	2034	2116	2198	2279	2361	2443	2525	2688	2852	2716
RESR														
Code	GRA	GR1	GR2	GR3	GR4	GR5	GR6	GR7	GR8	GR9	GR10	GR11	GR12	Cuir Leather
RESR	1972	2021	2088	2153	2234	2315	2398	2480	2561	2643	2724	2889	3052	2916




Mika - Guest and Bariatric Armchairs

LFK VIS1



LFK BAR



Combination of Colors





(1) Manufacturing Standards

- · Molded middle back;
- · Seat with springs;
- · Metal frame and polyurethane armrests;
- · White nylon levelers on front legs.

Combination of fabrics: For two-tone upholstery, please use the higher grade pricing.


COM Fabrics: COM Fabrics are provided by the customer. For pricing please refer GR2 grade price.


COM Fabric: See Appendix B


Fabric combination possible. Number of yards required:

Code	Total (1 fabric)		Backrest
VIS1	2	1	1,75
BAR	3	1	2

CAL 133: Application of a non-flammable lining compliant with California Technical Bulletin 133 | See p. 10. (The non-flammable lining does not alone ensure the product certification).








Mika - Tandem Seating


LFK VIS2A



LFK VIS3A



Combination of Colors



(a) Manufacturing Standards

- · Molded middle back;
- · Seat with springs;
- · Metal frame and polyurethane armrests;
- · White nylon levelers on front legs.

Combination of fabrics: For two-tone upholstery, please use the higher grade pricing.


COM Fabrics: COM Fabrics are provided by the customer. For pricing please refer GR2 grade price.


COM Fabric: See Appendix B


Fabric combination possible. Number of yards required:

Code	Total (1 fabric)		Backrest
VIS2A	4	2	2
VIS3A	6	3	3

CAL 133: Application of a non-flammable lining compliant with California Technical Bulletin 133 | See p. 10. (The non-flammable lining does not alone ensure the product certification).








Mika - General Purpose Chairs

LFK SAM





- · Molded middle back;
- · Seat with springs;
- · Metal frame and polyurethane armrests.

Combination of fabrics: For two-tone upholstery, please use the higher grade pricing.


COM Fabrics: COM Fabrics are provided by the customer. For pricing please refer GR2 grade price.

COM Fabric: See Appendix B


Fabric combination possible. Number of yards required:

Code	Total (1 fabric)		Backrest
SAM	1 25	1	0.75

CAL 133: Application of a non-flammable lining compliant with California Technical Bulletin 133 | See p. 10. (The non-flammable lining does not alone ensure the product certification).



Combination of Colors



(W)	11003													
														Cuir
Code	GRA	GR1	GR2	GR3	GR4	GR5	GR6	GR7	GR8	GR9	GR10	GR11	GR12	Leather
SAM	730	749	773	796	826	856	886	915	946	974	1004	1064	1124	1074



Mika - Slip-on Head Cover

HT





- · Removable slip-on head cover;
- · For patient armchairs only;
- 11" height.


COM Fabrics: COM Fabrics are provided by the customer. For pricing please refer GR2 grade price.

COM Fabric:

See Appendix B

Fabric combination possible. Number of yards required:

Head Head Head O,5





Stack6 - Visitor chair


S6 - UP











A Chair width	23,5"
B Chair depth	21,5"
C Chair height	31,5"
D Seat height	17,5"
E Backrest width	17"
F Seat depth	17,5"

(a) Manufacturing Standards


Stack6 chair:


- · · 3 types of chairs:
- UP: Plastic backrest, padded seat
- UU: Backrest and padded seats
- -PP: Backrest and seat in plastic
- · Seat with cascading edge;
- Black metal base (BL) with chrome details and black polyurethane armrests;
- · Non-marking glides;
- · Stackable up to 6;
- Weight and volume (for 3 chairs): 45 lbs / 16 ft³; Plastic finishes: Black (01) or Charcoal (10)

Fabric finishes: Selection of fabrics or vinyl by the customer from the supplier of their choice.

COM Fabrics: COM Fabrics are provided by the customer. For pricing please refer GR2 grade price.

Number of yards for COM Fabric: See Appendix B Code Total UP 0,9 UU 0,9







Lounge Seating


Lodging Furniture

Flint - Armchair

FB1G

On levelers









- · Single top stitching;
- · 9 GA springs for the seat and 11 GA for the backrest;
- · Medium-density foam on seat and backrest;
- · Firm density foam on the top of the armrests;
- · Hardwood plywood structure.


Combination of Colors






Number of	yards for COM fab	See Appendix B	
Code	Total (1 fabric)	Frame	Seat and backrest
FB1G	5,25	4,1	2







Flint - Loveseat

FB2G


On levelers



Manufacturing Standards


- · Single top stitching;
- 9 GA springs for the seat and 11 GA for the backrest;
- · Medium-density foam on seat and backrest;
- · Firm density foam on the top of the armrests;
- · Hardwood plywood structure.


Combination of Colors





Number of	yards for COM fab	See Appendix B	
Code	Total (1 fabric)	Frame	Seat and backrest
FB2G	7,4	4,3	3,6








Flint - Sofa

FB3G


On levelers




Manufacturing Standards

- · Single top stitching;
- 9 GA springs for the seat and 11 GA for the backrest;
- · Medium-density foam on seat and backrest;
- · Firm density foam on the top of the armrests;
- · Hardwood plywood structure.

Combination of Colors



Number o	t yards for COM tab	See Appendix E	
Code	Total (1 fabric)	Frame	Seat and backrest
FB3G	9,8	5,2	5,7



(\$) Prices														
Code	GRA	GR1	GR2	GR3	GR4	GR5	GR6	GR7	GR8	GR9	GR10	GR11	GR12	Cuir Leather
FB3 G	3672	3858	4109	4359	4671	4983	5295	5607	5920	6233	6545	7169	7793	7273




Flint - Armchair

FB10VAM

4 oval metal corner legs on levelers







Combination of Colors




Frame




(1) Manufacturing Standards

- · Single top stitching;
- · 9 GA springs for the seat and 11 GA for the backrest;
- · Medium-density foam on seat and backrest;
- · Firm density foam on the top of the armrests;
- · Hardwood plywood structure.

Number of y	ards for COM fab	See Appendix B	
Code	Total (1 fabric)	Frame	Seat and backrest
FB10VAN	1 5.25	4.1	2








Flint - Loveseat

FB20VAM

4 oval metal corner legs on levelers



Manufacturing Standards

- · Single top stitching;
- · 9 GA springs for the seat and 11 GA for the backrest;
- · Medium-density foam on seat and backrest;
- · Firm density foam on the top of the armrests;
- · Hardwood plywood structure.

Combination of Colors





Frame





Number o	of yards for COM fa	bric:	See Appendix E
Code	Total (1 fabric)	Frame	Seat and backrest
FR20V	ΔΜ 74	13	3.6







Flint - Sofa

FB30VAM


4 oval metal corner legs on levelers




Manufacturing Standards

- · Single top stitching;
- 9 GA springs for the seat and 11 GA for the backrest;
- · Medium-density foam on seat and backrest;
- · Firm density foam on the top of the armrests;
- · Hardwood plywood structure.

Combination of Colors



Number of y	ards for COM fab	ric:	See Appendix B
Code	Total (1 fabric)	Frame	Seat and backrest
FB30VAN	Л 9.8	5.2	5.7




W Files														
Code	GRA	GR1	GR2	GR3	GR4	GR5	GR6	GR7	GR8	GR9	GR10	GR11	GR12	Cuir Leather
FB3 OVAM	3672	3858	4109	4359	4671	4983	5295	5607	5920	6233	6545	7169	7793	7273




Taylor Armchair

TAY1

Armchair







Manufacturing Standards

- · Elastic straps on seat;
- · Medium-density foam;
- · Frame made out of recycled and recyclable particles;
- · Oval metal legs 6" H, satin nickel finish.


COM Fabrics: COM Fabrics are provided by the customer. For pricing please refer GR2 grade price.


Number of yards for COM Fabric:

See Appendix B

94

TAY1 5,75 3,75 2





Seat and backrest


Combination of Colors



Taylor Loveseat

TAY2

Loveseat




Combination of Colors





Manufacturing Standards

- · Elastic straps on seat;
- · Medium-density foam;
- · Frame made out of recycled and recyclable particles;
- · Oval metal legs 6" H, satin nickel finish.

Number of	yards for COM	See Appendix E		
Code	Total	Frame	Seat and backrest	
TAY2	7	4	3	








Taylor Sofa

TAY3






Manufacturing Standards


- · Elastic straps on seat;
- · Medium-density foam;
- · Frame made out of recycled and recyclable particles;
- · Oval metal legs 6" H, satin nickel finish.


Combination of Colors






Number of y	ards for COM	See Appendix	
Code	Total	Frame	Seat and backrest
TAY3	9,25	5	4,25








Day Bed

LFC SPEC (DBED)



Combination of Colors



Manufacturing Standards

- 3/4" laminate frame;
- · Medium density foam;
- · White nylon levelers;
- Handles H161.

Combination of fabrics: For two-tone upholstery, please use the higher grade pricing.

COM Fabrics: COM Fabrics are provided by the customer. For pricing please refer GR2 grade price.


See Appendix B

97


COM Fabric:

Fabric combination possible. Number of yards required:

Code	Total	Backrest	
SPEC (DBED)	7,25	2,5	4,75



How to Order




See the Logiflex Graded-in List SS SPEC(DBED) series code supplier pattern color Example SS SPEC(DBED) ENNIS LOFT AQUA

Screens


Freestanding Screens

Freestanding Screens

FS - on levelers




FSR - on casters





Manufacturing Standards



- Freestanding screen with:1" melamine screen panel with rounded bottom corners;
- 1" melamine base with exposed mounting hardware;
- 20 "D x 24" W panel base with rounded corners;
- · Assembly required.
- FS: Base on levelers.
- FSR: Base on translucent casters with brakes.



FS - Base on levelers

Di	men	sions	
Α	В		


605 36 60


FSR - Base on casters

Dimensions

F	١	D	

664 36 60





Accessories

Handles

H160

Handle



- · Finish: Satin nickel;
- Drilling distance between holes: 160 mm c/c

Code	\$	Description	
H160	26		

H161

Handle



	Satin		

• Drilling distance between holes: 160 mm c/c

Code	\$	Description
H160	26	

H162

Handle



- · Finish: Satin nickel;
- Drilling distance between holes: 160 mm c/c

Code	\$	Description
H162	26	

Accessories

Legs

TU6SN

Legs



• 6" H tubular metal leg 1 3/4" diameter, satin nickel finish, with height adjustable, non-marking glides.

Code	\$
TU6SN	Price on request

OVAM6SN

Legs



• 6" H metal oval leg, satin nickel finish, with height adjustable, non-marking glides.

Code	\$
OVAM6SN	Price on request

WF

Locking Casters



· Locking, swivel polyurethane casters (SX 64mm).

Code		
WF	78	Set of 4

Accessories

Miscellaneous Accessories



Drawer Liner




• White plastic drawer liner / For top drawer only.

П	Code	\$ Description	
E	3P	122	

DECR

Anti-Tipping Kit



- Anti-tipping kit made from steel and galvanized steel cable;
- · Aeronautical grade galvanized steel cable;
- 6-7/8" cable length
- 1/25" diameter cable
- · Load capacity of 400 lbs;
- Equipped with pins to allow the furniture to be moved without damaging the DECR device;
- · Tested according to ASTM test methods.

Code	\$	Description
DECR	64	

As our product line is constantly evolving and expanding, we recommend that you visit logiflex.ca for updates.



